



# Product Range BRAND

Liquid Handling | Life Science Consumables  
Pipetting Robot | Volumetric Instruments  
General Lab Products

BRAND. For lab. For life.®

## Trademark-Index

accu-jet®, BIO-CERT®, BLAUBRAND®, BRAND®, BRAND. For lab. For life.®, BRAND*plates*®, cell-culture™, cellGrade™, Dispensette®, EASYCAL™, HandyStep®, hydroGrade™, immunoGrade™, inertGrade™, lipoGrade™, nano-cap™, pureGrade™, QuikSip™, SafetyPrime™, seripettor®, TipStack™, Titrette®, Transferpette® as well as the figurative marks depicted here and the BRAND figurative mark are registered trademarks or trademarks of BRAND GMBH + CO KG, Germany.

All other trademarks mentioned or depicted here are the property of the respective owners.



Our General Terms and Conditions  
[www.brand.de/en/terms-and-conditions](http://www.brand.de/en/terms-and-conditions) apply.



Subject to technical modification without notice. Errors excepted.

### Abbreviations

PCS - piece

# Contents

<b>NEW PRODUCTS</b>	<b>4</b>
<b>CHAPTER I Liquid Handling</b> Dispensing   Titrating   Pipetting	<b>7</b>
<b>CHAPTER II Pipetting Robots</b> Liquid Handling Station   Accessories	<b>39</b>
<b>CHAPTER III Life Science Consumables</b> Microtubes   PCR   Microplates   Cuvettes, etc.	<b>47</b>
<b>CHAPTER IV Volumetric Instruments</b> Bulb Pipettes   Graduated Pipettes   Volumetric Flasks   Burettes, etc.	<b>73</b>
<b>CHAPTER V General Lab Products</b> Beakers   Funnels   Bottles   Detergents   Density, etc.	<b>101</b>
<b>CHAPTER VI Accessories and spare parts</b> Liquid Handling   Life Science Consumables   Volumetric Instruments   General Lab Products	<b>137</b>

# New products

## Deep-well plate, 96-well, PP



Cat.-No.	Product Description		From	Unit
701347	well shape square, U-bottom, Low Profile, 1 ml, CERTIFIED LIFE SCIENCE QUALITY	1 pack = 50 piece(s)	1	pack
701348	well shape square, V-bottom, Suitable for KingFisher™, 2,2 ml, CERTIFIED LIFE SCIENCE QUALITY	1 pack = 50 piece(s)	1	pack

## PCR plate 96-well, Rigid Frame, PC/PP, BIO-CERT® PCR QUALITY



Cat.-No.	Product Description		From	Unit
781541	full skirted, frosted, wells transparent, Low Profile, 0,15 ml	1 pack = 50 piece(s)	1	pack
781542	full skirted, golden, wells transparent, Low Profile, 0,15 ml	1 pack = 50 piece(s)	1	pack
781543	full skirted, red, wells transparent, Low Profile, 0,15 ml	1 pack = 50 piece(s)	1	pack
781544	full skirted, green, wells transparent, Low Profile, 0,15 ml	1 pack = 50 piece(s)	1	pack
781545	full skirted, blue, wells transparent, Low Profile, 0,15 ml	1 pack = 50 piece(s)	1	pack
781546	full skirted, white, wells white, Low Profile, 0,15 ml	1 pack = 50 piece(s)	1	pack
781547	semi skirted, transparent, wells transparent, standard, 0,2 ml	1 pack = 50 piece(s)	1	pack
781548	semi skirted, blue, wells transparent, standard, 0,2 ml	1 pack = 50 piece(s)	1	pack
781549	semi skirted, transp., wells white, Low Profile, 0,15 ml, Roche® Lightcycler®	1 pack = 50 piece(s)	1	pack

## P CR plate 384-well, Rigid Frame, PC/PP, 0,03 ml, BIO-CERT® PCR QUALITY

Cat.-No.	Product Description		From	Unit
781538	full skirted, frosted, wells transparent, Low Profile	1 pack = 50 piece(s)	1	pack
781539	full skirted, frosted, wells white, Low Profile, Roche® Lightcycler®, BioRad	1 pack = 50 piece(s)	1	pack

## P CR plate 384-well, PP, 0,03 ml, full skirted, Low Profile, BIO-CERT® PCR QUALITY



Cat.-No.	Product Description		From	Unit
781346	transparent	1 pack = 50 piece(s)	1	pack

## mikrozid® universal liquid, disinfecting detergent



Cat.-No.	Product Description		From	Unit
44880	1 liter bottle		10	pc(s)
44885	5 liter can		1	pc(s)

### To simplify the ordering process, you can now also find BLAUBRAND® volumetric flasks with USP individual certificate in the price list

956938 – 956954 Volumetric flasks, BLAUBRAND®, class A, Boro 3.3, DE-M, with PP stopper (page 87)

956968 – 956984 Volumetric flasks, BLAUBRAND®, class A, Boro 3.3, DE-M, with glass stopper (page 89)

957481 – 957491 Volumetric flasks, BLAUBRAND®, class A, Boro 3.3, DE-M, with PP stopper, amber (page 92)

957461 – 957471 Volumetric flasks, BLAUBRAND®, class A, Boro 3.3, DE-M, with glass stopper, amber (page 93)

956841 – 956854 Volumetric flasks, BLAUBRAND® ETERNA, class A, Boro 3.3, DE-M, with PP stopper (page 95)



### Reagent reservoir, PP, base shape pyramidal, BIO-CERT® CERTIFIED QUALITY

Cat.-No.	Product Description	From	Unit
701440	1 column, 150 ml, 96-well	1 pack = 10 piece(s)	1 pack
701442	12 columns, 12 ml	1 pack = 10 piece(s)	1 pack



### Adapter for Liquid Handling Station

Cat.-No.	Product Description	From	Unit
709451	Adapter-Rack, für 16 Reaktionsgefäße, 1,5 ml, POM	1	pc(s)



### Robotic tips, BIO-CERT® LIQUID HANDLING QUALITY, PP, racked, TipRack

Cat.-No.	Product Description	From	Unit
733146	1- 50 µl	1 pack = 960 piece(s)	1 pack
734148	10- 200 µl	1 pack = 960 piece(s)	1 pack
734150	10- 300 µl	1 pack = 960 piece(s)	1 pack
734152	40- 1.000 µl	1 pack = 960 piece(s)	1 pack



### Robotic tips, BIO-CERT® LIQUID HANDLING QUALITY, sterile, PP, racked, TipRack

Cat.-No.	Product Description	From	Unit
733166	1- 50 µl	1 pack = 960 piece(s)	1 pack
734168	10- 200 µl	1 pack = 960 piece(s)	1 pack
734170	10- 300 µl	1 pack = 960 piece(s)	1 pack
734172	40- 1.000 µl	1 pack = 960 piece(s)	1 pack



### Robotic filter tips, BIO-CERT® LIQUID HANDLING QUALITY, PP, racked, TipRack

Cat.-No.	Product Description	From	Unit
733646	1- 20 µl	1 pack = 960 piece(s)	1 pack
734650	10- 100 µl	1 pack = 960 piece(s)	1 pack
734652	10- 200 µl	1 pack = 960 piece(s)	1 pack
734654	40- 1.000 µl	1 pack = 960 piece(s)	1 pack



### Robotic filter tips, BIO-CERT® LIQUID HANDLING QUALITY, sterile, PP, racked, TipRack

Cat.-No.	Product Description	From	Unit
733666	1- 20 µl	1 pack = 960 piece(s)	1 pack
734670	10- 100 µl	1 pack = 960 piece(s)	1 pack
734672	10- 200 µl	1 pack = 960 piece(s)	1 pack
734674	40- 1.000 µl	1 pack = 960 piece(s)	1 pack





# Liquid Handling



Bottle-top dispensers

page 23



Bottle-top burettes

page 25



Bottle-top aspirators

page 25



Micropipettes

page 26



Pipette leak testing units

page 28



Tips

page 30



Positive displacement pipettes

page 33



Repetitive pipettes

page 35



Dispenser tips

page 35



Pipetting aids

page 36

# Dispensette® S

## The advantages at a glance

The bottle-top dispenser Dispensette® S has all the features that make dispensing easy, safe and efficient. Innovative ideas – trusted technology.



Positive volume setting using interior scalloped track



Valve system designed without seals



Simple-to-mount discharge tube



Accessories for serial dispensing



**Easy Calibration**

Calibration adjustments according to ISO 9001 and GLP are done within seconds.

**Discharge tube**

without recirculation valve

**Large viewport**

Large sight opening enables inspection of media

Dispensette® S Organic, digital

**360° rotating valve block**

with GL 45 thread

**Discharge valve with safety ball**

closes when discharge tube is not mounted preventing inadvertent dispensing

**Telescoping filling tube**

Fast calibration



Dispensing sterile fluids



Dispensing sensitive reagents




Drum extraction system

# Dispensette® S

The right choice for a wide variety of applications



	Dispensette® S	Dispensette® S Organic
<b>Range of applications</b>	aggressive reagents: such as concentrated bases and acids like $H_3PO_4$ , $H_2SO_4$ (with certain exceptions such as HCl, $HNO_3$ , HF, etc.), saline solutions, and a variety of organic solvents.	organic solvents: such as chlorinated and fluorinated hydrocarbons like trichlorotrifluoroethane and dichloromethane, or acids like concentrated HCl and $HNO_3$ (except for HF), as well as for trifluoroacetic acid (TFA), tetrahydrofuran (THF), and peroxides.
<b>Materials in contact with media</b>	Borosilicate glass, $Al_2O_3$ -ceramic, platinum-iridium, ETFE, FEP, PFA, PTFE and PP	Borosilicate glass, $Al_2O_3$ -ceramic, tantalum, ETFE, FEP, PFA, PTFE and PP
<b>Vapor pressure</b>	max. 600 mbar	max. 600 mbar
<b>Viscosity</b>	500 mm <sup>2</sup> /s	500 mm <sup>2</sup> /s
<b>Temperature</b>	max. 40 °C	max. 40 °C
<b>Density</b>	2.2 g/cm <sup>3</sup>	2.2 g/cm <sup>3</sup>



**i** For dispensing HF, we recommend the use of the Dispensette® S Trace Analysis bottle-top dispenser with platinum-iridium valve spring. Please find further product information on [www.brand.de](http://www.brand.de)

## Dispenser Selection Chart

Reagent	Dispensette® S		Reagent	Dispensette® S		Reagent	Dispensette® S	
	+	Organic		+	Organic		+	Organic
Acetaldehyde	+	+	Cyclohexane		+	Methylene chloride		+
Acetic acid (glacial), 100%	+	+	Cyclohexanone	+	+	Mineral oil (Engine oil)	+	+
Acetic acid, ≤ 96%	+	+	Cyclopentane		+	Monochloroacetic acid	+	+
Acetic anhydride		+	Decane	+	+	Nitric acid, ≤ 30%	+	+
Acetone	+	+	1-Decanol	+	+	Nitric acid, 30-70% */ **	+	+
Acetonitrile	+	+	Dibenzyl ether	+	+	Nitrobenzene	+	+
Acetophenone		+	Dichloroacetic acid		+	Oleic acid	+	+
Acetyl chloride		+	Dichlorobenzene	+	+	Oxalic acid	+	
Acetylacetone	+	+	Dichloroethane		+	n-Pentane		+
Acrylic acid	+	+	Dichloroethylene		+	Peracetic acid		+
Acrylonitrile	+	+	Dichloromethane		+	Perchloric acid	+	+
Adipic acid	+		Diesel oil (Heating oil), bp 250-350 °C		+	Perchloroethylene		+
Allyl alcohol	+	+	Diethanolamine	+	+	Petroleum, bp 180-220 °C		+
Aluminium chloride	+		Diethyl ether		+	Petroleum ether, bp 40-70 °C		+
Amino acids	+		Diethylamine	+	+	Phenol	+	+
Ammonia, ≤ 20%	+	+	1,2-Diethylbenzene	+	+	Phenylethanol	+	+
Ammonia, 20-30%		+	Diethylene glycol	+	+	Phenylhydrazine	+	+
Ammonium chloride	+		Dimethyl sulfoxide (DMSO)	+	+	Phosphoric acid, ≤ 85%	+	+
Ammonium fluoride	+		Dimethylaniline	+		Phosphoric acid, 85% + Sulfuric acid, 98%, 1:1	+	+
Ammonium sulfate	+		Dimethylformamide (DMF)	+	+	Piperidine	+	+
n-Amyl acetate	+	+	1,4-Dioxane		+	Potassium chloride	+	
Amyl alcohol (Pentanol)	+	+	Diphenyl ether	+	+	Potassium dichromate	+	
Amyl chloride (Chloropentane)		+	Essential oil		+	Potassium hydroxide	+	
Aniline	+	+	Ethanol	+	+	Potassium permanganate	+	
Barium chloride	+		Ethanolamine	+	+	Propionic acid	+	+
Benzaldehyde	+	+	Ethyl acetate	+	+	Propylene glycol (Propanediol)	+	+
Benzene (Benzol)	+	+	Ethylbenzene		+	Pyridine	+	+
Benzene (Petroleum benzin), bp 70-180 °C		+	Ethylene chloride		+	Pyruvic acid	+	+
Benzoyl chloride	+	+	Fluoroacetic acid		+	Salicylaldehyde	+	+
Benzyl alcohol	+	+	Formaldehyde, ≤ 40%	+		Scintillation fluid	+	+
Benzylamine	+	+	Formamide	+	+	Silver acetate	+	
Benzylchloride	+	+	Formic acid, ≤ 100%		+	Silver nitrate	+	
Boric acid, ≤ 10%	+	+	Glycerol	+	+	Sodium acetate	+	
Bromobenzene	+	+	Glycol (Ethylene glycol)	+	+	Sodium chloride	+	
Bromonaphthalene	+	+	Glycolic acid, ≤ 50%	+		Sodium dichromate	+	
Butanediol	+	+	Heating oil (Diesel oil), bp 250-350 °C		+	Sodium fluoride	+	
1-Butanol	+	+	Heptane		+	Sodium hydroxide, ≤ 30%	+	
n-Butyl acetate	+	+	Hexane		+	Sodium hypochlorite	+	
Butyl methyl ether	+	+	Hexanoic acid	+	+	Sulfuric acid, ≤ 98%	+	+
Butylamine	+	+	Hexanol	+	+	Tartaric acid	+	
Butyric acid	+	+	Hydriodic acid, ≤ 57% **	+	+	Tetrachloroethylene		+
Calcium carbonate	+		Hydrobromic acid		+	Tetrahydrofuran (THF) */ **		+
Calcium chloride	+		Hydrochloric acid, ≤ 20%	+	+	Tetramethylammonium hydroxide	+	
Calcium hydroxide	+		Hydrochloric acid, 20-37% **	+	+	Toluene		+
Calcium hypochlorite	+		Hydrogen peroxide, ≤ 35%		+	Trichloroacetic acid		+
Carbon tetrachloride		+	Isoamyl alcohol	+	+	Trichlorobenzene		+
Chloro naphthalene	+	+	Isobutanol	+	+	Trichloroethane		+
Chloroacetaldehyde, ≤ 45%	+	+	Isocetane		+	Trichloroethylene		+
Chloroacetic acid	+	+	Isopropanol (2-Propanol)	+	+	Trichlorotrifluoro ethane		+
Chloroacetone	+	+	Isopropyl ether	+	+	Triethanolamine	+	+
Chlorobenzene	+	+	Lactic acid	+		Triethylene glycol	+	+
Chlorobutane	+	+	Methanol	+	+	Trifluoro ethane		+
Chloroform		+	Methoxybenzene	+	+	Trifluoroacetic acid (TFA)		+
Chlorosulfonic acid		+	Methyl benzoate	+	+	Turpentine		+
Chromic acid, ≤ 50%	+	+	Methyl butyl ether	+	+	Urea	+	
Chromosulfuric acid	+		Methyl ethyl ketone	+	+	Xylene		+
Copper sulfate	+		Methyl formate	+	+	Zinc chloride, ≤ 10%	+	
Cresol		+	Methyl propyl ketone	+	+	Zinc sulfate, ≤ 10%	+	
Cumene (Isopropyl benzene)	+	+						

The above recommendations reflect testing completed prior to publication. Always follow instructions in the operating manual of the instrument as well as the reagent manufacturer's specifications. In addition to these chemicals, a variety of organic and inorganic saline solutions (e.g., biological buffers), biological detergents and media for cell culture can be dispensed. Should you require information on chemicals not listed, please feel free to contact BRAND. Status as of: 0221-13

\* use ETFE/PTFE bottle adapter

\*\* use PTFE seal for valve block

# Titrette®

## The advantages at a glance

The control elements of the Titrette® bottle-top burette have an intuitive layout. Separate buttons for *On/Off* and *Pause*; *Clear* button for clearing the display and selecting functions.

Easy-grip hand wheels and smooth precision gears for fast as well as drop-by-drop titration make handling especially simple and reliable.

### Large Clear button

For clearing the display and starting a new titration

### Precision

Compliance with class A error limits for glass burettes

### Optional PC interface

For direct data transfer

### Digital display

For simple and precise reading

### Simple titration via hand wheel

Fast or drop-by-drop

### MyProduct documentation

Scan the QR code and request certificates and documents for your individual product online.

### Valve block

Freely rotating (Bottle thread GL 45)

### Titrating tube

Horizontally and vertically adjustable

### Telescoping filling tube

Height-adjustable for different bottle sizes

### Titration media

Wide range of use due to high-quality media-contact materials (borosilicate glass, platinum-iridium, Al<sub>2</sub>O<sub>3</sub>, ETFE, PFA, FEP and PTFE)



Additional electronic functions for efficient work



Can be disassembled and cleaned in a matter of minutes



Light protection window for light-sensitive media



Certificates, accessories and spare parts online [brand.de/myproduct](http://brand.de/myproduct)

## Comparison of error limits

		Titrette® bottle-top burette				Bottle-top burettes acc. to DIN EN ISO 8655-3				Glass burettes Class A acc. to DIN EN ISO 385 and ASTM
Volume ml	Partial volume ml	A* ≤ ± %	μl	CV* ≤ %	μl	A* ≤ ± %	μl	CV* ≤ %	μl	EL** ± μl
10	10	0.10	10	0.05	5	0.3	30	0.1	10	20
	5	0.20	10	0.10	5	0.6	30	0.2	10	20
	1	1.00	10	0.50	5	3	30	1	10	20
25	25	0.07	18	0.025	6	0.2	50	0.1	25	30
	12.5	0.14	18	0.05	6	0.4	50	0.2	25	30
	2.5	0.70	18	0.25	6	2	50	1	25	30
50	50	0.06	30	0.02	10	0.2	100	0.1	50	50
	25	0.12	30	0.04	10	0.4	100	0.2	50	50
	5	0.60	30	0.20	10	2	100	1	50	50

\* Error limits related to the nominal capacity (= maximum volume) indicated on the instrument, obtained when instrument and distilled water are equilibrated at ambient temperature (20 °C/68 °F) and with smooth operation.

\*\* Error limit: EL = A + 2CV, according to DIN EN ISO 8655-6 Annex B (A = accuracy, CV = coefficient of variation, EL = error limit)

**Note:** If you need an official certification which confirms the error limits that are much stricter than those of DIN EN ISO 8655-3, we recommend a calibration certificate from an accredited calibration laboratory (e.g., the DAKK S laboratory at BRAND).

The titration volume is displayed in steps of 1 μl on instruments with 10 ml and 25 ml size and in steps of 2 μl for 50 ml size instruments. For titration volumes above 20 ml the display will automatically switch to steps of 10 μl.

## Material and reagents

The instrument can be used for the following titration media (maximum concentration 1 mol/l):

Acetic acid	Potassium bromide bromate solution
Alcoholic potassium hydroxide solution	Potassium dichromate solution
Ammonium iron (II) sulfate solution	Potassium hydroxide solution
Ammonium thiocyanate solution	Potassium iodate solution
Barium chloride solution	Potassium permanganate solution*
Bromide bromate solution	Potassium thiocyanate solution
Cerium (IV) sulfate solution	Silver nitrate solution*
EDTA solution	Sodium arsenite solution
Hydrochloric acid	Sodium carbonate solution
Hydrochloric acid in Acetone	Sodium chloride solution
Iodide iodate solution*	Sodium hydroxide solution
Iodine solution*	Sodium nitrite solution
Iron (II) sulfate solution	Sodium thiosulfate solution
Nitric acid	Sulfuric acid
Oxalic acid solution	Tetra-n-butylammonium hydroxide solution
Perchloric acid	Triethanolamine in Acetone*
Perchloric acid in glacial acetic acid	Zinc sulfate solution
Potassium bromate solution	* Use light shield inspection window

When the instrument is properly handled, dispensed liquid will only come into contact with the following chemically resistant materials: borosilicate glass, Al<sub>2</sub>O<sub>3</sub>, ETFE, PFA, FEP, PTFE, platinum-iridium; PP (screw cap).

### Limitations of use

Chlorinated and fluorinated hydrocarbons or chemical combinations which form deposits may make the piston difficult to move or may cause jamming. Compatibility of the instrument for a special application (e.g., trace material analysis) must be checked by the user. For additional information, please contact the manufacturer. The instrument is not autoclavable.

### Operating limits

This instrument is designed for titrating liquids, observing the following physical limits:

- + +15 °C to +40 °C (59 °F to 104 °F) of instrument and reagent
- + Vapor pressure up to 500 mbar
- + Viscosity up to 500 mm<sup>2</sup>/s
- + Altitude: maximum 3000 m above sea level
- + Relative humidity: 20 % to 90 %

# HandyStep® touch

## The advantages at a glance

### Versatile

HandyStep® touch with the standard modes Multi-Dispensing, Auto-Dispensing, Pipetting and Favorites;

HandyStep® touch S with the additional functions Sequential Dispensing, Multi-Aspiration and Titration

### Long-lasting

Many hours of continuous operation with a single battery charge

### Robust

High-quality materials provide long service life, and smooth surfaces make cleaning / disinfection easy

### Efficient

In addition to BRAND PD-Tips, compatible third party tips can also be used

### Easy

Automatic size detection of BRAND PD-Tips //

### Simple

Automatic tip ejection by the press of a button prevents contamination

### USB-C connection

For quick charging by cable

### STEP button

Ergonomically arranged STEP button for effortless volume filling and delivery



Charging stand with HandyStep® touch S and PD-Tip //

### Convenient

Inductive charging with the optional charging stand



Certificates, accessories and spare parts online [brand.de/myproduct](https://brand.de/myproduct)

## Intuitive operation

Be flexible and have the right solution at hand for every application. Even complex procedures are easy to carry out – no problem with the expanded functionality of the HandyStep® touch S.



Mode	Function	HandyStep® touch	HandyStep® touch S
Multi Dispensing (MULTI-DISP)	Successive dispensing of a set volume	✓	✓
Auto Dispensing (AUTO-DISP)	Automatic dispensing by the instrument	✓	✓
Pipetting (PIP)	Pipetting a defined volume	✓	✓
Sequential Dispensing (SEQ-DISP)	Successive dispensing of different volumes	–	✓
Multi Aspirating (MULTI-ASP)	Aspirating different volumes	–	✓
Titration	Manual or successive delivery of liquids for titration	–	✓
Favorites	Saving favorites for quick access	✓	✓
Settings	Individual customization of the device (e.g. brightness or device name)	✓	✓


### A matter of adjustment

Keypad or selector wheel?  
Variable volume adjustment from 1.0 µl to 50 ml enables quick volume changes and flexibility.




### Keypad

The keypad is the perfect option when widely varying values must be set quickly.




### Selector wheel


With the selector wheel, individual digits in volumes can be changed easily.




Main menu with all modes for quick selection



Working mode with all important information



All options visible at a glance



Internal help right where it is needed

# accu-jet® S

## The advantages at a glance

Single-handed operation allows you to select gravity delivery or motorized blow-out, smoothly adjust the motor speed and precisely control the pipetting speed using variable button pressure for finest control of filling and delivery speed.

Thanks to the balanced weight distribution, the instrument rests comfortably in your hand, even during long pipetting series.



Gravity delivery or blow-out with motor power



Efficient single-handed operation



Direct outlet of sample vapors



Membrane filter and check valve prevent liquid penetration



### Easy storage

Due to its new design, the *accu-jet® S* can be set to rest directly on the back end of the handle with a pipette inserted.

A wall mount also provides additional storage, freeing up space on your work area for disinfection or decontamination tasks.



Rest position with inserted pipette



Wall mount for space-saving storage



Charging indicator



Smart charging technology prevents lazy battery effect


# Transferpette® S

## The advantages at a glance

Whether you are using the single-channel pipette or the 8- and 12-channel models, the Transferpette® S is always the first choice for simple and efficient pipetting in demanding applications.

The single-channel pipettes cover a wide volume range from 0.1 µl to 10 ml. Pipettes with small nominal volumes provide high precision for small-volume applications such as those found in molecular biology, e.g. for pipetting enzymes.

Large nominal volumes are used for water and environmental analysis, for example, where durability is critical. For standardized applications with specific volumes, we offer economical fixed volume models.



**Genuine one-hand operation**  
Set the volume, pipette and eject the tip – all without changing your grip

**Volume-change protection**  
Secures the set volume from accidental adjustment

**Ergonomic**  
Low operating forces and short stroke

**Easy Calibration technology**  
Simple adjustment, without tools

**MyProduct**  
Scan the QR code and request certificates and documents for your individual product online.

**Slim shaft**  
Easy access to narrow vessels

Transferpette® S, fixed volume

Transferpette® S, adjustable volume



Easy Calibration technology



Volume-change protection



Integrated shaft coupling



Narrow centrifuge tubes

## The Transferpette® S-8 and S-12 multi-channel pipettes

Work in microplates and PCR plates is efficient with the multi-channel models of the Transferpette® S. These 8- and 12-channel pipettes cover the volume range

from 0.5 µl to 300 µl. They provide all the advantages of the single-channel models, plus additional features that make work and maintenance easier.

Transferpette® S-12



Transferpette® S-8



### Adapts to you

Pipetting unit can be rotated 360° for individualized comfort

### Low forces

Easy mounting and ejection of tips due to O-rings

### Easy cleaning and maintenance

Individual nose cones and seals can be easily removed\* for cleaning or replacement

\* patented



Sample preparation



Working with PCR plates



Easy maintenance



Certificates, accessories and spare parts online [brand.de/myproduct](http://brand.de/myproduct)

# Pipette tips and Filter tips

## The advantages at a glance

Selecting the right consumables when working with pipettes is critical to working efficiently and having reliable results. With pipette tips and filter tips from BRAND, you are choosing

a quality product that allows you to take full advantage of the technical possibilities of high-quality micropipettes.

### Perfect fit

on the Transferpette® micropipette and many other pipettes

### Cleanroom quality

free of contaminants and additives

### Environmentally friendly

due to the thin-walled design

### Graduations

for quick volume checks

### Autoclavable

at 121 °C (2 bar), acc. to DIN EN 285



Pipette tips, 2 – 200 µl



### High-quality PE filter without chemical additives

prevents contamination of samples and aspiration of aerosols

Filter tips, 0.5 – 10 µl



2 – 200 µl pipette tips in a microcentrifuge tube



50 – 1000 µl pipette tips in a deep-well plate



0.5 – 20 µl pipette tips in PCR tubes



0.5 – 10 µl filter tips in PCR plate

## Packaging formats efficient and sustainable work

To guarantee the highest quality of the products – from production to packaging to the laboratory – BRAND has optimized the packaging formats to meet the requirements. Even the primary packaging of systems, such as the PET outer packaging of the TipRack (refill units), are produced under cleanroom conditions and guarantee that the products are ultra-clean.

All palletized pipette tips and filter tips up to 1,000 µl comply with the quality level BIO-CERT® CERTIFIED QUALITY and are therefore free of DNA, RNase, endotoxins and ATP, among other things. Sterile tips and packaging are produced in the quality level BIO-CERT® LIQUID HANDLING STERILE.



\* BIO-CERT® Quality, see page 50

### Transparent area

For all around better visual inspection.

### Working with multi-channel pipettes that are not fully loaded

The borderless tip tray ends enable problem-free tip insertion of individual pipette tips into multi-channel instruments.

### Colored tip trays with side label

The contents of the box are clearly readable at all times. Traceability is ensured by the imprinted batch number.

### Two functions: hinged or snap-on lid


Simply rotate 180°.

### No bending during tip insertion

The tip tray is made of especially rigid PP.

### Open and close with one hand

The clamp mechanism securely holds the tip tray in the box.



TipBox



Bag (bulk tips)



TipRack refilling system  
(palletized tips)



TipBox (10 ml)



All information about the range of tip products can be found at [shop.brand.de](http://shop.brand.de)

# Pipette tips and Filter tips

The right pipette tip for your Transferpette®




Transferpette® S



Transferpette® electronic

Pipette tips Filter tips Volume range	Transferpette® single-channel Nominal volume													Transferpette® multi-channel Nominal volume				
	1 µl	2,5 µl	10 µl	20 µl	25 µl	50 µl	100 µl	200 µl	500 µl	1000 µl	2 ml	5 ml	10 ml	10 µl	50 µl	100 µl	200 µl	300 µl
0,1 - 20 µl	✓	✓ <sub>2)</sub>	✓ <sub>2)</sub>											✓				
0,5 - 20 µl		✓	✓											✓				
1 - 50 µl		✓ <sub>2)</sub>	✓											✓				
2 - 200 µl <sup>1)</sup>				✓	✓	✓	✓	✓							✓	✓	✓	✓
5 - 300 µl				✓	✓	✓	✓	✓							✓	✓	✓	✓
50 - 1000 µl <sup>1)</sup>									✓	✓								
0,5 - 5 ml											✓	✓						
1 - 10 ml													✓					
0,1 - 1 µl	✓	✓ <sub>2)</sub>	✓ <sub>2)</sub>											✓				
0,5 - 10 µl		✓	✓											✓				
1 - 20 µl			✓											✓				
2 - 20 µl				✓	✓	✓	✓	✓							✓	✓	✓	✓
5 - 100 µl				✓	✓	✓	✓	✓							✓	✓	✓	✓
5 - 200 µl								✓							✓	✓	✓	✓
50 - 1000 µl									✓	✓								



✓ = Tip volume less than pipette's nominal volume

<sup>1)</sup> Bulk tips are yellow or blue colored; racked tips are colorless in a yellow-colored or blue-colored tip tray

<sup>2)</sup> Calibration and possible adjustment needed

## Bottle-top dispensers Dispensette® S, digital, DE-M

Cat. No.	Product Description	From	Unit
4600310	0,1 ml - 1 ml	1	piece(s)
4600311	0,1 ml - 1 ml, with recirculation valve	1	piece(s)
4600320	0,2 ml - 2 ml	1	piece(s)
4600321	0,2 ml - 2 ml, with recirculation valve	1	piece(s)
4600330	0,5 ml - 5 ml	1	piece(s)
4600331	0,5 ml - 5 ml, with recirculation valve	1	piece(s)
4600340	1 ml - 10 ml	1	piece(s)
4600341	1 ml - 10 ml, with recirculation valve	1	piece(s)
4600350	2,5 ml - 25 ml	1	piece(s)
4600351	2,5 ml - 25 ml, with recirculation valve	1	piece(s)
4600360	5 ml - 50 ml	1	piece(s)
4600361	5 ml - 50 ml, with recirculation valve	1	piece(s)



## Bottle-top dispensers Dispensette® S, analog-adjustable, DE-M

Cat. No.	Product Description	From	Unit
4600100	0,1 ml - 1 ml	1	piece(s)
4600101	0,1 ml - 1 ml, with recirculation valve	1	piece(s)
4600120	0,2 ml - 2 ml	1	piece(s)
4600121	0,2 ml - 2 ml, with recirculation valve	1	piece(s)
4600130	0,5 ml - 5 ml	1	piece(s)
4600131	0,5 ml - 5 ml, with recirculation valve	1	piece(s)
4600140	1 ml - 10 ml	1	piece(s)
4600141	1 ml - 10 ml, with recirculation valve	1	piece(s)
4600150	2,5 ml - 25 ml	1	piece(s)
4600151	2,5 ml - 25 ml, with recirculation valve	1	piece(s)
4600160	5 ml - 50 ml	1	piece(s)
4600161	5 ml - 50 ml, with recirculation valve	1	piece(s)
4600170	10 ml - 100 ml	1	piece(s)
4600171	10 ml - 100 ml, with recirculation valve	1	piece(s)



### Bottle-top dispensers Dispensette® S, fixed-volume, DE-M



Cat. No.	Product Description	From	Unit
4600210	1 ml	1	piece(s)
4600211	1 ml, with recirculation valve	1	piece(s)
4600220	2 ml	1	piece(s)
4600221	2 ml, with recirculation valve	1	piece(s)
4600230	5 ml	1	piece(s)
4600231	5 ml, with recirculation valve	1	piece(s)
4600240	10 ml	1	piece(s)
4600241	10 ml, with recirculation valve	1	piece(s)
4600290	Special fixed volumes	1	piece(s)
4600291	Special fixed volumes, with recirculation valve	1	piece(s)

### Bottle-top dispensers Dispensette® S Organic, digital, DE-M



Cat. No.	Product Description	From	Unit
4630330	0,5 ml - 5 ml	1	piece(s)
4630331	0,5 ml - 5 ml, with recirculation valve	1	piece(s)
4630340	1 ml - 10 ml	1	piece(s)
4630341	1 ml - 10 ml, with recirculation valve	1	piece(s)
4630350	2,5 ml - 25 ml	1	piece(s)
4630351	2,5 ml - 25 ml, with recirculation valve	1	piece(s)
4630360	5 ml - 50 ml	1	piece(s)
4630361	5 ml - 50 ml, with recirculation valve	1	piece(s)

### Bottle-top dispensers Dispensette® S Organic, analog-adjustable, DE-M



Cat. No.	Product Description	From	Unit
4630130	0,5 ml - 5 ml	1	piece(s)
4630131	0,5 ml - 5 ml, with recirculation valve	1	piece(s)
4630140	1 ml - 10 ml	1	piece(s)
4630141	1 ml - 10 ml, with recirculation valve	1	piece(s)
4630150	2,5 ml - 25 ml	1	piece(s)
4630151	2,5 ml - 25 ml, with recirculation valve	1	piece(s)
4630160	5 ml - 50 ml	1	piece(s)
4630161	5 ml - 50 ml, with recirculation valve	1	piece(s)
4630170	10 ml - 100 ml	1	piece(s)
4630171	10 ml - 100 ml, with recirculation valve	1	piece(s)



## Bottle-top dispensers Dispensette® S Organic, fixed-volume, DE-M

Cat. No.	Product Description	From	Unit
4630230	5 ml	1	piece(s)
4630231	5 ml, with recirculation valve	1	piece(s)
4630240	10 ml	1	piece(s)
4630241	10 ml, with recirculation valve	1	piece(s)
4630290	Special fixed volumes	1	piece(s)
4630291	Special fixed volumes, with recirculation valve	1	piece(s)



## Bottle-top dispensers Dispensette® S Trace Analysis, analog-adjustable, DE-M

Cat. No.	Product Description	From	Unit
4640040	PT/IR-spring, 1 ml - 10 ml	1	piece(s)
4640041	PT/IR-spring 1 ml - 10 ml, with recirculation valve	1	piece(s)
4640240	tantalum-spring, 1 ml - 10 ml	1	piece(s)
4640241	tantalum-spring 1 ml - 10 ml, with recirculation valve	1	piece(s)



## Bottle-top dispensers seripettor®

Cat. No.	Product Description	From	Unit
4720120	0,2 ml - 2 ml	1	piece(s)
4720140	1 ml - 10 ml	1	piece(s)
4720150	2,5 ml - 25 ml	1	piece(s)



## Bottle-top dispensers seripettor® pro

Cat. No.	Product Description	From	Unit
4720420	0,2 ml - 2 ml	1	piece(s)
4720440	1 ml - 10 ml	1	piece(s)
4720450	2,5 ml - 25 ml	1	piece(s)



## Bottle-top burettes Titrette®

Cat. No.	Product Description	From	Unit
4760141	10 ml, standard	1	piece(s)
4760151	25 ml, standard	1	piece(s)
4760161	50 ml, standard	1	piece(s)
4760241	10 ml, with RS232 interface	1	piece(s)
4760251	25 ml, with RS232 interface	1	piece(s)
4760261	50 ml, with RS232 interface	1	piece(s)
4760451	according Soxhlet-Henkel (4 °SH = 1 ml)	1	piece(s)



## EASYCAL™ 5.0, Calibration software



Cat. No.	Product Description	From	Unit
708400	Demo application 30-day license	1	piece(s)
708410	Stand alone licence, incl. free updates	1	piece(s)
708412	Client licence, incl. free updates	1	piece(s)
708414	Server licence, incl. free updates	1	piece(s)

## Bottle-top extraction devices QuikSip™ BT-Aspirator



Cat. No.	Product Description	From	Unit
4723180	QuikSip™ BT-Aspirator	1	piece(s)

## cell-culture™ unit



Cat. No.	Product Description	From	Unit
25950	cell-culture™ unit (aspiration controller)	1	piece(s)

## Single-channel micropipette Transferpette® S, adjustable, DE-M



Cat. No.	Product Description	From	Unit
705868	0,1 - 1 µl, D-1	1	piece(s)
705869	0,1 - 2,5 µl, D-2,5	1	piece(s)
705870	0,5 - 10 µl, D-10	1	piece(s)
705872	2 - 20 µl, D-20	1	piece(s)
705873	5 - 50 µl, D-50	1	piece(s)
705874	10 - 100 µl, D-100	1	piece(s)
705878	20 - 200 µl, D-200	1	piece(s)
705880	100 - 1.000 µl, D-1000	1	piece(s)
705882	500 - 5.000 µl, D-5000	1	piece(s)
705884	1.000 - 10.000 µl, D-10000	1	piece(s)

## Single-channel micropipette Transferpette® S, fixed-volume, DE-M

Cat. No.	Product Description	From	Unit
705808	10 µl, F-10	1	piece(s)
705816	20 µl, F-20	1	piece(s)
705820	25 µl, F-25	1	piece(s)
705828	50 µl, F-50	1	piece(s)
705838	100 µl, F-100	1	piece(s)
705844	200 µl, F-200	1	piece(s)
705854	500 µl, F-500	1	piece(s)
705862	1.000 µl, F-1000	1	piece(s)
705864	2.000 µl, F-2000	1	piece(s)



## Pipette sets Transferpette® S, adjustable, DE-M

Cat. No.	Product Description	From	Unit
705890	Starter-Kit Micro: D-2,5 (0,1-2,5µl), D-10 (0,5-10 µl), D-100 (10-100 µl), 3 x TipBox pipette tips, 3 x shelf/rack mount	1	piece(s)
705891	Starter-Kit Midi: D-20 (2-20µl), D-200 (20-200µl), D-1000 (100-1000), 3 x TipBox pipette tips, 3 x shelf/rack mount	1	piece(s)
705892	Starter-Kit Macro: D-1000 (100-1000µl), D-5000 (500-5000µl), D-10000 (1000-10000µl), 3 x shelf/rack mount	1	piece(s)
705893	Starter-Kit Standard: D-10 (0,5-10µl), D-100 (10-100µl), D-1000 (100-1000µl), 3 x TipBox pipette tips, 3 x shelf/rack mount	1	piece(s)
705896	Pipette package 1: D-2,5 (0,1-2,5µl), D-10 (0,5-10µl), D-20 (2-20µl), D-200 (20-200µl), D-1000 (100-1000µl), 3 x TipBox pipette tips, Benchtop rack (carousel for 6 devices)	1	piece(s)
705897	Pipette package 2: D-10 (0,5-10µl), D-100 (10-100µl), D-200 (20-200µl), D-1000 (100-1000µl), D-5000 (500-5000µl), Benchtop rack (carousel for 6 devices)	1	piece(s)



## Multi-channel micropipette Transferpette® S -8, adjustable, DE-M

Cat. No.	Product Description	From	Unit
705900	0,5 - 10 µl, M8-10	1	piece(s)
705906	5 - 50 µl, M8-50	1	piece(s)
705908	10 - 100 µl, M8-100	1	piece(s)
705910	20 - 200 µl, M8-200	1	piece(s)
705912	30 - 300 µl, M8-300	1	piece(s)



## Multi-channel micropipette Transferpette® S -12, adjustable, DE-M

Cat. No.	Product Description	From	Unit
705920	0,5 - 10 µl, M12-10	1	piece(s)
705926	5 - 50 µl, M12-50	1	piece(s)
705928	10 - 100 µl, M12-100	1	piece(s)
705930	20 - 200 µl, M12-200	1	piece(s)
705932	30 - 300 µl, M12-300	1	piece(s)



## Pipette leak testing units PLT unit



Cat. No.	Product Description	From	Unit
703970	PLT unit, power adapter universal (100-240 V / 50-60 Hz)	1	piece(s)

## PLTconnect software for PLT unit



Cat. No.	Product Description	From	Unit
703980	PLTconnect software	1	piece(s)

## Single-channel micropipette Transferpette® electronic, DE-M



Cat. No.	Product Description	From	Unit
705299	0,5 - 10 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705300	2 - 20 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705303	10 - 200 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705306	50 - 1.000 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705307	250 - 5.000 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705309	0,5 - 10 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705310	2 - 20 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705313	10 - 200 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705316	50 - 1.000 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705317	250 - 5.000 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705319	0,5 - 10 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705320	2 - 20 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705323	10 - 200 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705326	50 - 1.000 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705327	250 - 5.000 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705329	0,5 - 10 µl, power adapter Australia (110-240 V / 50-60 Hz)	1	piece(s)
705333	10 - 200 µl, power adapter Australia (110-240 V / 50-60 Hz)	1	piece(s)
705336	50 - 1.000 µl, power adapter Australia (110-240 V / 50-60 Hz)	1	piece(s)
705337	250 - 5.000 µl, power adapter Australia (110-240 V / 50-60 Hz)	1	piece(s)
705339	0,5 - 10 µl, without power adapter	1	piece(s)
705340	2 - 20 µl, without power adapter	1	piece(s)
705343	10 - 200 µl, without power adapter	1	piece(s)
705346	50 - 1.000 µl, without power adapter	1	piece(s)
705347	250 - 5.000 µl, without power adapter	1	piece(s)

## Multi-channel micropipette Transferpette® -8 electronic, DE-M

Cat. No.	Product Description	From	Unit
705399	0,5 - 10 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705400	1 - 20 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705403	5 - 100 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705404	10 - 200 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705406	15 - 300 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705409	0,5 - 10 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705410	1 - 20 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705413	5 - 100 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705414	10 - 200 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705416	15 - 300 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705419	0,5 - 10 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705420	1 - 20 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705423	5 - 100 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705424	10 - 200 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705426	15 - 300 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705433	5 - 100 µl, power adapter Australia (110-240 V / 50-60 Hz)	1	piece(s)
705434	10 - 200 µl, power adapter Australia (110-240 V / 50-60 Hz)	1	piece(s)
705436	15 - 300 µl, power adapter Australia (110-240 V / 50-60 Hz)	1	piece(s)



## Multi-channel micropipette Transferpette® -12 electronic, DE-M

Cat. No.	Product Description	From	Unit
705449	0,5 - 10 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705450	1 - 20 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705453	5 - 100 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705454	10 - 200 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705456	15 - 300 µl, power adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705459	0,5 - 10 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705460	1 - 20 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705463	5 - 100 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705464	10 - 200 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705466	15 - 300 µl, power adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705469	0,5 - 10 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705470	1 - 20 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705473	5 - 100 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705474	10 - 200 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705476	15 - 300 µl, power adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705480	1 - 20 µl, power adapter Australia (110-240 V / 50-60 Hz)	1	piece(s)
705484	10 - 200 µl, power adapter Australia (110-240 V / 50-60 Hz)	1	piece(s)



### Pipette tips, 0,1 - 20 µl, PP, colorless



Cat. No.	Product Description		From	Unit
732002	bulk packed, in bag, CERTIFIED LIFE SCIENCE QUALITY		2000	piece(s)
732022	bulk packed, in bags, XXL, CERTIFIED LIFE SCIENCE QUALITY		10000	piece(s)
732102	racked, TipRack, BIO-CERT® LIQUID HANDLING QUALITY	1 pack = 960 piece(s)	1	pack
732122	racked, TipRack, BIO-CERT® LIQUID HANDLING QUALITY, sterile	1 pack = 960 piece(s)	1	pack
732202	racked, TipBox, BIO-CERT® LIQUID HANDLING QUALITY	1 pack = 480 piece(s)	1	pack
732222	racked, TipBox, BIO-CERT® LIQUID HANDLING QUALITY, sterile	1 pack = 960 piece(s)	1	pack

### Pipette tips, 0,5 - 20 µl, PP, colorless



Cat. No.	Product Description		From	Unit
732004	bulk packed, in bag, CERTIFIED LIFE SCIENCE QUALITY		2000	piece(s)
732024	bulk packed, in bags, XXL, CERTIFIED LIFE SCIENCE QUALITY		10000	piece(s)
732104	racked, TipRack, BIO-CERT® LIQUID HANDLING QUALITY	1 pack = 960 piece(s)	1	pack
732124	racked, TipRack, BIO-CERT® LIQUID HANDLING QUALITY, sterile	1 pack = 960 piece(s)	1	pack
732204	racked, TipBox, BIO-CERT® LIQUID HANDLING QUALITY	1 pack = 480 piece(s)	1	pack
732224	racked, TipBox, BIO-CERT® LIQUID HANDLING QUALITY, sterile	1 pack = 960 piece(s)	1	pack

### Pipette tips, 1 - 50 µl, PP, colorless



Cat. No.	Product Description		From	Unit
732006	bulk packed, in bag, CERTIFIED LIFE SCIENCE QUALITY		2000	piece(s)
732026	bulk packed, in bags, XXL, CERTIFIED LIFE SCIENCE QUALITY		10000	piece(s)
732106	racked, TipRack, BIO-CERT® LIQUID HANDLING QUALITY	1 pack = 960 piece(s)	1	pack
732126	racked, TipRack, BIO-CERT® LIQUID HANDLING QUALITY, sterile	1 pack = 960 piece(s)	1	pack
732206	racked, TipBox, BIO-CERT® LIQUID HANDLING QUALITY	1 pack = 480 piece(s)	1	pack
732226	racked, TipBox, BIO-CERT® LIQUID HANDLING QUALITY, sterile	1 pack = 960 piece(s)	1	pack

### Pipette tips, 2 - 200 µl, PP



Cat. No.	Product Description		From	Unit
732008	bulk packed, in bag, yellow, CERTIFIED LIFE SCIENCE QUALITY		1000	piece(s)
732028	bulk packed, in bags, XXL, yellow, CERTIFIED LIFE SCIENCE QUALITY		10000	piece(s)
732108	racked, TipRack, BIO-CERT® LIQUID HANDLING QUALITY, colorless	1 pack = 960 piece(s)	1	pack
732128	racked, TipRack, BIO-CERT® LIQUID HANDLING QUALITY, sterile, colorless	1 pack = 960 piece(s)	1	pack
732208	racked, TipBox, BIO-CERT® LIQUID HANDLING QUALITY, colorless	1 pack = 480 piece(s)	1	pack
732228	racked, TipBox, BIO-CERT® LIQUID HANDLING QUALITY, sterile, colorless	1 pack = 960 piece(s)	1	pack

## Pipette tips, 5 - 300 µl, PP, colorless

Cat. No.	Product Description		From	Unit
732010	bulk packed, in bag, CERTIFIED LIFE SCIENCE QUALITY		1000	piece(s)
732030	bulk packed, in bags, XXL, CERTIFIED LIFE SCIENCE QUALITY		10000	piece(s)
732110	racked, TipRack, BIO-CERT® LIQUID HANDLING QUALITY	1 pack = 960 piece(s)	1	pack
732130	racked, TipRack, BIO-CERT® LIQUID HANDLING QUALITY, sterile	1 pack = 960 piece(s)	1	pack
732210	racked, TipBox, BIO-CERT® LIQUID HANDLING QUALITY	1 pack = 480 piece(s)	1	pack
732230	racked, TipBox, BIO-CERT® LIQUID HANDLING QUALITY, sterile	1 pack = 960 piece(s)	1	pack



## Pipette tips, 50 - 1.000 µl, PP

Cat. No.	Product Description		From	Unit
732012	bulk packed, in bag, blue, CERTIFIED LIFE SCIENCE QUALITY		1000	piece(s)
732032	bulk packed, in bags, XXL, blue, CERTIFIED LIFE SCIENCE QUALITY		5000	piece(s)
732112	racked, TipRack, BIO-CERT® LIQUID HANDLING QUALITY, colorless	1 pack = 960 piece(s)	1	pack
732132	racked, TipRack, BIO-CERT® LIQUID HANDLING QUALITY, sterile, colorless	1 pack = 960 piece(s)	1	pack
732212	racked, TipBox, BIO-CERT® LIQUID HANDLING QUALITY, colorless	1 pack = 480 piece(s)	1	pack
732232	racked, TipBox, BIO-CERT® LIQUID HANDLING QUALITY, sterile, colorless	1 pack = 960 piece(s)	1	pack



## Pipette tips, 500 - 5.000 µl, PP, colorless, CERTIFIED LIFE SCIENCE QUALITY

Cat. No.	Product Description		From	Unit
702595	bulk packed, in bag	200 pcs./bag	200	piece(s)
702600	bulk packed, in bags, XXL		1000	piece(s)
702605	racked, TipBox	1 pack = 28 piece(s)	1	pack



## Pipette tips, 1.000 - 10.000 µl, PP, colorless, CERTIFIED LIFE SCIENCE QUALITY

Cat. No.	Product Description		From	Unit
702603	bulk packed, in bag		200	piece(s)
702604	bulk packed, in bags, XXL		1000	piece(s)
702608	racked, TipBox	1 pack = 18 piece(s)	1	pack



## Filter tips, 0,1 - 1 µl, PP, colorless, filter PE, BIO-CERT® LIQUID HANDLING QUALITY

Cat. No.	Product Description		From	Unit
732602	racked, TipRack	1 pack = 960 piece(s)	1	pack
732622	racked, TipRack, sterile	1 pack = 960 piece(s)	1	pack
732702	racked, TipBox	1 pack = 480 piece(s)	1	pack
732722	racked, TipBox, sterile	1 pack = 960 piece(s)	1	pack



Filter tips, 0,5 - 10 µl, PP, colorless, filter PE, BIO-CERT® LIQUID HANDLING QUALITY



Cat. No.	Product Description		From	Unit
732604	racked, TipRack	1 pack = 960 piece(s)	1	pack
732624	racked, TipRack, sterile	1 pack = 960 piece(s)	1	pack
732704	racked, TipBox	1 pack = 480 piece(s)	1	pack
732724	racked, TipBox, sterile	1 pack = 960 piece(s)	1	pack

Filter tips, 1 - 20 µl, PP, colorless, filter PE, BIO-CERT® LIQUID HANDLING QUALITY



Cat. No.	Product Description		From	Unit
732606	racked, TipRack	1 pack = 960 piece(s)	1	pack
732626	racked, TipRack, sterile	1 pack = 960 piece(s)	1	pack
732706	racked, TipBox	1 pack = 480 piece(s)	1	pack
732726	racked, TipBox, sterile	1 pack = 960 piece(s)	1	pack

Filter tips, 2 - 20 µl, PP, colorless, filter PE, BIO-CERT® LIQUID HANDLING QUALITY



Cat. No.	Product Description		From	Unit
732608	racked, TipRack	1 pack = 960 piece(s)	1	pack
732628	racked, TipRack, sterile	1 pack = 960 piece(s)	1	pack
732708	racked, TipBox	1 pack = 480 piece(s)	1	pack
732728	racked, TipBox, sterile	1 pack = 960 piece(s)	1	pack

Filter tips, 5 - 100 µl, PP, colorless, filter PE, BIO-CERT® LIQUID HANDLING QUALITY



Cat. No.	Product Description		From	Unit
732610	racked, TipRack	1 pack = 960 piece(s)	1	pack
732630	racked, TipRack, sterile	1 pack = 960 piece(s)	1	pack
732710	racked, TipBox	1 pack = 480 piece(s)	1	pack
732730	racked, TipBox, sterile	1 pack = 960 piece(s)	1	pack

Filter tips, 5 - 200 µl, PP, colorless, filter PE, BIO-CERT® LIQUID HANDLING QUALITY



Cat. No.	Product Description		From	Unit
732612	racked, TipRack	1 pack = 960 piece(s)	1	pack
732632	racked, TipRack, sterile	1 pack = 960 piece(s)	1	pack
732712	racked, TipBox	1 pack = 480 piece(s)	1	pack
732732	racked, TipBox, sterile	1 pack = 960 piece(s)	1	pack



## Filter tips, 50 - 1.000 µl, PP, colorless, filter PE, BIO-CERT® LIQUID HANDLING QUALITY

Cat. No.	Product Description		From	Unit
732614	racked, TipRack	1 pack = 960 piece(s)	1	pack
732634	racked, TipRack, sterile	1 pack = 960 piece(s)	1	pack
732714	racked, TipBox	1 pack = 480 piece(s)	1	pack
732734	racked, TipBox, sterile	1 pack = 960 piece(s)	1	pack



## TipBox, empty, with tip tray, CERTIFIED LIFE SCIENCE QUALITY

Cat. No.	Product Description		From	Unit
732990	grey, for tips up to 50 µl		1	piece(s)
732992	yellow, for 200 µl tips		1	piece(s)
732994	green, for 300 µl tips		1	piece(s)
732996	blue, for 1000 µl tips		1	piece(s)



## Positive displacement pipettes Transferpettor, digital, DE-M

Cat. No.	Product Description		From	Unit
701807	2,5 - 10 µl, with glass capillaries		1	piece(s)
701812	5 - 25 µl, with glass capillaries		1	piece(s)
701817	10 - 50 µl, with glass capillaries		1	piece(s)
701822	20 - 100 µl, with glass capillaries		1	piece(s)
702804	100 - 500 µl, with caps made of PP		1	piece(s)
702806	200 - 1.000 µl, with caps made of PP		1	piece(s)
702810	1.000 - 5.000 µl, with caps made of PP		1	piece(s)
702812	2.000 - 10.000 µl, with caps made of PP		1	piece(s)



## Positive displacement pipettes Transferpettor, fixed-volume, DE-M, with glass capillaries

Cat. No.	Product Description		From	Unit
701842	1 µl		1	piece(s)
701844	2 µl		1	piece(s)
701853	5 µl		1	piece(s)
701858	10 µl		1	piece(s)
701863	20 µl		1	piece(s)
701864	25 µl		1	piece(s)
701868	50 µl		1	piece(s)
701873	100 µl		1	piece(s)
701878	200 µl		1	piece(s)



### Caps, glass, Transferpettor



Cat. No.	Product Description	From	Unit
701900	1-5 µl, color code white	100	piece(s)
701902	10 µl, color code orange	100	piece(s)
701904	20 µl, color code black	100	piece(s)
701906	25 µl, color code 2x white	100	piece(s)
701908	50 µl, color code green	100	piece(s)
701910	200 µl, color code blue	50	piece(s)

### Caps, PP, Transferpettor



Cat. No.	Product Description	From	Unit
702852	100-500 µl, color code green	10	piece(s)
702854	200-1.000 µl, color code yellow	10	piece(s)
702858	1.000-5.000 µl, color code red	10	piece(s)
702860	2.000-1.000 µl, color code orange	10	piece(s)

### Seals Transferpettor



Cat. No.	Product Description	From	Unit
701920	PTFE, 20/25 µl	1 pack = 3 piece(s)	1 pack
701922	PTFE, 50 µl	1 pack = 3 piece(s)	1 pack
701924	PTFE, 100/200 µl	1 pack = 3 piece(s)	1 pack
702864	PE, 100-500 µl	1 pack = 10 piece(s)	1 pack
702866	PE, 200-1.000 µl	1 pack = 10 piece(s)	1 pack
702870	PE, 1.000-5.000 µl	1 pack = 10 piece(s)	1 pack
702872	PE, 2.000-10.000 µl	1 pack = 10 piece(s)	1 pack

### Cap + seal bundle pack Transferpettor, PP/PE

Cat. No.	Product Description	From	Unit
702883	100-500 µl	1 pack = 1 piece(s) (2 Caps + 1 Seal)	1 pack
702884	200-1.000 µl	1 pack = 1 piece(s) (2 Caps + 1 Seal)	1 pack
702885	1.000-5.000 µl	1 pack = 1 piece(s) (2 Caps + 1 Seal)	1 pack
702886	2.000-10.000 µl	1 pack = 1 piece(s) (2 Caps + 1 Seal)	1 pack

## Repetitive pipettes HandyStep® touch, DE-M

Cat. No.	Product Description	From	Unit
705200	HandyStep® touch, power adapter universal (100-240 V / 50-60 Hz)	1	piece(s)
705201	HandyStep® touch incl. charging stand, power adapter universal (100-240 V / 50-60 Hz)	1	piece(s)
705210	HandyStep® touch S, power adapter universal (100-240 V / 50-60 Hz)	1	piece(s)
705211	HandyStep® touch S incl. charging stand, power adapter universal (100-240 V / 50-60 Hz)	1	piece(s)



## Repetitive pipettes HandyStep® S, DE-M

Cat. No.	Product Description	From	Unit
705110	Repetitive pipettes HandyStep® S	1	piece(s)



## Dispenser-Tips PD-Tips II, bulk, type encoded, CERTIFIED LIFE SCIENCE QUALITY

Cat. No.	Product Description	From	Unit
705700	0,1 ml, PP/LCP	100	piece(s)
705702	0,5 ml, PP/PE-HD	100	piece(s)
705704	1 ml, PP/PE-HD	100	piece(s)
705706	1,25 ml, PP/PE-HD	100	piece(s)
705708	2,5 ml, PP/PE-HD	100	piece(s)
705710	5 ml, PP/PE-HD	100	piece(s)
705712	10 ml, PP/PE-HD	100	piece(s)
705714	12,5 ml, PP/PE-HD	100	piece(s)
705716	25 ml, PP/PE-HD	50	piece(s)
705718	50 ml, PP/PE-HD	25	piece(s)



## Dispenser-Tips PD-Tips II, Packaged individually, type encoded, BIO-CERT® LIQUID HANDLING QUALITY, sterile

Cat. No.	Product Description	From	Unit
705730	0,1 ml, PP/LCP	100	piece(s)
705732	0,5 ml, PP/PE-HD	100	piece(s)
705734	1 ml, PP/PE-HD	100	piece(s)
705736	1,25 ml, PP/PE-HD	100	piece(s)
705738	2,5 ml, PP/PE-HD	100	piece(s)
705740	5 ml, PP/PE-HD	100	piece(s)
705742	10 ml, PP/PE-HD	100	piece(s)
705744	12,5 ml, PP/PE-HD	100	piece(s)
705746	25 ml, PP/PE-HD	25	piece(s)
705748	50 ml, PP/PE-HD	25	piece(s)



## Dispenser-Tips PD-Tips II, Set, type encoded, CERTIFIED LIFE SCIENCE QUALITY



Cat. No.	Product Description	From	Unit
705720	PP/PE-HD/LCP 1 pack = 140 piece(s) (20 pcs. of each size 0.5, 1, 1.25, 2.5, 5, 10 and 12.5 ml)	1	pack

## Adapter for PD-Tips II 25 / 50 ml, PP, CERTIFIED LIFE SCIENCE QUALITY



Cat. No.	Product Description	From	Unit
702398	Adapter for PD-Tips II 25 / 50 ml 1 pack = 10 piece(s)	1	pack
702399	Adapter for PD-Tips II 25 / 50 ml, sterile	5	piece(s)

## Pipette controllers accu-jet® S



Cat. No.	Product Description	From	Unit
26350	anthracite, power adapter universal (100-240 V / 50-60 Hz)	1	piece(s)
26351	berry, power adapter universal (100-240 V / 50-60 Hz)	1	piece(s)
26352	petrol, power adapter universal (100-240 V / 50-60 Hz)	1	piece(s)
26353	amethyst, power adapter universal (100-240 V / 50-60 Hz)	1	piece(s)
26360	anthracite, without power adapter	1	piece(s)
26361	berry, without power adapter	1	piece(s)
26362	petrol, without power adapter	1	piece(s)
26363	amethyst, without power adapter	1	piece(s)

## Pipette controllers macro, 0,1 ml - 200 ml, supplied with spare membrane filter 3 µm



Cat. No.	Product Description	From	Unit
26200	grey	1	piece(s)
26201	green	1	piece(s)
26202	blue	1	piece(s)
26203	magenta	1	piece(s)

## Pipette controllers micro



Cat. No.	Product Description	From	Unit
25800	For pipettes up to 1 ml	1	piece(s)

## Pipette controllers micro-classic



Cat. No.	Product Description	From	Unit
25900	micro-classic, Complete	1	piece(s)


## Pipette fillers, natural rubber

Cat. No.	Product Description	From	Unit
25300	3 valves, model standard	1	piece(s)
25315	3 valves, model universal	1	piece(s)
25400	2 valves, model Flip	1	piece(s)






# Pipetting Robots



Liquid Handling Station

page 44



Liquid Handling Station flow

page 44



Accessories


page 44

# Liquid Handling Station

## The advantages at a glance

While the robot processes your pipetting jobs, you have time for other tasks. The Liquid Handling Station works quietly and can be easily adjusted to handle all applicable work steps. Using the intuitive software, you can define your methods quickly, with no programming knowledge required. If the data is already available in a spread-sheet, creating

methods is even easier with the import function. Particularly for small and mid-sized sample volumes, the robot, which operates on the proven air-interface principle, is a cost effective introduction to laboratory automation.



### 1 Front door

The space-saving design of the front door allows it to be swung up easily and it is mechanically braked when closing.

### 2 Pipette modules (Liquid Ends)

The basis for the pipette modules are components from the familiar Transferpette® S. Three single-channel Liquid Ends (SC) and three 8-channel Liquid Ends (MC) are available. Manual changes are so easy a child can do them, and they take only a few seconds. No tools are needed.

### 3 Work table

The work table has eight work positions, seven of which use the ANSI/SLAS format and can be freely assigned.

### 4 Adapters

Different height adapters, tip adapters and racks ensure reliable aspiration and the same working height as the plates and vessels in use. This saves time while pipetting.



## The software of the Liquid Handling Station

With the Liquid Handling Station's intuitive software, defining your methods becomes easy and efficient. The graphical interface shows the work area of the pipetting robot, so you can quickly find your way around. Integrated instructions efficiently guide you through the creation of even the most complex methods.

This way the Liquid Handling Station can do what it was made for: quickly and conveniently automating repetitive pipetting tasks, so that you can concentrate on more important things.

### Standard workflow:

1. Define the name for the pipetting method
2. Set up the work table
3. Define the transfer commands
4. Start executing
5. Done!

### Functions:

- Professional user management
- Predefined liquid properties (liquid types) that can be changed or added at any time
- Disposable item (labware) database can be added to on a customer-specific basis
- Testing of inconsistencies by the software
- Automatic logging of procedures (customizable reports)
- Context-sensitive help function
- Data import/export
- E-mail and sound notifications
- Timeline
- Simulation of the programmed methods

## Four main commands



### Transfer:

Specifies nearly all pipetting tasks; e.g. multidispensing, creating dilution series, pooling, etc.



### Wait:

Defines wait times, e.g. for incubation.



### Mix:

In order to efficiently mix samples.



### Break:

Interrupts the program sequence; e.g. in order to incubate samples externally.



### Auxiliary Device Commands:

A clear design allows you to easily start and control the FlowBox as well as the heating and shaking module.




# Liquid Handling Station flow

## Your compact clean room in the lab

Do your samples have to be protected against exposure to particles and microorganisms? Then the Liquid Handling Station flow is the right pipetting robot for you. The FlowBox directs filtered air in a horizontal, laminar air stream through the work area, which prevents contamination.

Primary applications are those in which the liquids must be free of particles and microorganisms<sup>1)</sup>. The ambient air of the Liquid Handling Station flow is exchanged more than four times per minute. The exhaust air escapes through openings in the front door. This technology conforms with the requirements of ISO 14644-1 (Class 5) and GMP Annex 1 (Class A). The inner compartment is free of particles in less than 5 minutes.


<sup>1)</sup> Operation with FlowBox function not suitable for samples harboring a health risk when spread by the laminar air flow (e.g. Risk Group 2 (RG2) and higher biological substances).



## Particle-free conditions in a matter of minutes

Four minutes after switching on the FlowBox, no particles of 0.5 µm, 0.7 µm, 1 µm, 3 µm and 5 µm are detectable inside<sup>2)</sup>.

<sup>2)</sup> Detection method: LIGHTHOUSE Handheld 5016 laser-type airborne particle counter, sample volume: 0.1 cf/min (2.83 l/min)



## Protect your samples

A microprocessor-controlled air stream cleans the entire work area of the Liquid Handling Station flow. The incoming air is filtered by an H14 HEPA filter with an efficiency rate of 99.995%. This reliably protects your valuable samples against contamination.



## Pipetting robot Liquid Handling Station



Cat. No.	Product Description	From	Unit
709400	Liquid Handling Station	1	piece(s)
709402	Liquid Handling Station flow, With FlowBox	1	piece(s)

## Robotic tips, BIO-CERT® LIQUID HANDLING QUALITY, PP, racked, TipRack



Cat. No.	Product Description	From	Unit
733146	1 - 50 µl	1 pack = 960 piece(s)	1 pack
734148	10 - 200 µl	1 pack = 960 piece(s)	1 pack
734150	10 - 300 µl	1 pack = 960 piece(s)	1 pack
734152	40 - 1.000 µl	1 pack = 960 piece(s)	1 pack

## Robotic tips, BIO-CERT® LIQUID HANDLING QUALITY, sterile, PP, racked, TipRack



Cat. No.	Product Description	From	Unit
733166	1 - 50 µl	1 pack = 960 piece(s)	1 pack
734168	10 - 200 µl	1 pack = 960 piece(s)	1 pack
734170	10 - 300 µl	1 pack = 960 piece(s)	1 pack
734172	40 - 1.000 µl	1 pack = 960 piece(s)	1 pack

## Robotic filter tips, BIO-CERT® LIQUID HANDLING QUALITY, PP, racked, TipRack



Cat. No.	Product Description	From	Unit
733646	1 - 20 µl	1 pack = 960 piece(s)	1 pack
734650	10 - 100 µl	1 pack = 960 piece(s)	1 pack
734652	10 - 200 µl	1 pack = 960 piece(s)	1 pack
734654	40 - 1.000 µl	1 pack = 960 piece(s)	1 pack

## Robotic filter tips, BIO-CERT® LIQUID HANDLING QUALITY, sterile, PP, racked, TipRack



Cat. No.	Product Description	From	Unit
733666	1 - 20 µl	1 pack = 960 piece(s)	1 pack
734670	10 - 100 µl	1 pack = 960 piece(s)	1 pack
734672	10 - 200 µl	1 pack = 960 piece(s)	1 pack
734674	40 - 1.000 µl	1 pack = 960 piece(s)	1 pack

## Holder for liquid ends (singlechannel and multichannel)



Cat. No.	Product Description	From	Unit
709463	for 3 Liquid Ends	1	piece(s)
709465	for 5 Liquid Ends	1	piece(s)

## Liquid Ends for Liquid Handling Station

Cat. No.	Product Description	From	Unit
709410	singlechannel, 1 - 50 µl	1	piece(s)
709413	singlechannel, 10 - 200 µl	1	piece(s)
709416	singlechannel, 40 - 1.000 µl	1	piece(s)
709420	8-channel, 1 - 50 µl	1	piece(s)
709423	8-channel, 20 - 300 µl	1	piece(s)
709426	8-channel, 40 - 1.000 µl	1	piece(s)



## Adapter for Liquid Handling Station

Cat. No.	Product Description	From	Unit
709430	Height adapter, 60 mm, aluminum	1	piece(s)
709432	Height adapter, 30 mm, aluminum	1	piece(s)
709434	Tip adapter, aluminum	1	piece(s)
709436	Adapter-rack, for 16 BRAND cuvettes, POM	1	piece(s)
709443	Reservoir-rack, for 4 reservoirs à 40 ml (701460/62) , aluminum	1	piece(s)
709446	PCR Adapter, 96-well, POM	1	piece(s)
709448	PCR Adapter, 384-well, optimized for BRAND plates (781345, 781347 und 781358), POM	1	piece(s)
709449	PCR Adapter, 384-well, universal, POM	1	piece(s)
709450	Adapter-rack, suitable for 24 tubes, 1,5 ml, POM	1	piece(s)
709451	Adapter-rack, suitable for 16 tubes, 1,5 ml, POM	1	piece(s)
709452	Adapter-rack, suitable for 24 tubes, 0,5 ml, POM	1	piece(s)
709453	Adapter-rack, suitable for 9 tubes, 5 ml, POM	1	piece(s)
709455	Adapter-rack, suitable for 24 tubes, 12 mm x 75 mm, POM	1	piece(s)
709456	PCR cooler rack, 96-well	1	piece(s)



## Waste container for Liquid Handling Station

Cat. No.	Product Description	From	Unit
709458	Waste container, PET	1	pack



## Shaking and heating module for Teleshake 95

Cat. No.	Product Description	From	Unit
709470	Shaking and heating module	1	piece(s)




## Controller for Teleshake 95

Cat. No.	Product Description	From	Unit
709472	Single TEC Control + 1 black slot module	1	piece(s)
709474	Multi TEC Control + 2 black slot modules	1	piece(s)



### Adapter for Teleshake 95, aluminum



Cat. No.	Product Description	From	Unit
709476	universal, for flat bottom plates	1	piece(s)
709477	universal, for PCR-plates, 96-well, Low Profile	1	piece(s)
709478	universal, for PCR-plates, 96-well, standard	1	piece(s)
709479	universal, for PCR-plates, 384-well	1	piece(s)
709480	for BRAND plates, 96-well, F-, C- bottom	1	piece(s)
709481	for BRAND plates, 96-well, V-bottom	1	piece(s)
709482	for BRAND plates, 96-well, U-bottom	1	piece(s)

### Reagent reservoir, PP, base shape pyramidal, BIO-CERT® CERTIFIED QUALITY



Cat. No.	Product Description	From	Unit
701440	1 column, 150 ml, 96-well	1 pack = 10 piece(s)	1 pack
701442	12 columns, 12 ml	1 pack = 10 piece(s)	1 pack

### Reagent reservoir with cover, PP, graduated, CERTIFIED LIFE SCIENCE QUALITY



Cat. No.	Product Description	From	Unit
701460	40 ml	1 pack = 24 piece(s) 6 x 4 pcs./blister	1 pack
701462	40 ml, sterile	1 pack = 24 piece(s) 6 x 4 pcs./blister	1 pack
701464	40 ml, bulk packed, in bag	1 pack = 24 piece(s)	1 pack

### Cooling Block, passive cooler, PP/aluminum



Cat. No.	Product Description	From	Unit
709510	suitable for 0,5 ml micro tubes	1	piece(s)
709511	suitable for 1,5 ml micro tubes	1	piece(s)
709512	suitable for 0,5 ml micro tubes	1	piece(s)
709513	suitable for 96 well plates	1	piece(s)
709514	suitable for 384 well PCR plates	1	piece(s)

# Life Science Consumables



PCR consumables

page 56




Life Science sealing films

page 59



Microtubes

page 59




Sample storage

page 62



Cell culture inserts

page 65



Microplates and multiwell plates

page 67



Media bottles

page 71



Cuvettes

page 71


# Life Science Consumables from BRAND



## Cleanroom quality

BRAND disposables for the field of life sciences are manufactured under controlled conditions in Germany, in one of the world's largest cleanrooms for laboratory disposables (ISO 14 644-1 Class 5, 7 and 8).

Continuous cleanroom monitoring, accompanied by precise regulation of the ambient conditions, results in high temperature stability throughout the entire production area. In combination with batch-related monitoring of the raw materials and end products, this stability guarantees the consistently high quality of BRAND life science products.







### Quality of raw materials


Sensitive applications, such as enzyme tests, PCR or the purification of nucleic acids and proteins, require the use of plastic disposables of the highest quality. For the production of pipette tips and PCR products BRAND uses specially selected PP types that are free of the additives di(2-hydroxyethyl) methyl dodecyl ammonium (DiHEMA) and 9-octadecenamide (oleamide). These two additives, which are often found in PP granulates, can interfere with biological tests and lead to false results. When source materials are

selected for life science products, BRAND ensures any substances that could leach out of the raw material and influence the biological tests are reduced to the minimum necessary for processing. Mold release agents, such as stearate and erucic acid amide, are not used in the production process.

### Simple, easy, and efficient work – some examples:



Unlimited flexibility with BRAND Insert 2in1 cell culture inserts



Greater sensitivity during qPCR reactions with BRAND 384-well PCR plates



Proliferation of CHO cells on BRANDplates® cellGrade™ surface



Microtubes with secure lid closure






\* human and bacterial DNA, \*\* according to Limulus Amebocyte Lysate (LAL) test, detection limit 0.01 EU/ml

# Quality levels for Life Science-Consumables

Life Science-Consumables from BRAND meet the highest quality standards and offer quality levels dedicated to the application.

All products with the quality level CERTIFIED LIFE SCIENCE QUALITY or the BIO-CERT® quality labels are made of high-quality, virgin raw materials and are continuously tested for quality and function.

In addition to the general BIO-CERT® CERTIFIED QUALITY label, special quality levels for PCR, cell culture and liquid handling are available. This means you can quickly and easily find the optimal BIO-CERT® products for your application.

Find the right quality level for your application	BIO-CERT®				
					
Virgin raw materials	✓	✓	✓	✓	✓
Manufactured under controlled room conditions	✓	✓	✓	✓	✓
Intensive in-process controls	✓	✓	✓	✓	✓
Visual inspections	✓	✓	✓	✓	✓
Batch management	✓	✓	✓	✓	✓
Final product inspection	✓	✓	✓	✓	✓
Proven functionality	✓	✓	✓	✓	✓
Free of DNA		✓	✓	✓	✓
Free of RNase		✓	✓	✓	✓
Free of DNase		✓	✓	✓	✓
Free of Pyrogens		✓	✓	✓	✓
Non cytotoxic			✓		
Free of PCR-Inhibitors				✓	
Free of ATP					✓

# PCR plates

## Thermal Cycler Compatibility

One glance at the table will tell you which BRAND PCR plates are compatible with your thermal cycler. We are continuously updating the table with information from manufacturers and feedback from our customers. Ask for a free sample of our PCR plates to check compatibility with your thermal cycler ([www.brand.de](http://www.brand.de)), with no obligation.

	non-skirted								semi-skirted						r. s. - s.*		skirted								
	781411	781412	781415	781416	781366	781367	781368	781369	781350	781354	781400	781357	781364	781371	781372	781375	781376	781373	781374	781377	781378	781345	781346	781358	
Available in a set w. film					x <sup>1)</sup>		x <sup>2)</sup>					x <sup>3)</sup>	x <sup>4)</sup>		x <sup>5)</sup>		x <sup>6)</sup>								
White color		x		x		x		x			x	x		x		x		x		x				x	
Number of wells	24		48		96		96		96	96		96		96		96		96		96		384		384	384
Standard well	x		x				x		x		x					x									
Low profile well					x							x		x			x		x						
Cut corner						H12		A12		H12		H12		A12		A12		A1		H1		A24+P24		A24	A24+P24
<b>Agilent Technologies</b>																									
AriaMx						●														●					
<b>Analytik Jena</b>																									
Flex Cycler <sup>2</sup> 96 Series							●		●		●					●									
Flex Cycler <sup>2</sup> Twin 48			●						●																
Flex Cycler 384 Series																							●		
Speed Cycler <sup>2</sup> SPR							●		●		●					●									
qTower 2.0 und 2.2							●		●		●					●									
qTower <sup>3</sup> /qTower <sup>3</sup> touch	●	●	●		●		●		●		●		●		●		●		●						●
qTower <sup>3</sup> 84	-	-	-		-		-		-		-		-		-		-		-						●
<b>APPLIED BIOSYSTEMS®</b>																									
2700/2720	●	●					●		●		●					●						●			●
3100	●	●					●		●							●							●		●
3130	●	●					●		●							●							●		●
3500									●							●									
3700	●	●					●		●							●						●			●
3730/ 3730xl	●	●					●		●							●							●		●
9600	●	●					●		●		●					●									
9700	●	●					●		●		●					●						●			●
9800 Fast																		●							
5700	●	●					●		●							●									
7000	●	●					●		●					●		●									
7300	●	●					●		●					-		-									
7500	●	●			●		●		●									●							
7700	●	●					●		●							●									
7900 HT							●		●									●					●		●
7500 Fast																		●							
Quant Studio™ 6 384-well																							●		
Quant Studio™ 96-well																	●								
Quant Studio™ 96-well fast						●												●							
Step One Plus																		●						●	
Veriti 0.2 ml																●								●	
Veriti 0.1 ml																		●						●	
ViiA™ 7					●													●							●
<b>AMERSHAM® Bioscience</b>																									
MegaBace® 500																				●					
MegaBace® 1000																				●					
MegaBace® 4000																				●		●			●
<b>BECKMAN®</b>																									
CEQ								●												●					●
MegaBace® 4000																				●		●			●

\* r. s. - s. = raised skirt semi-skirted      ● = compatible      - = not compatible      □ = no information

PCR set with sealing film 781391: <sup>1)</sup> 781230 <sup>2)</sup> 781231 <sup>3)</sup> 781365 <sup>4)</sup> 781232 <sup>5)</sup> 781234 <sup>6)</sup> 781233

Continued PCR plates Thermal Cycler Compatibility

	non-skirted								semi-skirted				r. s. - s.*	skirted										
	781411	781412	781415	781416	781366	781367	781368	781369	781350	781354	781400	781357	781364	781371	781372	781375	781376	781373	781374	781377	781378	781345	781346	781358
Available in a set w. film					x <sup>1)</sup>	x <sup>2)</sup>						x <sup>3)</sup>	x <sup>4)</sup>		x <sup>5)</sup>		x <sup>6)</sup>							
White color	x		x		x		x		x	x		x		x		x	x		x		x			x
Number of wells	24		48		96		96		96	96		96		96		96		96		96		384		384
Standard well	x		x				x		x		x				x									
Low profile well					x							x		x			x		x					
Cut corner					H12		A12		H12	H12		H12		A12		A12	A1		H1		A24+P24		A24	A24+P24
<b>BIOMETRA® Analytik Jena AG</b>																								
Uno	•	•	•	•	•	•	•	•	•	•						•		•		•		•		•
Uno II	•	•	•	•	•	•	•	•	•	•						•		•		•		•		•
T1 Thermal Cycler	•	•	•	•	•	•	•	•	•	•						•		•		•		•		•
Tgradient	•	•	•	•	•	•	•	•	•	•						•		•		•		•		•
Tprofessional	•	•	•	•	•	•	•	•	•	•						•		•		•		•		•
Trobot	•	•	•	•	•	•	•	•	•	•						•		•		•		•		•
TOne 96/96 G	•	•	•	•	•	•	•	•	•	•		•		•		•	-	•		•		•		•
Tadvanced 96/96 G	•	•	•	•	•	•	•	•	•	•		•		•		•	-	•		•		•		•
Tadvanced 96 S/96 SG	•	•	•	•	•	•	•	•	•	•		•		•		•	-	•		•		•		•
Tadvanced 384/384 G	-	-	-	-	-	-	-	-	-	-		-		-		-	-	-		-		•		•
Tadvanced Twin 48	•	•	-	-	-	-	-	-	-	-		-		-		-	-	-		-		-		-
TRIO 48/ 48 G	•	•	-	-	-	-	-	-	-	-		-		-		-	-	-		-		-		-
<b>BIORAD®/MJ RESEARCH®</b>																								
CFX 96 Touch™					•							-	•				-	•		•				
CFX 96 Connect™					•							-	•				-	•		•				
CFX Automated System II																			•		•			•
T100	•	•				•		•		•					•				•				•	
Genecycler						•		•											•					
C1000/ C1000 touch	•	•	•	•	•	•	•	•	•	•					•			•		•		•		•
S1000	•	•	•	•	•	•	•	•	•	•					•			•		•		•		•
PTC 100																				•				•
PTC-200 DNA-Engine	•	•	•	•	•	•	•	•	•	•					•			•		•		•		•
PTC-220 DNA-Eng. Dyad	•	•	•	•	•	•	•	•	•	•					•			•		•		•		•
PTC-221 Dyad-Disciple	•	•	•	•	•	•	•	•	•	•					•			•		•		•		•
PTC-225 DNA-Tetrad	•	•	•	•	•	•	•	•	•	•					•			•		•		•		•
PTC-240 DNA-Tetrad 2																				•				•
Base Station																			•					•
iCycler	•	•			•		•		•						•			•		•				
MyCycler	•	•			•		•		•						•			•		•				
MyiQ	•	•			•		•		•						•			•		•				•
iQ4					•		•		•						•			•		•				•
iQ5	•	•			•		•		•						•			•		•				•
CFX96					•		•		•						•			•		•				•
Chromo 4					•		•		•						•			•		•				•
Opticon					•		•		•						•			•		•				•
Opticon 2					•		•		•						•			•		•				•
Opticon 4					•		•		•						•			•		•				•
<b>Biotype GmbH</b>																								
Modaplex					-																			
<b>Corbett Research</b>																								
Palm Cycler 96															•									
Palm Cycler 384							•																•	•
<b>Eppendorf®</b>																								
Mastercycler® Gradient	•	•			•		•		•	•					•			•		•				•
Mastercycler® Nexus	•	•			•		•		•	•					•			•		•				•
Mastercycler® ep	•	•			•		•		•	•					•			•		•				•
Mastercycler®					•		•		•						•			•		•				•
Mastercycler® M384																					•		•	•
Mastercycler pro 384																							•	•
Mastercycler® ep Realplex					•		•		•						•		•	•	•					

\* r. s. - s. = raised skirt semi-skirted    ● = compatible    - = not compatible    □ = no information

PCR set with sealing film 781391; <sup>1)</sup> 781230 <sup>2)</sup> 781231 <sup>3)</sup> 781365 <sup>4)</sup> 781232 <sup>5)</sup> 781234 <sup>6)</sup> 781233

	non-skirted								semi-skirted						r.s.-s.*		skirted							
	781411	781412	781415	781416	781366	781367	781368	781369	781350	781354	781400	781357	781364	781371	781372	781375	781376	781373	781374	781377	781378	781345	781346	781358
Available in a set w. film					x <sup>1)</sup>	x <sup>2)</sup>						x <sup>3)</sup>	x <sup>4)</sup>		x <sup>5)</sup>		x <sup>6)</sup>							
White color	x		x		x		x		x	x		x		x		x	x		x					x
Number of wells	24		48		96		96		96	96		96		96		96	96		96		384		384	384
Standard well	x		x				x		x	x					x									
Low profile well					x							x		x			x		x					
Cut corner					H12		A12		H12	H12		H12		A12		A12	A1		H1		A24+P24		A24	A24+P24
<b>Ericomp</b>																								
Single Block	●		●		●		●		●						●									
Twin Block	●		●		●		●		●						●									
Power Block					●		●						●		●									
Delta Cyclcr	●		●		●		●		●				●		●									
<b>Esco</b>																								
Swift							●																	●
<b>Flexi</b>																								
Gene							●												●					●
Genius							●												●					
<b>G-Storm</b>																								
GS1/ GS4/ GSX					●		●							●		●								
<b>Labnet</b>																								
MultiGene™ OptiMax							●								●									
<b>Thermo Hybaid</b>																								
Multi Block System	●		●		●		●		●		●		●		●				●		●		●	●
Omnigene	●		●		●		●		●		●		●		●				●		●		●	●
Omn-E	●		●		●		●		●		●		●		●				●		●		●	●
PCR-Express	●		●		●		●		●		●		●		●				●		●		●	●
PCR-Sprint	-		-		●		●		-		-		●		●				●		●		●	●
pxe	●		●		●		●		●		●		●		●				●		●		●	●
px2	●		●		●		●		●		●		●		●				●		●		●	●
Touchdown	●		●		●		●		●		●		●		●				●		●		●	●
<b>MWG®</b>																								
Primus 96	●		●		●		●		●		●		●		●				●					
Primus 384																					●		●	●
The Q LifeCycler					●		●																	●
<b>PCRmax</b>																								
Alpha Cyclcr 1					●		●								●				●					
Alpha Cyclcr 2					●		●								●				●					
Alpha Cyclcr 4					●		●								●				●					
<b>PEQLAB®</b>																								
peqStar 96	●		●		●		●		●		●		●		●				●					
peqSar 96X Universal	●		●		●		●		●		●		●		●				●					
peqSar 96X Univ. Gradient	●		●		●		●		●		●		●		●				●					
peqStar 96X HPL	●		●		●		●		●		●		●		●				●					
peqStar 96X HPLGradient	●		●		●		●		●		●		●		●				●					
peqStar 384X HPL																					●		●	●
<b>Roche®</b>																								
LightCycler® 480											●													●
<b>STRATAGENE®</b>																								
Robocyclcr	●		●		●		●		●		-				●				●		●			
Robocyclcr Gradient					●		●						●		●				●					
Mx 3000	●		●						●															
Mx 3000 P					●		●							●		●								
Mx 3005 P					●		●							●		●								
Mx 4000	●		●		●		●		●															
<b>TaKaRa®</b>																								
TP2400																				●		●		
TP3000	●		●		●		●		●				●		●				●		●			

\* r. s. - s. = raised skirt semi-skirted    ● = compatible    - = not compatible    □ = no information

PCR set with sealing film 781391; <sup>1)</sup> 781230 <sup>2)</sup> 781231 <sup>3)</sup> 781365 <sup>4)</sup> 781232 <sup>5)</sup> 781234 <sup>6)</sup> 781233

Continued PCR plates Thermal Cycler Compatibility

	non-skirted								semi-skirted				r. s. - s. *		skirted										
	781411	781412	781415	781416	781366	781367	781368	781369	781350	781354	781400	781357	781364	781371	781372	781375	781376	781373	781374	781377	781378	781345	781346	781358	
Available in a set w. film					x <sup>1)</sup>		x <sup>2)</sup>							x <sup>3)</sup>		x <sup>4)</sup>		x <sup>5)</sup>		x <sup>6)</sup>					
White color		x		x		x		x			x		x		x		x		x		x				x
Number of wells	24		48		96		96		96		96		96		96		96		96		96		384		384
Standard well	x		x				x		x		x				x										
Low profile well					x								x		x			x		x					
Cut corner					H12		A12		H12		H12		H12		A12		A12		A1		H1		A24+P24		A24
<b>TECHNE®</b>																									
TC-412	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Flexigene	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Genius	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Genius Quad					●		●		●		●		●		●		●		●		●		●		●
TC-512	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Touchgene Gradient							●				●			●							●			●	
Touchgene X					●																●			●	
Prime																								●	
Prime Elite																								●	
Prime Elite Satellite																								●	
PrimeG																								●	
TC-3000X	●	●	●	●	●	●	●	●	●	-													-		
Quantica																									
Cyclogene					●		●							●		●					●				
<b>TRANSGENOMIC®</b>																									
Wave System																					●				●
<b>VWR</b>																									
XT <sup>96</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	-				
UNO <sup>96</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
UNO <sup>96</sup> Gradient	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
UNO <sup>96</sup> HPL	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
UN <sup>096</sup> HPL Gradient	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				
UNO <sup>384</sup> HPL																						●			●

\* r. s. - s. = raised skirt semi-skirted      ● = compatible      - = not compatible      □ = no information      Stand: 0123

PCR set with sealing film 781391: <sup>1)</sup> 781230 <sup>2)</sup> 781231 <sup>3)</sup> 781365 <sup>4)</sup> 781232 <sup>5)</sup> 781234 <sup>6)</sup> 781233


BRAND® as well as the logo design mark depicted here are trademarks of BRAND GMBH + CO KG, Germany. The following brands and trademarks as referenced in the current table are property of their respective third-party owners as listed below:

<b>Referenced brand/trademark</b>	<b>Owner</b>	<b>Referenced brand/trademark</b>	<b>Owner</b>
Agilent®	Agilent Technologies, Inc., USA	MegaBace®	GE Healthcare Bio-Sciences AB, GB
AMERSHAM®	GE HEALTHCARE LIMITED, GB	MJ RESEARCH®	BIO-RAD LABORATORIES, INC., USA
APPLIED BIOSYSTEMS®	Applied Biosystems LLC, USA	MWG®	MWG BIOTECH AG, Germany
AriaMx®	Agilent Technologies, Inc., USA	PEQLAB®	PEQLAB Biotechnologie GmbH, Germany
BECKMAN®	Beckman Coulter, Inc., USA	Roche®	F. Hoffmann-La Roche AG, Switzerland
BIOMETRA®	Biometra Biomedizinische Analytik GmbH, Germany	STRATAGENE®	Agilent Technologies, Inc., USA
BIORAD®	BIO-RAD LABORATORIES GMBH, Germany	TaKaRa®	TAKARA SHUZO CO., LTD., Japan
Eppendorf®	Eppendorf AG, Germany	TECHNE®	TECHNE INCORPORATED, USA
LightCycler®	Roche Diagnostics GmbH, Germany	TRANSGENOMIC®	Transgenomic, Inc., USA
Mastercycler®	Eppendorf AG, Germany		

# Cuvettes

## The advantages at a glance

In many fields, plastic disposable cuvettes for the UV/VIS range can replace expensive, sensitive glass or quartz cuvettes. Time-consuming expensive cleaning processes are eliminated, and the dangers of sample mixing and contamination are reduced to a minimum.



Cuvette type	Filling volume min.	Filling volume max.	Dimensions window (w x h)	Range of application	Standard deviation in extinction units
UV-Cuvette micro. z = 8.5	70 µl	850 µl	2 x 3.5 mm (min.)	from 230 to 900 nm	240 nm $\pm$ 0.007 300 nm $\pm$ 0.005
UV-Cuvette micro. z = 15	70 µl	550 µl	2 x 3.5 mm (min.)		
UV-Cuvette macro	2.5 ml	4.5 ml	10 x 35 mm		
UV-Cuvette semi-micro	1.5 ml	3.0 ml	4.5 x 23 mm		
macro cuvette (PMMA)	2.5 ml	4.5 ml	10 x 35 mm	from 300 to 900 nm	320 nm $\pm$ 0.004
semi-micro cuvette (PMMA)	1.5 ml	3.0 ml	4.5 x 23 mm		
macro cuvette (PS)	2.5 ml	4.5 ml	10 x 35 mm	from 340 to 900 nm	360 nm $\pm$ 0.005
semi-micro cuvette (PS)	1.5 ml	3.0 ml	4.5 x 23 mm		
macro cuvette (PS) 4 clear sided	2.5 ml	4.5 ml	10 x 35 mm	from 340 to 900 nm	360 nm $\pm$ 0.005
UV-Cuvette macro 4 clear sided	2.5 ml	4.5 ml	10 x 35 mm	from 230 to 900 nm	240 nm $\pm$ 0.007 300 nm $\pm$ 0.005


## Overview of chemical resistance and transmission properties of different cuvettes

### Chemical resistance\* of plastic cuvettes

Substance	PS	PMMA	UV-Cuvette
Acetic acid, 100%	-	-	+
Acetone	-	-	+
Ammonia	+	+	+
Benzaldehyde	-	-	+
Butanone	-	-	+
Chloroform	-	-	-
Dioxane	-	-	+
DMF	-	-	+
Ethyl acetate	-	-	+
Hexane	-	+	-
Hydrochloric acid, 36%	+	-	+
Hydrofluoric acid, 10%	+	+	+
Isopropanol	+	+	+
Nitric acid, 65%	-	-	+
Sodium hydroxide	+	+	+

\* Short time resistance, 30 min. Longer-term storage of these chemicals should be confirmed by the user. Request a free sample.

### Transmission curves of different cuvettes



To achieve reproducible results: Before the actual measurement, always determine the blank value for the cuvette, and determine the linear range of measurement by means of a calibration curve.

## Single tubes PCR, PP, BIO-CERT® PCR QUALITY



Cat. No.	Product Description	From	Unit
781300	0,2 ml, transparent, With attached, domed cover	1000	piece(s)
781301	0,2 ml, pink, With attached, flat cover	1000	piece(s)
781302	0,2 ml, yellow, With attached, flat cover	1000	piece(s)
781303	0,2 ml, green, With attached, flat cover	1000	piece(s)
781304	0,2 ml, blue, With attached, flat cover	1000	piece(s)
781305	0,2 ml, transparent, With attached, flat cover	1000	piece(s)
781310	0,5 ml, transparent, With attached, flat cover	1000	piece(s)
781311	0,5 ml, pink, With attached, flat cover	1000	piece(s)
781312	0,5 ml, yellow, With attached, flat cover	1000	piece(s)
781313	0,5 ml, green, With attached, flat cover	1000	piece(s)
781314	0,5 ml, blue, With attached, flat cover	1000	piece(s)

## PCR strips, PP, BIO-CERT® PCR QUALITY



Cat. No.	Product Description	From	Unit
781280	strips of 12, 0,2 ml, transparent, without cap	1 pack = 80 piece(s)	1 pack
781315	strips of 8, 0,2 ml, transparent, With attached, flat single covers	1 pack = 120 piece(s)	1 pack
781316	strips of 8, 0,2 ml, white, With attached, flat single covers, 3 connectors, standard	1 pack = 120 piece(s)	1 pack
781317	strips of 8, 0,15 ml, white, With attached, flat single covers, Low Profile	1 pack = 120 piece(s)	1 pack
781318	strips of 8, 0,15 ml, transparent, With attached, flat single covers, 3 connectors, Low Profile	1 pack = 120 piece(s)	1 pack
781320	strips of 8, 0,2 ml, transparent, without cap	1 pack = 125 piece(s)	1 pack
781321	strips of 8, 0,2 ml, pink, without cap	1 pack = 125 piece(s)	1 pack
781322	strips of 8, 0,2 ml, yellow, without cap	1 pack = 125 piece(s)	1 pack
781323	strips of 8, 0,2 ml, green, without cap	1 pack = 125 piece(s)	1 pack
781324	strips of 8, 0,2 ml, blue, without cap	1 pack = 125 piece(s)	1 pack
781325	strips of 8, 0,2 ml, white, without cap	1 pack = 125 piece(s)	1 pack
781326	strips of 8, 0,2 ml, transparent, with flat cap	1 pack = 250 piece(s)	1 pack
781327	strips of 8, 0,2 ml, transparent, with domed cap	1 pack = 250 piece(s)	1 pack
781330	strips of 8, 0,2 ml, transparent, with attached cap strip	1 pack = 125 piece(s)	1 pack
781332	strips of 8, 0,2 ml, transparent, with attached individual caps	1 pack = 120 piece(s)	1 pack
781333	strips of 8, 0,15 ml, transparent, with attached individual caps	1 pack = 120 piece(s)	1 pack

## Cap strips, PP, BIO-CERT® PCR QUALITY



Cat. No.	Product Description	From	Unit
781290	strips of 12, transparent, with domed cap	1 pack = 80 piece(s)	1 pack
781334	strips of 8, transparent, with flat cap	1 pack = 125 piece(s)	1 pack
781340	strips of 8, transparent, with domed cap	1 pack = 125 piece(s)	1 pack
781341	strips of 8, pink, with domed cap	1 pack = 125 piece(s)	1 pack
781342	strips of 8, yellow, with domed cap	1 pack = 125 piece(s)	1 pack
781343	strips of 8, green, with domed cap	1 pack = 125 piece(s)	1 pack
781344	strips of 8, blue, with domed cap	1 pack = 125 piece(s)	1 pack



## PCR cap strips, strips of 8, colorless, BIO-CERT® PCR QUALITY

Cat. No.	Product Description		From	Unit
781413	flat, for qPCR, for 781377-78	1 pack = 300 piece(s)	1	pack
781414	domed, for 781377-78	1 pack = 300 piece(s)	1	pack



## PCR plate 24-well, PP, 0,2 ml, without skirt, BIO-CERT® PCR QUALITY

Cat. No.	Product Description		From	Unit
781411	transparent	1 pack = 40 piece(s)	1	pack
781412	white	1 pack = 40 piece(s)	1	pack




## PCR plate 48-well, PP, 0,2 ml, without skirt, BIO-CERT® PCR QUALITY

Cat. No.	Product Description		From	Unit
781415	transparent	1 pack = 20 piece(s)	1	pack
781416	white	1 pack = 20 piece(s)	1	pack



## PCR plate 96-well, PP, BIO-CERT® PCR QUALITY

Cat. No.	Product Description		From	Unit
781350	without skirt, standard, well rim elevated, 0,2 ml, transparent	1 pack = 50 piece(s)	1	pack
781354	without skirt, standard, well rim elevated, 0,2 ml, white	1 pack = 50 piece(s)	1	pack
781357	semi skirted, standard, well rim elevated, 0,2 ml, white	1 pack = 50 piece(s)	1	pack
781364	semi skirted, Low Profile, 0,15 ml, white, suitable for Roche® Lightcycler®	1 pack = 50 piece(s)	1	pack
781366	without skirt, Low Profile, 0,15 ml, transparent	1 pack = 50 piece(s)	1	pack
781367	without skirt, Low Profile, 0,15 ml, white	1 pack = 50 piece(s)	1	pack
781368	without skirt, standard, 0,2 ml, transparent	1 pack = 50 piece(s)	1	pack
781369	without skirt, standard, 0,2 ml, white	1 pack = 50 piece(s)	1	pack
781371	semi skirted, Low Profile, 0,15 ml, transparent	1 pack = 50 piece(s)	1	pack
781372	semi skirted, Low Profile, 0,15 ml, white	1 pack = 50 piece(s)	1	pack
781373	half frame, raised, Low Profile, 0,15 ml, transparent	1 pack = 50 piece(s)	1	pack
781374	half frame, raised, Low Profile, 0,15 ml, white	1 pack = 50 piece(s)	1	pack
781375	semi skirted, standard, 0,2 ml, transparent	1 pack = 50 piece(s)	1	pack
781376	semi skirted, standard, 0,2 ml, white	1 pack = 50 piece(s)	1	pack
781377	full skirted, Low Profile, 0,15 ml, transparent	1 pack = 50 piece(s)	1	pack
781378	full skirted, Low Profile, 0,15 ml, white	1 pack = 50 piece(s)	1	pack
781400	semi skirted, standard, 0,2 ml, transparent	1 pack = 50 piece(s)	1	pack



**PCR sets 96-well plates and films, PP, well rim not elevated, inclusive 50 foils for qPCR, polyester, BIO-CERT® PCR QUALITY**



Cat. No.	Product Description		From	Unit
781230	without skirt, Low Profile, transparent, 0,15 ml	1 pack = 50 piece(s)	1	pack
781231	without skirt, standard, transparent, 0,2 ml	1 pack = 50 piece(s)	1	pack
781232	semi skirted, Low Profile, transparent, 0,15 ml	1 pack = 50 piece(s)	1	pack
781233	semi skirted, Low Profile, transparent, 0,15 ml	1 pack = 50 piece(s)	1	pack
781234	semi skirted, standard, transparent, 0,2 ml	1 pack = 50 piece(s)	1	pack
781365	semi skirted, Low Profile, white, 0,15 ml, suitable for Roche® Lightcycler®	1 pack = 50 piece(s)	1	pack

**PCR plate 96-well, Rigid Frame, PC/PP, BIO-CERT® PCR QUALITY**



Cat. No.	Product Description		From	Unit
781541	full skirted, frosted, wells transparent, Low Profile, 0,15 ml	1 pack = 50 piece(s)	1	pack
781542	full skirted, Gold, wells transparent, Low Profile, 0,15 ml	1 pack = 50 piece(s)	1	pack
781543	full skirted, red, wells transparent, Low Profile, 0,15 ml	1 pack = 50 piece(s)	1	pack
781544	full skirted, green, wells transparent, Low Profile, 0,15 ml	1 pack = 50 piece(s)	1	pack
781545	full skirted, blue, wells transparent, Low Profile, 0,15 ml	1 pack = 50 piece(s)	1	pack
781546	full skirted, white, wells white, Low Profile, 0,15 ml	1 pack = 50 piece(s)	1	pack
781547	semi skirted, transparent, wells transparent, standard, 0,2 ml	1 pack = 50 piece(s)	1	pack
781548	semi skirted, blue, wells transparent, standard, 0,2 ml	1 pack = 50 piece(s)	1	pack
781549	semi skirted, transparent, wells white, Low Profile, 0,15 ml, Roche® Lightcycler®	1 pack = 50 piece(s)	1	pack

**PCR plate 384-well, PP, 0,03 ml, full skirted, Low Profile, BIO-CERT® PCR QUALITY**




Cat. No.	Product Description		From	Unit
781345	transparent	1 pack = 50 piece(s)	1	pack
781346	transparent	1 pack = 50 piece(s)	1	pack
781358	white	1 pack = 50 piece(s)	1	pack

**PCR plate 384-well, Rigid Frame, PC/PP, 0,03 ml, BIO-CERT® PCR QUALITY**

Cat. No.	Product Description		From	Unit
781538	full skirted, frosted, wells transparent, Low Profile	1 pack = 50 piece(s)	1	pack
781539	full skirted, frosted, wells white, Low Profile, Roche® Lightcycler®, BioRad	1 pack = 50 piece(s)	1	pack


**Life Science sealing films for PCR and qPCR, Polyester**



Cat. No.	Product Description		From	Unit
781383	self-adhesive, for PCR/Real-time PCR/storage	1 pack = 50 piece(s) (each 8 strips)	1	pack
781390	self-adhesive, for PCR/ELISA	1 pack = 100 piece(s)	1	pack
781391	pressure sensitive, for Real-time PCR/PCR/ELISA	1 pack = 100 piece(s)	1	pack


## Life Science sealing films for PCR and storage

Cat. No.	Product Description		From	Unit
701367	PP	1 pack = 100 piece(s)	1	pack
701376	PET, Detachable	1 pack = 100 piece(s)	1	pack
701377	aluminum, Detachable	1 pack = 100 piece(s)	1	pack



## Life Science sealing films for storage and automation, aluminum, self-adhesive

Cat. No.	Product Description		From	Unit
781381	for cold storage/storage	1 pack = 100 piece(s)	1	pack
781382	for PCR/storage	1 pack = 50 piece(s) (each 6 strips)	1	pack



## Life Science sealing films for automation processes

Cat. No.	Product Description		From	Unit
701370	PP/PE-HD, for automation	1 pack = 50 piece(s)	1	pack
701374	Vinyl, operating temperature -40 to 90 °C, for plates	1 pack = 100 piece(s)	1	pack




## Life Science sealing films for cell and tissue cultures, Rayon, self-adhesive, Gas-permeable

Cat. No.	Product Description		From	Unit
701364	non-sterile	1 pack = 100 piece(s)	1	pack
701365	sterile	1 pack = 50 piece(s)	1	pack



## Life Science sealing films for luminescence and fluorescence measurement, Vinyl

Cat. No.	Product Description		From	Unit
701371	for fluorescence, black	1 pack = 50 piece(s)	1	pack
701372	for luminescence, white	1 pack = 50 piece(s)	1	pack



## Microcentrifuge tubes, PP, 0,5 ml, with attached cap, transparent, BIO-CERT® PCR QUALITY

Cat. No.	Product Description		From	Unit
780507	RCF max 10.000 G		1000	piece(s)
780536	with lid closure, RCF max 30.000 G		500	piece(s)



**Microcentrifuge tubes, PP, 1,5 ml, with attached cap, BIO-CERT® PCR QUALITY**



Cat. No.	Product Description	From	Unit
780420	transparent, RCF max 20.000 G	500	piece(s)
780421	yellow, RCF max 20.000 G	500	piece(s)
780422	blue, RCF max 20.000 G	500	piece(s)
780423	green, RCF max 20.000 G	500	piece(s)
780424	orange, RCF max 20.000 G	500	piece(s)
780425	amber, RCF max 20.000 G	500	piece(s)
780540	transparent, with lid closure, RCF max 30.000 G	1000	piece(s)

**Microcentrifuge tubes, 2 ml, PP, with attached cap, transparent, BIO-CERT® PCR QUALITY**




Cat. No.	Product Description	From	Unit
780546	RCF max 20.000 G, with lid closure	500	piece(s)
780550	RCF max 20.000 G	500	piece(s)

**Microcentrifuge tubes, PP, 5 ml, transparent, BIO-CERT® PCR QUALITY**



Cat. No.	Product Description	From	Unit
780555	RCF max 25.000 G	250	piece(s)

**Microcentrifuge tubes with detached cap, PP, transparent, BIO-CERT® PCR QUALITY, sterile, with screw cap, bulk**



Cat. No.	Product Description	From	Unit
780750	0,5 ml, with base, without Graduated	500	piece(s)
780751	1,5 ml, with base, Graduated to 1,0 ml	500	piece(s)
780752	1,5 ml, without base, Graduated to 1,0 ml	500	piece(s)
780753	2 ml, with base, Graduated to 1,2 ml	500	piece(s)
780754	2 ml, without base, Graduated to 1,2 ml	500	piece(s)
780755	0,5 ml, with base, without Graduated	500	piece(s)
780756	1,5 ml, with base, with lid closure, Graduated to 1,0 ml	500	piece(s)
780757	1,5 ml, without base, with lid closure, Graduated to 1,0 ml	500	piece(s)
780758	2 ml, with base, with lid closure, Graduated to 1,2 ml	500	piece(s)
780759	2 ml, without base, with lid closure, Graduated to 1,2 ml	500	piece(s)

## Microcentrifuge tubes, PP, with attached screw-cap, PE, transparent, BIO-CERT® PCR QUALITY

Cat. No.	Product Description	From	Unit
780710	0,5 ml, with base, without Graduated	1000	piece(s)
780711	1,5 ml, with base, Graduated to 1,0 ml	1000	piece(s)
780712	1,5 ml, without base, Graduated to 1,0 ml	1000	piece(s)
780713	2 ml, with base, Graduated to 1,2 ml	1000	piece(s)
780714	2 ml, without base, Graduated to 1,2 ml	1000	piece(s)



## Microcentrifuge tubes, PP, with attached screw-cap, PE, ungraduated, BIO-CERT® PCR QUALITY

Cat. No.	Product Description	From	Unit
780700	0,5 ml, with base	1000	piece(s)
780701	1,5 ml, with base	1000	piece(s)
780702	1,5 ml, without base	1000	piece(s)
780703	2 ml, with base	1000	piece(s)
780704	2 ml, without base	1000	piece(s)



## Microcentrifuge tubes, PP, without cap, suitable for bulked screw caps, PP, transparent, BIO-CERT® PCR QUALITY

Cat. No.	Product Description	From	Unit
780730	0,5 ml, with base, without Graduated	1000	piece(s)
780731	1,5 ml, with base, Graduated to 1,0 ml	1000	piece(s)
780732	1,5 ml, without base, Graduated to 1,0 ml	1000	piece(s)
780733	2 ml, with base, Graduated to 1,2 ml	1000	piece(s)
780734	2 ml, without base, Graduated to 1,2 ml	1000	piece(s)



## Microcentrifuge tubes, PP, without cap, suitable for tamper-evident cover, PP, transparent, ungraduated, BIO-CERT® PCR QUALITY

Cat. No.	Product Description	From	Unit
780760	0,5 ml, with base	1000	piece(s)
780761	1,5 ml, with base	1000	piece(s)
780762	1,5 ml, without base	1000	piece(s)
780763	2 ml, with base	1000	piece(s)
780764	2 ml, without base	1000	piece(s)



## Cap inserts, PP

Cat. No.	Product Description	From	Unit
780720	white	500	piece(s)
780721	blue	500	piece(s)
780722	red	500	piece(s)
780723	green	500	piece(s)
780724	yellow	500	piece(s)



### Screw cap, PP, with silicone seal, BIO-CERT® PCR QUALITY



Cat. No.	Product Description	From	Unit
780740	white	1000	piece(s)
780741	blue	1000	piece(s)
780742	red	1000	piece(s)
780743	green	1000	piece(s)
780744	yellow	1000	piece(s)

### Screw cap, PP, tamper-evident, BIO-CERT® PCR QUALITY



Cat. No.	Product Description	From	Unit
780770	transparent	1000	piece(s)
780771	blue	1000	piece(s)
780772	green	1000	piece(s)
780773	purple	1000	piece(s)
780774	red	1000	piece(s)
780775	yellow	1000	piece(s)

### Microplates, 96-well, U-bottom, PP



Cat. No.	Product Description	From	Unit
701330	0,3 ml	100	piece(s)

### Deep-well plate, 96-well, PP



Cat. No.	Product Description	From	Unit
701340	well shape round, U-bottom, Low Profile, 1,1 ml, CERTIFIED LIFE SCIENCE QUALITY	1 pack = 50 piece(s)	1 pack
701342	well shape round, U-bottom, elevated rim, 1,2 ml, BIO-CERT® PCR QUALITY	1 pack = 32 piece(s)	1 pack
701346	well shape round, U-bottom, standard, 0,5 ml, BIO-CERT® PCR QUALITY	1 pack = 48 piece(s)	1 pack
701347	well shape square, U-bottom, Low Profile, 1 ml, CERTIFIED LIFE SCIENCE QUALITY	1 pack = 50 piece(s)	1 pack
701348	well shape square, V-bottom, suitable for KingFisher™, 2,2 ml, CERTIFIED LIFE SCIENCE QUALITY	1 pack = 50 piece(s)	1 pack
701350	well shape round, U-bottom, standard, 1,1 ml, BIO-CERT® PCR QUALITY	1 pack = 24 piece(s)	1 pack
701353	well shape square, V-bottom, standard, 2,2 ml, CERTIFIED LIFE SCIENCE QUALITY	1 pack = 30 piece(s)	1 pack
701354	well shape square, U-bottom, standard, 2,2 ml, BIO-CERT® PCR QUALITY	1 pack = 24 piece(s)	1 pack

## Deep-well plate, 96-well, U-bottom, PS, BIO-CERT® PCR QUALITY

Cat. No.	Product Description		From	Unit
701352	standard, 1,1 ml	1 pack = 32 piece(s)	1	pack




## Deep-well plate, 384-well, V-bottom, PP, BIO-CERT® CERTIFIED QUALITY

Cat. No.	Product Description		From	Unit
701355	0,3 ml	1 pack = 48 piece(s)	1	pack




## Sealing mats for deep-well plates

Cat. No.	Product Description		From	Unit
701357	384-well, silicone, 0,3 ml	1 pack = 50 piece(s)	1	pack
701358	96-well, TPE, 0,5 ml	1 pack = 50 piece(s)	1	pack
701360	96-well, PE, 1.1 ml and 1.2 ml, well rim elevated	1 pack = 24 piece(s)	1	pack
701362	96-well, EVA, 2,2 ml	1 pack = 24 piece(s)	1	pack
701368	96-well, TPE, 1,2 ml, Low Profile	1 pack = 50 piece(s)	1	pack




## Tube racks With 96 tubes, PP, 1,2 ml, BIO-CERT® CERTIFIED QUALITY

Cat. No.	Product Description		From	Unit
781500	With 96 tubes (individual)	1 pack = 10 piece(s)	1	pack
781510	With 96 tubes (12 x strips of 8)	1 pack = 10 piece(s)	1	pack



## Tube racks with lid, PP, With 96 coded tubes

Cat. No.	Product Description		From	Unit
781565	0,65 ml, not available in the USA	1 pack = 50 piece(s)	1	pack
781566	1,2 ml, not available in the USA	1 pack = 50 piece(s)	1	pack



## Single tubes without coding, BIO-CERT® CERTIFIED QUALITY

Cat. No.	Product Description		From	Unit
781520	1,2 ml, PP, bulk	1 pack = 960 piece(s)	1	pack



## Tubes, strips of 8, BIO-CERT® CERTIFIED QUALITY

Cat. No.	Product Description		From	Unit
781525	1,2 ml, PP, bulk	1 pack = 120 piece(s)	1	pack



### Single cap for 1.2 ml tubes, BIO-CERT® CERTIFIED QUALITY



Cat. No.	Product Description		From	Unit
781530	PE, bulk	1 pack = 960 piece(s)	1	pack

### Cap strips strips of 8, BIO-CERT® CERTIFIED QUALITY




Cat. No.	Product Description		From	Unit
781535	for 1.2 ml tubes, PE, bulk	1 pack = 120 piece(s)	1	pack

### Tube rack, empty, BIO-CERT® CERTIFIED QUALITY



Cat. No.	Product Description		From	Unit
781540	with grid, PP	1 pack = 10 piece(s)	1	pack

### Cryotubes, with external thread, screw cap with silicone seal, PP, BIO-CERT® CELL CULTURE QUALITY, sterile



Cat. No.	Product Description		From	Unit
114830	1,2 ml, 12,5 mm x 41 mm, with base		1000	piece(s)
114831	2 ml, 12,5 mm x 47 mm, without base		1000	piece(s)
114832	2 ml, 12,5 mm x 49 mm, with base		1000	piece(s)
114833	3 ml, 12,5 mm x 70 mm, with base		1000	piece(s)
114834	4 ml, 12,5 mm x 76 mm, with base		1000	piece(s)
114835	5 ml, 12,5 mm x 92 mm, with base		1000	piece(s)

### Cryotubes, with internal thread, screw cap with silicone seal, PP, BIO-CERT® CELL CULTURE QUALITY, sterile



Cat. No.	Product Description		From	Unit
114840	1,2 ml, 12,5 mm x 41 mm, with base		1000	piece(s)
114841	2 ml, 12,5 mm x 49 mm, with base		1000	piece(s)
114842	2 ml, 12,5 mm x 48 mm, without base		1000	piece(s)
114843	4 ml, 12,5 mm x 70 mm, without base		1000	piece(s)
114844	4 ml, 12,5 mm x 71 mm, with base		1000	piece(s)
114845	5 ml, 12,5 mm x 92 mm, without base		1000	piece(s)

### Cap inserts for cryogenic tubes, PP, for color coding



Cat. No.	Product Description		From	Unit
114850	white		500	piece(s)
114851	blue		500	piece(s)
114852	red		500	piece(s)
114853	green		500	piece(s)
114854	yellow		500	piece(s)



## Culture inserts, BRAND Insert 2in1, For 6-well plates, BIO-CERT® CELL CULTURE QUALITY, sterile

Cat. No.	Product Description		From	Unit
782740	PC-Membrane, Pore size 0,4 µm	1 pack=24 pc(s) (24x1)	1	pack
782741	PC-Membrane, Pore size 0,4 µm, multipack	1 pack=24 pc(s) (4x6)	1	pack
782746	PC-Membrane, Pore size 8 µm	1 pack=24 pc(s) (24x1)	1	pack
782747	PC-Membrane, Pore size 8 µm, multipack	1 pack=24 pc(s) (4x6)	1	pack
782750	PET-Membrane, Pore size 0,4 µm	1 pack=24 pc(s) (24x1)	1	pack
782751	PET-Membrane, Pore size 0,4 µm, multipack	1 pack=24 pc(s) (4x6)	1	pack
782752	PET-Membrane, Pore size 1 µm	1 pack=24 pc(s) (24x1)	1	pack
782753	PET-Membrane, Pore size 1 µm, multipack	1 pack=24 pc(s) (4x6)	1	pack
782754	PET-Membrane, Pore size 3 µm	1 pack=24 pc(s) (24x1)	1	pack
782755	PET-Membrane, Pore size 3 µm, multipack	1 pack=24 pc(s) (4x6)	1	pack
782756	PET-Membrane, Pore size 8 µm	1 pack=24 pc(s) (24x1)	1	pack
782757	PET-Membrane, Pore size 8 µm, multipack	1 pack=24 pc(s) (4x6)	1	pack



## Culture inserts, BRAND Insert 2in1, For 12-well plates, BIO-CERT® CELL CULTURE QUALITY, sterile

Cat. No.	Product Description		From	Unit
782720	PC-Membrane, Pore size 0,4 µm	1 pack=48 pc(s) (48x1)	1	pack
782721	PC-Membrane, Pore size 0,4 µm, multipack	1 pack=36 pc(s) (4x9)	1	pack
782726	PC-Membrane, Pore size 8 µm	1 pack=48 pc(s) (48x1)	1	pack
782727	PC-Membrane, Pore size 8 µm, multipack	1 pack=36 pc(s) (4x9)	1	pack
782730	PET-Membrane, Pore size 0,4 µm	1 pack=48 pc(s) (48x1)	1	pack
782731	PET-Membrane, Pore size 0,4 µm, multipack	1 pack=36 pc(s) (4x9)	1	pack
782732	PET-Membrane, Pore size 1 µm	1 pack=48 pc(s) (48x1)	1	pack
782733	PET-Membrane, Pore size 1 µm, multipack	1 pack=36 pc(s) (4x9)	1	pack
782734	PET-Membrane, Pore size 3 µm	1 pack=48 pc(s) (48x1)	1	pack
782735	PET-Membrane, Pore size 3 µm, multipack	1 pack=36 pc(s) (4x9)	1	pack
782736	PET-Membrane, Pore size 8 µm	1 pack=48 pc(s) (48x1)	1	pack
782737	PET-Membrane, Pore size 8 µm, multipack	1 pack=36 pc(s) (4x9)	1	pack



## Culture inserts, BRAND Insert 2in1, For 24-well plates, BIO-CERT® CELL CULTURE QUALITY, sterile

Cat. No.	Product Description		From	Unit
782700	PC-Membrane, Pore size 0,4 µm	1 pack=48 pc(s) (48x1)	1	pack
782701	PC-Membrane, Pore size 0,4 µm, multipack	1 pack=48 pc(s) (4x12)	1	pack
782706	PC-Membrane, Pore size 8 µm	1 pack=48 pc(s) (48x1)	1	pack
782707	PC-Membrane, Pore size 8 µm, multipack	1 pack=48 pc(s) (4x12)	1	pack
782710	PET-Membrane, Pore size 0,4 µm	1 pack=48 pc(s) (48x1)	1	pack
782711	PET-Membrane, Pore size 0,4 µm, multipack	1 pack=48 pc(s) (4x12)	1	pack
782712	PET-Membrane, Pore size 1 µm	1 pack=48 pc(s) (48x1)	1	pack
782713	PET-Membrane, Pore size 1 µm, multipack	1 pack=48 pc(s) (4x12)	1	pack
782714	PET-Membrane, Pore size 3 µm	1 pack=48 pc(s) (48x1)	1	pack
782715	PET-Membrane, Pore size 3 µm, multipack	1 pack=48 pc(s) (4x12)	1	pack
782716	PET-Membrane, Pore size 8 µm	1 pack=48 pc(s) (48x1)	1	pack
782717	PET-Membrane, Pore size 8 µm, multipack	1 pack=48 pc(s) (4x12)	1	pack



Insert strips, smooth-wall, PC-Membrane, strips of 4, for 24/6-well BRANDplates®, BIO-CERT® CELL CULTURE QUALITY, sterile



Cat. No.	Product Description		From	Unit
782800	13 mm, Pore size 0,4 µm	1 pack = 12 piece(s)	1	pack
782820	13 mm, Pore size 1 µm	1 pack = 12 piece(s)	1	pack
782840	13 mm, Pore size 3 µm	1 pack = 12 piece(s)	1	pack
782860	13 mm, Pore size 8 µm	1 pack = 12 piece(s)	1	pack
782900	9 mm, Pore size 0,4 µm	1 pack = 12 piece(s)	1	pack

Insert strips, smooth-wall, 13 mm, PET-Membrane, strips of 4, for 24/6-well BRANDplates®, BIO-CERT® CELL CULTURE QUALITY, sterile



Cat. No.	Product Description		From	Unit
782810	Pore size 0,4 µm	1 pack = 12 piece(s)	1	pack
782870	Pore size 8 µm	1 pack = 12 piece(s)	1	pack

Insert strips, with inlet channels (Inlet Opening System), PC-Membrane, strips of 4, for 24/6-well BRANDplates®, BIO-CERT® CELL CULTURE QUALITY, sterile



Cat. No.	Product Description		From	Unit
782801	13 mm, Pore size 0,4 µm	1 pack = 12 piece(s)	1	pack
782821	13 mm, Pore size 1 µm	1 pack = 12 piece(s)	1	pack
782841	13 mm, Pore size 3 µm	1 pack = 12 piece(s)	1	pack
782861	PC-Membrane, Pore size 8 µm	1 pack = 12 piece(s)	1	pack
782901	9 mm, Pore size 0,4 µm	1 pack = 12 piece(s)	1	pack

Insert strips, with inlet channels (Inlet Opening System), 13 mm, PET-Membrane, strips of 4, for 24/6-well BRANDplates®, BIO-CERT® CELL CULTURE QUALITY, sterile



Cat. No.	Product Description		From	Unit
782811	PET-Membrane, Pore size 0,4 µm	1 pack = 12 piece(s)	1	pack
782871	PET-Membrane, Pore size 8 µm	1 pack = 12 piece(s)	1	pack

Single inserts, smooth-wall, 13 mm, PC-Membrane, BIO-CERT® CELL CULTURE QUALITY, sterile



Cat. No.	Product Description		From	Unit
782806	Pore size 0,4 µm	1 pack = 48 piece(s)	1	pack
782826	Pore size 1 µm	1 pack = 48 piece(s)	1	pack
782846	Pore size 3 µm	1 pack = 48 piece(s)	1	pack
782866	Pore size 8 µm	1 pack = 48 piece(s)	1	pack

## Single inserts, smooth-wall, 13 mm, PET-Membrane, BIO-CERT® CELL CULTURE QUALITY, sterile

Cat. No.	Product Description		From	Unit
782816	Pore size 0,4 µm	1 pack = 48 piece(s)	1	pack
782876	Pore size 8 µm	1 pack = 48 piece(s)	1	pack



## Multi-well BRANDplates® for inserts, pureGrade™ S, with lid, BIO-CERT® CELL CULTURE QUALITY, sterile

Cat. No.	Product Description		From	Unit
782880	suitable for inserts 24-well	1 pack = 10 piece(s)	1	pack
782881	suitable for inserts 6-well	1 pack = 10 piece(s)	1	pack



## Multi-well BRANDplates® for inserts, cellGrade™ plus, with lid, BIO-CERT® CELL CULTURE QUALITY, sterile

Cat. No.	Product Description		From	Unit
782890	suitable for inserts 24-well	1 pack = 10 piece(s)	1	pack
782891	suitable for inserts 6-well	1 pack = 10 piece(s)	1	pack



## BRANDplates® microtitration plate, 96-well, pureGrade™, PS, BIO-CERT® CERTIFIED QUALITY

Cat. No.	Product Description		From	Unit
781600	transparent, U-bottom, standard	1 pack = 100 piece(s)	1	pack
781601	transparent, V-bottom, standard	1 pack = 100 piece(s)	1	pack
781602	transparent, F-bottom, standard	1 pack = 100 piece(s)	1	pack
781603	transparent, C-bottom, standard	1 pack = 100 piece(s)	1	pack
781604	white, U-bottom, standard	1 pack = 100 piece(s)	1	pack
781605	white, F-bottom, standard	1 pack = 100 piece(s)	1	pack
781607	black, U-bottom, standard	1 pack = 100 piece(s)	1	pack
781608	black, F-bottom, standard	1 pack = 100 piece(s)	1	pack
781610	white, F-bottom, transparent bottom	1 pack = 100 piece(s)	1	pack
781611	black, F-bottom, transparent bottom	1 pack = 100 piece(s)	1	pack
781614	transparent, F-bottom, bottom UV-transparent	1 pack = 50 piece(s)	1	pack
781615	black, F-bottom, bottom UV-transparent	1 pack = 50 piece(s)	1	pack




## BRANDplates® microtitration plate, 384-well, pureGrade™, PS, BIO-CERT® CERTIFIED QUALITY

Cat. No.	Product Description		From	Unit
781620	transparent, F-bottom, standard	1 pack = 50 piece(s)	1	pack
781621	white, F-bottom, standard	1 pack = 50 piece(s)	1	pack
781622	black, F-bottom, standard	1 pack = 50 piece(s)	1	pack
781626	white, F-bottom, transparent bottom	1 pack = 50 piece(s)	1	pack
781627	black, F-bottom, transparent bottom	1 pack = 50 piece(s)	1	pack




**BRANDplates® microtitration plate, 1536-well, pureGrade™, PS, BIO-CERT® CERTIFIED QUALITY**



Cat. No.	Product Description		From	Unit
781640	transparent, F-bottom, standard	1 pack = 50 piece(s)	1	pack
781641	white, F-bottom, standard	1 pack = 50 piece(s)	1	pack
781642	black, F-bottom, standard	1 pack = 50 piece(s)	1	pack

**BRANDplates® microtitration plate, 96-well, pureGrade™ S, PS, BIO-CERT® CELL CULTURE QUALITY, sterile**




Cat. No.	Product Description		From	Unit
781660	transparent, U-bottom, standard	1 pack = 50 piece(s)	1	pack
781661	transparent, V-bottom, standard	1 pack = 50 piece(s)	1	pack
781662	transparent, F-bottom, standard	1 pack = 50 piece(s)	1	pack
781663	transparent, C-bottom, standard	1 pack = 50 piece(s)	1	pack
781665	white, F-bottom, standard	1 pack = 50 piece(s)	1	pack
781668	black, F-bottom, standard	1 pack = 50 piece(s)	1	pack
781670	white, F-bottom, transparent bottom	1 pack = 50 piece(s)	1	pack
781671	black, F-bottom, transparent bottom	1 pack = 50 piece(s)	1	pack

**BRANDplates® microtitration plate, 384-well, pureGrade™ S, PS, F-bottom, BIO-CERT® CELL CULTURE QUALITY, sterile**



Cat. No.	Product Description		From	Unit
781680	transparent, standard	1 pack = 50 piece(s)	1	pack
781681	white, standard	1 pack = 50 piece(s)	1	pack
781682	black, standard	1 pack = 50 piece(s)	1	pack
781686	white, transparent bottom	1 pack = 50 piece(s)	1	pack
781687	black, transparent bottom	1 pack = 50 piece(s)	1	pack

**BRANDplates® microtitration plate, 96-well, immunoGrade™, PS, BIO-CERT® CERTIFIED QUALITY**



Cat. No.	Product Description		From	Unit
781720	transparent, U-bottom, standard	1 pack = 100 piece(s)	1	pack
781721	transparent, V-bottom, standard	1 pack = 100 piece(s)	1	pack
781722	transparent, F-bottom, standard	1 pack = 100 piece(s)	1	pack
781724	white, U-bottom, standard	1 pack = 100 piece(s)	1	pack
781727	black, U-bottom, standard	1 pack = 100 piece(s)	1	pack
781731	black, F-bottom, transparent bottom	1 pack = 100 piece(s)	1	pack
781732	black, F-bottom, transparent bottom	1 pack = 5 piece(s)	1	pack


**BRANDplates® microtitration plate, 384-well, immunoGrade™, PS, F-bottom, standard, BIO-CERT® CERTIFIED QUALITY**




Cat. No.	Product Description		From	Unit
781740	transparent	1 pack = 50 piece(s)	1	pack
781741	white	1 pack = 50 piece(s)	1	pack
781742	black	1 pack = 50 piece(s)	1	pack

**BRANDplates® microtitration plate, 96-well, lipoGrade™, PS, transparent, standard, BIO-CERT® CERTIFIED QUALITY**


Cat. No.	Product Description		From	Unit
781840	U-bottom	1 pack = 100 piece(s)	1	pack
781842	F-bottom	1 pack = 100 piece(s)	1	pack


**BRANDplates® microtitration plate, 96-well, hydroGrade™, PS, transparent, standard, BIO-CERT® CERTIFIED QUALITY**

Cat. No.	Product Description		From	Unit
781780	U-bottom	1 pack = 100 piece(s)	1	pack
781782	F-bottom	1 pack = 100 piece(s)	1	pack


**BRANDplates® microtitration plate, 96-well, cellGrade™, PS, BIO-CERT® CELL CULTURE QUALITY, sterile**


Cat. No.	Product Description		From	Unit
781960	transparent, U-bottom, standard	1 pack = 50 piece(s)	1	pack
781961	transparent, V-bottom, standard	1 pack = 50 piece(s)	1	pack
781962	transparent, F-bottom, standard	1 pack = 50 piece(s)	1	pack
781965	white, F-bottom, standard	1 pack = 50 piece(s)	1	pack
781968	black, F-bottom, standard	1 pack = 50 piece(s)	1	pack
781970	white, F-bottom, transparent bottom	1 pack = 50 piece(s)	1	pack
781971	black, F-bottom, transparent bottom	1 pack = 50 piece(s)	1	pack
781974	white, F-bottom, transparent bottom	1 pack = 5 piece(s)	1	pack
781975	black, F-bottom, transparent bottom	1 pack = 5 piece(s)	1	pack


**BRANDplates® microtitration plate, 384-well, cellGrade™, PS, F-bottom, BIO-CERT® CELL CULTURE QUALITY, sterile**


Cat. No.	Product Description		From	Unit
781980	transparent, standard	1 pack = 50 piece(s)	1	pack
781981	white, standard	1 pack = 50 piece(s)	1	pack
781982	black, standard	1 pack = 50 piece(s)	1	pack
781986	white, transparent bottom	1 pack = 50 piece(s)	1	pack
781987	black, transparent bottom	1 pack = 50 piece(s)	1	pack
781988	white, transparent bottom	1 pack = 5 piece(s)	1	pack
781989	black, transparent bottom	1 pack = 5 piece(s)	1	pack


**BRANDplates® microtitration plate, 96-well, cellGrade™ plus, PS, F-bottom, BIO-CERT® CELL CULTURE QUALITY, sterile**

Cat. No.	Product Description		From	Unit
782022	transparent, standard	1 pack = 50 piece(s)	1	pack
782030	white, transparent bottom	1 pack = 50 piece(s)	1	pack
782031	black, transparent bottom	1 pack = 50 piece(s)	1	pack
782034	white, transparent bottom	1 pack = 5 piece(s)	1	pack
782035	black, transparent bottom	1 pack = 5 piece(s)	1	pack




**BRANDplates® microtitration plate, 96-well, cellGrade™ premium, PS, F-bottom, BIO-CERT® CELL CULTURE QUALITY, sterile**




Cat. No.	Product Description		From	Unit
782082	transparent, standard	1 pack = 50 piece(s)	1	pack
782090	white, transparent bottom	1 pack = 50 piece(s)	1	pack
782091	black, transparent bottom	1 pack = 50 piece(s)	1	pack
782094	white, transparent bottom	1 pack = 5 piece(s)	1	pack
782095	black, transparent bottom	1 pack = 5 piece(s)	1	pack

**BRANDplates® microtitration plate, 96-well, inertGrade™, PS, BIO-CERT® CELL CULTURE QUALITY, sterile**




Cat. No.	Product Description		From	Unit
781900	transparent, U-bottom, standard	1 pack = 40 piece(s)	1	pack
781902	transparent, F-bottom, standard	1 pack = 40 piece(s)	1	pack
781910	white, F-bottom, transparent bottom	1 pack = 40 piece(s)	1	pack
781911	black, F-bottom, transparent bottom	1 pack = 40 piece(s)	1	pack
781912	white, F-bottom, transparent bottom	1 pack = 5 piece(s)	1	pack
781913	black, F-bottom, transparent bottom	1 pack = 5 piece(s)	1	pack

**Cover for BRAND® plates, CERTIFIED LIFE SCIENCE QUALITY**




Cat. No.	Product Description		From	Unit
782150	96-well, With condensation rings	1 pack = 100 piece(s)	1	pack
782151	96-well, without condensation rings	1 pack = 100 piece(s)	1	pack
782152	384-well, without condensation rings	1 pack = 50 piece(s)	1	pack
782153	1536-well, without condensation rings	1 pack = 50 piece(s)	1	pack
782155	96-well with transparent bottom, With condensation rings	1 pack = 100 piece(s)	1	pack

**96-Well strip plate (12 x F8), PS, pureGrade™, medium binding, transparent, F-bottom, CERTIFIED LIFE SCIENCE QUALITY**



Cat. No.	Product Description		From	Unit
782300	non dividable	1 pack = 100 piece(s)	1	pack
782301	with grid, dividable	1 pack = 100 piece(s)	1	pack

**96-Well strip plate (12 x F8), PS, immunoGrade™, high binding, transparent, F-bottom, CERTIFIED LIFE SCIENCE QUALITY**



Cat. No.	Product Description		From	Unit
782305	non dividable	1 pack = 100 piece(s)	1	pack
782306	with grid, dividable	1 pack = 100 piece(s)	1	pack

## Media bottle, 500 ml, Boro 3.3

Cat. No.	Product Description	From	Unit
122710	GL 56, with screw cap PP	4	piece(s)



## Cuvettes, 4 optical windows, macro, 2,5 ml, CERTIFIED LIFE SCIENCE QUALITY

Cat. No.	Product Description	From	Unit
759030	PS	100	piece(s)
759035	PS	500	piece(s)
759125	UV-transparent	100	piece(s)
759128	UV-transparent	500	piece(s)



## Cuvettes, macro and semi-micro, PS, CERTIFIED LIFE SCIENCE QUALITY

Cat. No.	Product Description	From	Unit
759005	macro, 2,5 ml	100	piece(s)
759015	semi-micro, 1,5 ml	100	piece(s)



## Cuvettes, macro and semi-micro, PMMA, CERTIFIED LIFE SCIENCE QUALITY

Cat. No.	Product Description	From	Unit
759105	macro, 2,5 ml	100	piece(s)
759115	semi-micro, 1,5 ml	100	piece(s)



## UV-Cuvettes, macro, UV-transparent, CERTIFIED LIFE SCIENCE QUALITY

Cat. No.	Product Description	From	Unit
759170	2,5 ml	100	piece(s)



## UV-Cuvettes, semi-micro, UV-transparent, CERTIFIED LIFE SCIENCE QUALITY

Cat. No.	Product Description	From	Unit
759150	1,5 ml	100	piece(s)



**UV-Cuvettes, micro, UV-transparent, CERTIFIED LIFE SCIENCE QUALITY**



Cat. No.	Product Description	From	Unit
759200	70 - 850 µl, Center height 8,5 cm	100	piece(s)
759210	70 - 850 µl, Center height 8,5 cm	500 pcs./pack	piece(s)
759215	70 - 850 µl, Center height 8,5 cm, individually wrapped	100	piece(s)
759220	70 - 550 µl, Center height 15 cm	100	piece(s)
759230	70 - 550 µl, Center height 15 cm	500	piece(s)
759235	70 - 550 µl, Center height 15 cm, individually wrapped	100	piece(s)

**Cover, PE, round, For UV cuvettes micro, CERTIFIED LIFE SCIENCE QUALITY**



Cat. No.	Product Description	From	Unit
759240	blue	100	piece(s)
759241	yellow	100	piece(s)
759242	green	100	piece(s)
759243	orange	100	piece(s)





# Volumetric Instruments



Bulb pipettes

page 77



Graduated pipettes

page 79



Burettes

page 82



Automatic burettes

page 83



Measuring flasks

page 86



Graduated cylinders

page 97



Mixing cylinders

page 98

# BLAUBRAND® Volumetric instruments

## Reliability for your analyses

BLAUBRAND® volumetric instruments fulfill increasing quality demands for transmitting liquids (volumetric and graduated pipettes), producing standardized samples or dilution series (volumetric flasks, graduated and mixing cylinders) or titrating/analyzing samples (burettes).

### Long service life

Before calibration, thermal stress must be removed from the blank glassware. After calibration, specially developed quality printing inks are fired into the materials at approx. 500° C. This makes BLAUBRAND® volumetric instruments especially robust, so that they provide a long service life. In addition, this process ensures that BLAUBRAND® volumetric instruments can be heated up to 250° C in a drying cabinet or sterilizer without this causing a permanent change in volume.

### Adjustment and marking

Every glass volumetric instrument is individually calibrated. For measuring instruments with scales, such as graduated pipettes, burettes and graduated cylinders, flexible screen stencils are used. These stencils can be stretched to match the calibration marks accurately, so that the measuring precision is maintained for all intermediate volumes. Computer-controlled systems guarantee the best possible precision for fully automated production processes.

### Error limits | Quality management

BRAND® manufactures glass volumetric instruments in accordance with current DIN EN ISO standards. Specified error limits are observed with at least 99.6% reliability (AQL  $\leq 0,4$ ). BRAND confirms this by including batch, individual, or DAkkS certificates, which also show that our products frequently perform far better than specified error limits.


### Reference temperature

The reference temperature 20°C applies to our volumetric instruments which are produced according to DIN EN ISO standards. If a volumetric instrument calibrated at 20° C is used at 27° C, the volume expansion of the material will lead to an additional deviation in the measurement, which at 0.007% (borosilicate glass 3.3) or 0.02 % (soda-lime glass) are much smaller than the error limit for the volumetric instrument. In practical application, therefore, the reference temperature is only of minor importance. However, if an adjustment or calibration is carried out at a different temperature, the measured values must be corrected accordingly (see DIN EN ISO 4787).

- + Adjustments carried out using computer-controlled production facilities
- + Individually adjusted volumetric instruments, highest precision even for partial volumes
- + AQL  $\leq 0,4$ , i.e. the error limits are met with a reliability of at least 99.6 %
- + Long service life through the use of robust blanks and high quality printing colors
- + No permanent volume changes after heating, up to 250 °C
- + Delivery incl. lot certificate, optional with individual certificate or DAkkS calibration certificate available



## Identification of BLAUBRAND® volumetric instruments



BLAUBRAND® volumetric flask, class A



Comes with a batch certificate as standard.



Volumetric flask with PUR coating to reduce the dangerous splintering effect and leakage of the medium.



BLAUBRAND® ETERNA with an amber diffusion stain used for aggressive cleaning methods.



UV protection in the laboratory with the amber glass volumetric flask.

# BLAUBRAND® Volumetric instruments

## Class A/AS volumetric instruments with certificate

### One batch certificate per packing unit!

All reusable BLAUBRAND® volumetric instruments are supplied with one batch certificate per packing unit of the manufacturer. On request, they are also available with an individual certificate, USP individual certificate or DAkkS calibration certificate.



### DE-M

All BLAUBRAND® volumetric instruments kept and used for measurements in legally regulated applications are marked DE-M. The manufacturer BRAND uses this mark to certify the conformity of the instruments with the German Measurement and Calibration Regulation (replaces the previous Calibration Regulation).

BRAND lists all the test equipment used in each lot and individual certificate.

### Batch certificate

The mean value and standard deviation for the batch and date of issuance are documented on the certificate (batch number: production year/batch).

### Individual certificate

The measured volume, measurement uncertainty, and date of issuance are documented on the certificate (unique serial number: production year/production month/device serial number).

### DAkkS calibration certificate

This certificate is issued by the DAkkS-accredited calibration laboratory at BRAND. Due to the extensive international cooperation of the DAkkS (formerly DKD) German accreditation body (EA Agreement, ILAC-MRA), the DAkkS calibration certificate is internationally recognized. Both the instrument and the certificate show an individual serial number and the laboratory's registration number as well as the year and month of issue.



### Certificates, accessories and spare parts online

Find quality certificates, technical documentation and accessories for your BLAUBRAND® volumetric instruments in our free online service MyProduct. More information: <https://www.brand.de/myproduct>

All individual and batch certificates are archived for at least 10 years, and are available for download at: [www.brand.de](http://www.brand.de).

### Test equipment monitoring

The testing of volumetric instruments is done gravimetrically according to DIN EN ISO 4787. So that calibration can be done rapidly and easily, while minimizing sources of error, BRAND provides detailed testing instructions (SOP) for every type of volumetric instrument, free of charge.



## Bulb pipettes, BLAUBRAND®, class AS, 1 mark, blue printed scale, AR-GLAS®, DE-M

Cat. No.	Product Description	From	Unit
29701	0,5 ml	12	piece(s)
29702	1 ml	12	piece(s)
29703	2 ml	12	piece(s)
29704	2,5 ml	6	piece(s)
29705	3 ml	6	piece(s)
29706	4 ml	6	piece(s)
29707	5 ml	6	piece(s)
29708	6 ml	6	piece(s)
29709	7 ml	6	piece(s)
29710	8 ml	6	piece(s)
29711	9 ml	6	piece(s)
29712	10 ml	6	piece(s)
29713	15 ml	6	piece(s)
29714	20 ml	6	piece(s)
29715	25 ml	6	piece(s)
29716	30 ml	6	piece(s)
29717	40 ml	6	piece(s)
29718	50 ml	6	piece(s)
29719	100 ml	6	piece(s)



## Bulb pipettes, BLAUBRAND®, class AS, 2 marks, blue printed scale, AR-GLAS®, DE-M

Cat. No.	Product Description	From	Unit
29721	0,5 ml	12	piece(s)
29722	1 ml	12	piece(s)
29723	2 ml	12	piece(s)
29725	3 ml	6	piece(s)
29727	5 ml	6	piece(s)
29732	10 ml	6	piece(s)
29733	15 ml	6	piece(s)
29734	20 ml	6	piece(s)
29735	25 ml	6	piece(s)
29738	50 ml	6	piece(s)



Bulb pipettes, USP, BLAUBRAND®, class AS, 1 mark, AR-GLAS®, blue printed scale, DE-M



Cat. No.	Product Description	From	Unit
30601	0,5 ml	12	piece(s)
30602	1 ml	12	piece(s)
30603	2 ml	12	piece(s)
30605	3 ml	6	piece(s)
30606	4 ml	6	piece(s)
30607	5 ml	6	piece(s)
30608	6 ml	6	piece(s)
30609	7 ml	6	piece(s)
30610	8 ml	6	piece(s)
30611	9 ml	6	piece(s)
30612	10 ml	6	piece(s)
30613	15 ml	6	piece(s)
30614	20 ml	6	piece(s)
30615	25 ml	6	piece(s)
30616	30 ml	6	piece(s)
30617	40 ml	6	piece(s)
30618	50 ml	6	piece(s)
30619	100 ml	6	piece(s)

Bulb pipettes, BLAUBRAND® ETERNA, class AS, 1 mark, AR-GLAS®, DE-M



Cat. No.	Product Description	From	Unit
30502	1 ml	12	piece(s)
30503	2 ml	12	piece(s)
30507	5 ml	6	piece(s)
30512	10 ml	6	piece(s)
30514	20 ml	6	piece(s)
30515	25 ml	6	piece(s)
30518	50 ml	6	piece(s)


Bulb pipettes, PP, 1 mark, blue printed scale



Cat. No.	Product Description	From	Unit
30002	1 ml	12	piece(s)
30003	2 ml	12	piece(s)
30007	5 ml	6	piece(s)
30012	10 ml	6	piece(s)
30015	25 ml	6	piece(s)
30018	50 ml	6	piece(s)


## Graduated pipettes, BLAUBRAND® ETERNA, class AS, type 3, total delivery, td, ex, AR-GLAS®, DE-M

Cat. No.	Product Description	From	Unit
27316	1 ml : 0,01 ml, With cotton plugs	12	piece(s)
27319	2 ml : 0,02 ml, With cotton plugs	12	piece(s)
28405	0,5 ml : 0,01 ml	12	piece(s)
28406	1 ml : 0,01 ml	12	piece(s)
28409	2 ml : 0,02 ml	12	piece(s)
28411	5 ml : 0,05 ml, With cotton plugs	12	piece(s)
28412	5 ml : 0,1 ml, With cotton plugs	12	piece(s)
28413	10 ml : 0,1 ml, With cotton plugs	12	piece(s)
28414	20 ml : 0,1 ml, With cotton plugs	6	piece(s)
28415	25 ml : 0,1 ml, With cotton plugs	6	piece(s)



## Graduated pipettes, BLAUBRAND®, class A, type graduated to contain, tc, in, AR-GLAS®, DE-M

Cat. No.	Product Description	From	Unit
27702	0,1 ml : 0,001 ml	12	piece(s)
27704	0,2 ml : 0,002 ml	12	piece(s)




## Graduated pipettes, SILBERBRAND ETERNA, class B, type 2, total delivery, td, ex, AR-GLAS®

Cat. No.	Product Description	From	Unit
27002	1 ml : 0,01 ml	12	piece(s)
27005	2 ml : 0,01 ml	12	piece(s)
27006	2 ml : 0,02 ml	12	piece(s)
27009	5 ml : 0,05 ml, With cotton plugs	12	piece(s)
27010	5 ml : 0,1 ml, With cotton plugs	12	piece(s)
27011	10 ml : 0,1 ml, With cotton plugs	12	piece(s)
27013	25 ml : 0,1 ml, With cotton plugs	6	piece(s)



## Graduated pipettes, SILBERBRAND ETERNA, class B, type 3, total delivery, td, ex, AR-GLAS®

Cat. No.	Product Description	From	Unit
27070	1 ml : 0,01 ml	12	piece(s)
27072	2 ml : 0,01 ml	12	piece(s)
27073	2 ml : 0,02 ml	12	piece(s)
27075	5 ml : 0,05 ml, With cotton plugs	12	piece(s)
27076	5 ml : 0,1 ml, With cotton plugs	12	piece(s)
27077	10 ml : 0,1 ml, With cotton plugs	12	piece(s)
27078	20 ml : 0,1 ml, With cotton plugs	6	piece(s)
27079	25 ml : 0,1 ml, With cotton plugs	6	piece(s)





Graduated pipettes, BLAUBRAND®, class AS, type 1, partial delivery, td, ex, AR-GLAS®, DE-M



Cat. No.	Product Description	From	Unit
27721	0,5 ml : 0,01 ml	12	piece(s)
27722	1 ml : 0,01 ml	12	piece(s)
27724	2 ml : 0,01 ml	12	piece(s)
27725	2 ml : 0,02 ml	12	piece(s)
27727	5 ml : 0,05 ml, With cotton plugs	12	piece(s)
27729	10 ml : 0,1 ml, With cotton plugs	12	piece(s)
27731	25 ml : 0,1 ml, With cotton plugs	6	piece(s)

Graduated pipettes, BLAUBRAND®, class AS, type 2, total delivery, td, ex, AR-GLAS®, DE-M



Cat. No.	Product Description	From	Unit
27816	0,5 ml : 0,01 ml	12	piece(s)
27817	1 ml : 0,01 ml	12	piece(s)
27818	1 ml : 0,1 ml	12	piece(s)
27819	2 ml : 0,02 ml	12	piece(s)
27820	2 ml : 0,1 ml	12	piece(s)
27821	5 ml : 0,05 ml, With cotton plugs	12	piece(s)
27822	5 ml : 0,1 ml, With cotton plugs	12	piece(s)
27823	10 ml : 0,1 ml, With cotton plugs	12	piece(s)
27824	20 ml : 0,1 ml, With cotton plugs	6	piece(s)
27825	25 ml : 0,1 ml, With cotton plugs	6	piece(s)
27826	50 ml : 0,1 ml, With cotton plugs	6	piece(s)
27827	1 ml : 0,01 ml, With cotton plugs	12	piece(s)
27828	2 ml : 0,02 ml, With cotton plugs	12	piece(s)
27829	2 ml : 0,01 ml	12	piece(s)


Graduated pipettes, USP, BLAUBRAND®, class AS, type 2, total delivery, td, ex, AR-GLAS®, DE-M



Cat. No.	Product Description	From	Unit
27506	1 ml : 0,01 ml, With cotton plugs	12	piece(s)
27509	2 ml : 0,02 ml, With cotton plugs	12	piece(s)
27511	5 ml : 0,05 ml, With cotton plugs	12	piece(s)
27513	10 ml : 0,1 ml, With cotton plugs	12	piece(s)

## Graduated pipettes, BLAUBRAND®, class AS, type 3, total delivery, td, ex, AR-GLAS®, DE-M

Cat. No.	Product Description	From	Unit
27306	1 ml : 0,01 ml, With cotton plugs	12	piece(s)
27309	2 ml : 0,02 ml, With cotton plugs	12	piece(s)
27705	0,5 ml : 0,01 ml	12	piece(s)
27706	1 ml : 0,01 ml	12	piece(s)
27707	1 ml : 0,1 ml	12	piece(s)
27708	2 ml : 0,01 ml	12	piece(s)
27709	2 ml : 0,02 ml	12	piece(s)
27710	2 ml : 0,1 ml	12	piece(s)
27711	5 ml : 0,05 ml, With cotton plugs	12	piece(s)
27712	5 ml : 0,1 ml, With cotton plugs	12	piece(s)
27713	10 ml : 0,1 ml, With cotton plugs	12	piece(s)
27714	20 ml : 0,1 ml, With cotton plugs	6	piece(s)
27715	25 ml : 0,1 ml, With cotton plugs	6	piece(s)
27716	50 ml : 0,5 ml, With cotton plugs	6	piece(s)




## Graduated pipettes, PP, type 3, total delivery, td, ex

Cat. No.	Product Description	From	Unit
27607	1 ml : 0,1 ml, Suction tube end diameter 5 mm	12	piece(s)
27610	2 ml : 0,1 ml, Suction tube end diameter 6 mm	12	piece(s)
27612	5 ml : 0,1 ml, Suction tube end diameter 8 mm	12	piece(s)
27613	10 ml : 0,1 ml, Suction tube end diameter 10 mm	12	piece(s)
27614	10 ml : 0,1 ml, Suction tube end diameter 8 mm	12	piece(s)



## Graduated pipettes, Serology, SILBERBRAND ETERNA, td, ex, total delivery, AR-GLAS®

Cat. No.	Product Description	From	Unit
27107	1 ml : 0,01 ml, With cotton plugs	12	piece(s)
27109	2 ml : 0,02 ml, With cotton plugs	12	piece(s)
27112	5 ml : 0,1 ml, With cotton plugs	12	piece(s)
27113	10 ml : 0,1 ml, With cotton plugs	12	piece(s)
27115	25 ml : 0,1 ml, With cotton plugs	6	piece(s)



## Dispenser, tilt measure without bottle, Boro 3.3

Cat. No.	Product Description	From	Unit
43055	5 ml	1	piece(s)
43058	10 ml	1	piece(s)
43066	20 ml	1	piece(s)
43070	25 ml	1	piece(s)
43078	50 ml	1	piece(s)
43088	100 ml	1	piece(s)



Burettes, BLAUBRAND®, class AS, Boro 3.3, DE-M, Lateral valve cock, blue Schellbach stripe



Cat. No.	Product Description	From	Unit
13844	10 ml : 0,02 ml	2	piece(s)
13847	25 ml : 0,05 ml	2	piece(s)
13848	50 ml : 0,1 ml	2	piece(s)

Burettes, BLAUBRAND®, class AS, Boro 3.3, DE-M, Straight valve cock, blue Schellbach stripe



Cat. No.	Product Description	From	Unit
12484	10 ml : 0,02 ml	2	piece(s)
12487	25 ml : 0,05 ml	2	piece(s)
12488	50 ml : 0,1 ml	2	piece(s)

Micro-burettes (Bang), BLAUBRAND®, class AS, Boro 3.3, DE-M, Lateral valve cock, blue Schellbach stripe



Cat. No.	Product Description	From	Unit
24596	2 ml : 0,01 ml	2	piece(s)
24598	5 ml : 0,01 ml	2	piece(s)
24600	10 ml : 0,02 ml	2	piece(s)

Micro-burettes (Bang), BLAUBRAND®, class AS, Boro 3.3, DE-M, Straight valve cock, blue Schellbach stripe




Cat. No.	Product Description	From	Unit
24265	2 ml : 0,01 ml	2	piece(s)
24267	5 ml : 0,01 ml	2	piece(s)
24269	10 ml : 0,02 ml	2	piece(s)

Burettes, SILBERBRAND, class B, Boro 3.3, Lateral valve cock, black Schellbach stripe



Cat. No.	Product Description	From	Unit
13563	10 ml : 0,02 ml	2	piece(s)
13566	25 ml : 0,05 ml	2	piece(s)
13568	50 ml : 0,1 ml	2	piece(s)

Burettes, SILBERBRAND, class B, Boro 3.3, amber, straight stopcock, PTFE key



Cat. No.	Product Description	From	Unit
13536	25 ml : 0,1 ml	2	piece(s)
13538	50 ml : 0,1 ml	2	piece(s)

## Compact-Burettes, BLAUBRAND®, class AS, Boro 3.3, DE-M, with PTFE stopcock, blue Schellbach stripe

Cat. No.	Product Description	From	Unit
13913	10 ml : 0,02 ml	1	piece(s)
13916	25 ml : 0,05 ml	1	piece(s)
13918	50 ml : 0,1 ml	1	piece(s)



## Compact-Burettes, BLAUBRAND®, class AS, Boro 3.3, DE-M, amber, with PTFE stopcock

Cat. No.	Product Description	From	Unit
13963	10 ml : 0,02 ml	1	piece(s)
13966	25 ml : 0,05 ml	1	piece(s)
13968	50 ml : 0,1 ml	1	piece(s)



## Compact-Burettes, SILBERBRAND, class B, Boro 3.3, with PTFE stopcock, black Schellbach stripe

Cat. No.	Product Description	From	Unit
13903	10 ml : 0,05 ml	1	piece(s)
13906	25 ml : 0,1 ml	1	piece(s)
13908	50 ml : 0,1 ml	1	piece(s)



## Compact-Burettes, SILBERBRAND, class B, Boro 3.3, amber, with PTFE stopcock

Cat. No.	Product Description	From	Unit
13926	25 ml : 0,1 ml	1	piece(s)
13928	50 ml : 0,1 ml	1	piece(s)



## Compact-Automatic burettes, BLAUBRAND®, class AS, Boro 3.3, DE-M, blue Schellbach stripe

Cat. No.	Product Description	From	Unit
23923	10 ml : 0,02 ml	1	piece(s)
23924	25 ml : 0,05 ml	1	piece(s)
23925	50 ml : 0,1 ml	1	piece(s)




## Compact-Automatic burettes, BLAUBRAND®, class AS, Boro 3.3, DE-M, blue Schellbach stripe, PE-bottle

Cat. No.	Product Description	From	Unit
23819	10 ml : 0,02 ml, Bottle, 1000 ml	1	piece(s)
23820	25 ml : 0,05 ml, Bottle, 1000 ml	1	piece(s)
23821	50 ml : 0,1 ml, Bottle, 1000 ml	1	piece(s)




Compact-Automatic burettes, BLAUBRAND®, amber, class AS, Boro 3.3, DE-M, white printed scale



Cat. No.	Product Description	From	Unit
23939	10 ml : 0,02 ml	1	piece(s)
23940	25 ml : 0,05 ml	1	piece(s)
23941	50 ml : 0,1 ml	1	piece(s)

Compact-Automatic burettes, BLAUBRAND®, amber, class AS, Boro 3.3, DE-M, white printed scale, PE-bottle




Cat. No.	Product Description	From	Unit
23870	10 ml : 0,02 ml, Bottle, 1000 ml	1	piece(s)
23871	25 ml : 0,05 ml, Bottle, 1000 ml	1	piece(s)
23872	50 ml : 0,1 ml, Bottle, 1000 ml	1	piece(s)

Compact-Automatic burettes, SILBERBRAND, class B, Boro 3.3, black Schellbach stripe, PE-bottle



Cat. No.	Product Description	From	Unit
23809	10 ml : 0,05 ml, Bottle, 1000 ml	1	piece(s)
23810	25 ml : 0,1 ml, Bottle, 1000 ml	1	piece(s)
23811	50 ml : 0,1 ml, Bottle, 1000 ml	1	piece(s)

Compact-Automatic burettes, SILBERBRAND, amber, class B, Boro 3.3, white printed scale, PE-bottle



Cat. No.	Product Description	From	Unit
23829	25 ml : 0,1 ml, Bottle, 1000 ml	1	piece(s)
23830	50 ml : 0,1 ml, Bottle, 1000 ml	1	piece(s)

Automatic burettes Schilling pattern, SILBERBRAND, class B, Boro 3.3, black Schellbach stripe, PE-LD-bottle



Cat. No.	Product Description	From	Unit
23753	10 ml : 0,05 ml, Bottle, 500 ml	1	piece(s)
23755	15 ml : 0,1 ml, Bottle, 500 ml	1	piece(s)
23756	25 ml : 0,1 ml, Bottle, 1000 ml	1	piece(s)
23758	50 ml : 0,1 ml, Bottle, 1000 ml	1	piece(s)

Automatic burettes Schilling pattern, SILBERBRAND, amber, class B, Boro 3.3, PE-bottle



Cat. No.	Product Description	From	Unit
23766	25 ml : 0,1 ml, Bottle, 1000 ml	1	piece(s)
23768	50 ml : 0,1 ml, Bottle, 1000 ml	1	piece(s)

Automatic burettes Pellet pattern, BLAUBRAND®, class AS, DE-M, with intermediate stopcock, PTFE key, Lateral valve cock, blue Schellbach stripe

Cat. No.	Product Description	From	Unit
22761	10 ml : 0,02 ml	1	piece(s)
22762	25 ml : 0,05 ml	1	piece(s)
22763	50 ml : 0,1 ml	1	piece(s)



Automatic burettes Pellet pattern, BLAUBRAND®, class AS, DE-M, without intermediate stopcock, Lateral valve cock, blue Schellbach stripe

Cat. No.	Product Description	From	Unit
22521	10 ml : 0,02 ml	1	piece(s)
22522	25 ml : 0,05 ml	1	piece(s)
22523	50 ml : 0,1 ml	1	piece(s)



Automatic burettes Pellet pattern, SILBERBRAND, class B, without intermediate stopcock, Lateral valve cock, black Schellbach stripe

Cat. No.	Product Description	From	Unit
21911	10 ml : 0,02 ml	1	piece(s)
21912	25 ml : 0,05 ml	1	piece(s)
21913	50 ml : 0,1 ml	1	piece(s)



Automatic burettes Pellet pattern, SILBERBRAND, class B, amber, with intermediate stopcock, lateral stopcock, PTFE key

Cat. No.	Product Description	From	Unit
22336	25 ml : 0,1 ml	1	piece(s)
22338	50 ml : 0,1 ml	1	piece(s)



Automatic burettes Pellet pattern, SILBERBRAND, class B, amber, without intermediate stopcock, lateral stopcock, PTFE key

Cat. No.	Product Description	From	Unit
22316	25 ml : 0,1 ml	1	piece(s)
22318	50 ml : 0,1 ml	1	piece(s)



Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with PP/PE stopper, ISO batch certificate



Cat. No.	Product Description	From	Unit
37233	150 ml, NS 14/23	2	piece(s)
37234	1.000 ml, NS 29/32, wide neck	1	piece(s)
37236	10.000 ml, NS 45/40	1	piece(s)
37238	5 ml, NS 10/19, wide neck	2	piece(s)
37241	10 ml, NS 7/16	2	piece(s)
37243	10 ml, NS 10/19, wide neck	2	piece(s)
37245	20 ml, NS 12/21, wide neck	2	piece(s)
37246	20 ml, NS 10/19	2	piece(s)
37247	25 ml, NS 10/19	2	piece(s)
37248	50 ml, NS 12/21	2	piece(s)
37249	100 ml, NS 12/21	2	piece(s)
37250	200 ml, NS 14/23	2	piece(s)
37251	250 ml, NS 14/23	2	piece(s)
37252	500 ml, NS 19/26	2	piece(s)
37253	1.000 ml, NS 24/29	1	piece(s)
37254	2.000 ml, NS 29/32	1	piece(s)
37255	5.000 ml, NS 34/35	1	piece(s)
37290	50 ml, NS 14/23, wide neck	2	piece(s)
37291	100 ml, NS 14/23	2	piece(s)
37293	25 ml, NS 12/21, wide neck	2	piece(s)

Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with PP stopper, USP batch certificate



Cat. No.	Product Description	From	Unit
36938	5 ml, NS 10/19	2	piece(s)
36943	10 ml, NS 10/19	2	piece(s)
36945	20 ml, NS 10/19	2	piece(s)
36947	25 ml, NS 10/19	2	piece(s)
36948	50 ml, NS 12/21	2	piece(s)
36949	100 ml, NS 14/23	2	piece(s)
36950	200 ml, NS 14/23	2	piece(s)
36951	250 ml, NS 14/23	2	piece(s)
36952	500 ml, NS 19/26	2	piece(s)
36953	1.000 ml, NS 24/29	1	piece(s)
36954	2.000 ml, NS 29/32	1	piece(s)

## Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with PP/PE stopper, ISO individual certificate

Cat. No.	Product Description	From	Unit
937233	150 ml, NS 14/23	1	piece(s)
937234	1.000 ml, NS 29/32, wide neck	1	piece(s)
937236	10.000 ml, NS 45/40	1	piece(s)
937238	5 ml, NS 10/19, wide neck	1	piece(s)
937241	10 ml, NS 7/16	1	piece(s)
937243	10 ml, NS 10/19, wide neck	1	piece(s)
937245	20 ml, NS 12/21, wide neck	1	piece(s)
937246	20 ml, NS 10/19	1	piece(s)
937247	25 ml, NS 10/19	1	piece(s)
937248	50 ml, NS 12/21	1	piece(s)
937249	100 ml, NS 12/21	1	piece(s)
937250	200 ml, NS 14/23	1	piece(s)
937251	250 ml, NS 14/23	1	piece(s)
937252	500 ml, NS 19/26	1	piece(s)
937253	1.000 ml, NS 24/29	1	piece(s)
937254	2.000 ml, NS 29/32	1	piece(s)
937255	5.000 ml, NS 34/35	1	piece(s)
937290	50 ml, NS 14/23, wide neck	1	piece(s)
937291	100 ml, NS 14/23	1	piece(s)
937293	25 ml, NS 12/21, wide neck	1	piece(s)



## Volumetric flasks, BLAUBRAND®, class A, Boro 3.3, DE-M, with PP stopper, USP individual certificate

Cat. No.	Product Description	From	Unit
956938	5 ml, NS 10/19	1	piece(s)
956943	10 ml, NS 10/19	1	piece(s)
956945	20 ml, NS 10/19	1	piece(s)
956947	25 ml, NS 10/19	1	piece(s)
956948	50 ml, NS 12/21	1	piece(s)
956949	100 ml, NS 14/23	1	piece(s)
956950	200 ml, NS 14/23	1	piece(s)
956951	250 ml, NS 14/23	1	piece(s)
956952	500 ml, NS 19/26	1	piece(s)
956953	1.000 ml, NS 24/29	1	piece(s)
956954	2.000 ml, NS 29/32	1	piece(s)





Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with PP stopper, PURprotect, ISO batch certificate



Cat. No.	Product Description	From	Unit
36548	50 ml, NS 14/23, wide neck	2	piece(s)
36549	100 ml, NS 14/23	2	piece(s)
36550	200 ml, NS 14/23	2	piece(s)
36551	250 ml, NS 14/23	2	piece(s)
36552	500 ml, NS 19/26	2	piece(s)
36553	1.000 ml, NS 24/29	1	piece(s)

Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with glass stopper, ISO batch certificate



Cat. No.	Product Description	From	Unit
37256	5 ml, NS 10/19, wide neck	2	piece(s)
37257	20 ml, NS 10/19	2	piece(s)
37258	25 ml, NS 10/19	2	piece(s)
37259	50 ml, NS 12/21	2	piece(s)
37260	100 ml, NS 12/21	2	piece(s)
37261	200 ml, NS 14/23	2	piece(s)
37262	250 ml, NS 14/23	2	piece(s)
37263	500 ml, NS 19/26	2	piece(s)
37264	1.000 ml, NS 24/29	1	piece(s)
37265	2.000 ml, NS 29/32	1	piece(s)
37266	5.000 ml, NS 34/35	1	piece(s)
37267	10 ml, NS 10/19, wide neck	2	piece(s)
37268	20 ml, NS 12/21, wide neck	2	piece(s)
37288	50 ml, NS 14/23, wide neck	2	piece(s)
37289	100 ml, NS 14/23	2	piece(s)
37294	25 ml, NS 12/21, wide neck	2	piece(s)

Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with glass stopper, USP batch certificate



Cat. No.	Product Description	From	Unit
36968	5 ml, NS 10/19	2	piece(s)
36973	10 ml, NS 10/19	2	piece(s)
36975	20 ml, NS 10/19	2	piece(s)
36977	25 ml, NS 10/19	2	piece(s)
36978	50 ml, NS 12/21	2	piece(s)
36979	100 ml, NS 14/23	2	piece(s)
36980	200 ml, NS 14/23	2	piece(s)
36981	250 ml, NS 14/23	2	piece(s)
36982	500 ml, NS 19/26	2	piece(s)
36983	1.000 ml, NS 24/29	1	piece(s)
36984	2.000 ml, NS 29/32	1	piece(s)

## Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with glass stopper, ISO individual certificate

Cat. No.	Product Description	From	Unit
937256	5 ml, NS 10/19, wide neck	1	piece(s)
937257	20 ml, NS 10/19	1	piece(s)
937258	25 ml, NS 10/19	1	piece(s)
937259	50 ml, NS 12/21	1	piece(s)
937260	100 ml, NS 12/21	1	piece(s)
937261	200 ml, NS 14/23	1	piece(s)
937262	250 ml, NS 14/23	1	piece(s)
937263	500 ml, NS 19/26	1	piece(s)
937264	1.000 ml, NS 24/29	1	piece(s)
937265	2.000 ml, NS 29/32	1	piece(s)
937266	5.000 ml, NS 34/35	1	piece(s)
937267	10 ml, NS 10/19, wide neck	1	piece(s)
937268	20 ml, NS 12/21, wide neck	1	piece(s)
937288	50 ml, NS 14/23, wide neck	1	piece(s)
937289	100 ml, NS 14/23	1	piece(s)
937294	25 ml, NS 12/21, wide neck	1	piece(s)



## Volumetric flasks, BLAUBRAND®, class A, Boro 3.3, DE-M, with glass stopper, USP individual certificate

Cat. No.	Product Description	From	Unit
956968	5 ml, NS 10/19	1	piece(s)
956973	10 ml, NS 10/19	1	piece(s)
956975	20 ml, NS 10/19	1	piece(s)
956977	25 ml, NS 10/19	1	piece(s)
956978	50 ml, NS 12/21	1	piece(s)
956979	100 ml, NS 14/23	1	piece(s)
956980	200 ml, NS 14/23	1	piece(s)
956981	250 ml, NS 14/23	1	piece(s)
956982	500 ml, NS 19/26	1	piece(s)
956983	1.000 ml, NS 24/29	1	piece(s)
956984	2.000 ml, NS 29/32	1	piece(s)



Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, beaded rim, ISO batch certificate



Cat. No.	Product Description	From	Unit
37045	10 ml, wide neck	2	piece(s)
37046	20 ml	2	piece(s)
37047	25 ml	2	piece(s)
37048	50 ml	2	piece(s)
37049	100 ml	2	piece(s)
37050	200 ml	2	piece(s)
37051	250 ml	2	piece(s)
37052	500 ml	2	piece(s)
37053	1.000 ml	1	piece(s)

Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, beaded rim, ISO individual certificate



Cat. No.	Product Description	From	Unit
937045	10 ml, wide neck	1	piece(s)
937046	20 ml	1	piece(s)
937047	25 ml	1	piece(s)
937048	50 ml	1	piece(s)
937049	100 ml	1	piece(s)
937050	200 ml	1	piece(s)
937051	250 ml	1	piece(s)
937052	500 ml	1	piece(s)
937053	1.000 ml	1	piece(s)


Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with PP stopper, trapezoidal, ISO batch certificate



Cat. No.	Product Description	From	Unit
36401	1 ml, NS 7/16	2	piece(s)
36402	2 ml, NS 7/16	2	piece(s)
36403	5 ml, NS 7/16	2	piece(s)
36404	10 ml, NS 10/19, wide neck	2	piece(s)
36406	20 ml, NS 10/19	2	piece(s)
36407	25 ml, NS 10/19	2	piece(s)
36408	50 ml, NS 12/21	2	piece(s)

## Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with PP stopper, trapezoidal, ISO individual certificate

Cat. No.	Product Description	From	Unit
936401	1 ml, NS 7/16	1	piece(s)
936402	2 ml, NS 7/16	1	piece(s)
936403	5 ml, NS 7/16	1	piece(s)
936404	10 ml, NS 10/19, wide neck	1	piece(s)
936406	20 ml, NS 10/19	1	piece(s)
936407	25 ml, NS 10/19	1	piece(s)
936408	50 ml, NS 12/21	1	piece(s)



## Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with PP stopper, amber, ISO batch certificate

Cat. No.	Product Description	From	Unit
37401	5 ml, NS 10/19, wide neck	2	piece(s)
37402	10 ml, NS 10/19, wide neck	2	piece(s)
37403	20 ml, NS 10/19	2	piece(s)
37404	25 ml, NS 10/19	2	piece(s)
37405	50 ml, NS 12/21	2	piece(s)
37406	50 ml, NS 14/23, wide neck	2	piece(s)
37407	100 ml, NS 14/23	2	piece(s)
37408	200 ml, NS 14/23	2	piece(s)
37409	250 ml, NS 14/23	2	piece(s)
37410	500 ml, NS 19/26	2	piece(s)
37411	1.000 ml, NS 24/29	1	piece(s)
37412	20 ml, NS 12/21, wide neck	2	piece(s)
37413	25 ml, NS 12/21, wide neck	2	piece(s)



## Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with PP stopper, amber, USP batch certificate

Cat. No.	Product Description	From	Unit
37481	5 ml, NS 10/19	2	piece(s)
37482	10 ml, NS 10/19	2	piece(s)
37483	20 ml, NS 10/19	2	piece(s)
37484	25 ml, NS 10/19	2	piece(s)
37485	50 ml, NS 12/21	2	piece(s)
37487	100 ml, NS 14/23	2	piece(s)
37488	200 ml, NS 14/23	2	piece(s)
37489	250 ml, NS 14/23	2	piece(s)
37490	500 ml, NS 19/26	2	piece(s)
37491	1.000 ml, NS 24/29	1	piece(s)



Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with PP stopper, amber, ISO individual certificate



Cat. No.	Product Description	From	Unit
937401	5 ml, NS 10/19, wide neck	1	piece(s)
937402	10 ml, NS 10/19, wide neck	1	piece(s)
937403	20 ml, NS 10/19	1	piece(s)
937404	25 ml, NS 10/19	1	piece(s)
937405	50 ml, NS 12/21	1	piece(s)
937406	50 ml, NS 14/23, wide neck	1	piece(s)
937407	100 ml, NS 14/23	1	piece(s)
937408	200 ml, NS 14/23	1	piece(s)
937409	250 ml, NS 14/23	1	piece(s)
937410	500 ml, NS 19/26	1	piece(s)
937411	1.000 ml, NS 24/29	1	piece(s)
937412	20 ml, NS 12/21, wide neck	1	piece(s)
937413	25 ml, NS 12/21, wide neck	1	piece(s)

Volumetric flasks, BLAUBRAND®, class A, Boro 3.3, DE-M, with PP stopper, amber, USP individual certificate



Cat. No.	Product Description	From	Unit
957481	5 ml, NS 10/19	1	piece(s)
957482	10 ml, NS 10/19	1	piece(s)
957483	20 ml, NS 10/19	1	piece(s)
957484	25 ml, NS 10/19	1	piece(s)
957485	50 ml, NS 12/21	1	piece(s)
957487	100 ml, NS 14/23	1	piece(s)
957488	200 ml, NS 14/23	1	piece(s)
957489	250 ml, NS 14/23	1	piece(s)
957490	500 ml, NS 19/26	1	piece(s)
957491	1.000 ml, NS 24/29	1	piece(s)

Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with glass stopper, amber, ISO batch certificate



Cat. No.	Product Description	From	Unit
37438	5 ml, NS 10/19, wide neck	2	piece(s)
37443	10 ml, NS 10/19, wide neck	2	piece(s)
37445	50 ml, NS 14/23, wide neck	2	piece(s)
37446	20 ml, NS 10/19	2	piece(s)
37447	25 ml, NS 10/19	2	piece(s)
37448	50 ml, NS 12/21	2	piece(s)
37449	100 ml, NS 14/23	2	piece(s)
37450	200 ml, NS 14/23	2	piece(s)
37451	250 ml, NS 14/23	2	piece(s)
37452	500 ml, NS 19/26	2	piece(s)
37453	1.000 ml, NS 24/29	1	piece(s)

## Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with glass stopper, amber, USP batch certificate

Cat. No.	Product Description	From	Unit
37461	5 ml, NS 10/19	2	piece(s)
37462	10 ml, NS 10/19	2	piece(s)
37463	20 ml, NS 10/19	2	piece(s)
37464	25 ml, NS 10/19	2	piece(s)
37465	50 ml, NS 12/21	2	piece(s)
37467	100 ml, NS 14/23	2	piece(s)
37468	200 ml, NS 14/23	2	piece(s)
37469	250 ml, NS 14/23	2	piece(s)
37470	500 ml, NS 19/26	2	piece(s)
37471	1.000 ml, NS 24/29	1	piece(s)



## Volumetric flasks, BLAUBRAND®, class A, DE-M, Boro 3.3, with glass stopper, amber, ISO individual certificate

Cat. No.	Product Description	From	Unit
937438	5 ml, NS 10/19, wide neck	1	piece(s)
937443	10 ml, NS 10/19, wide neck	1	piece(s)
937445	50 ml, NS 14/23, wide neck	1	piece(s)
937446	20 ml, NS 10/19	1	piece(s)
937447	25 ml, NS 10/19	1	piece(s)
937448	50 ml, NS 12/21	1	piece(s)
937449	100 ml, NS 14/23	1	piece(s)
937450	200 ml, NS 14/23	1	piece(s)
937451	250 ml, NS 14/23	1	piece(s)
937452	500 ml, NS 19/26	1	piece(s)
937453	1.000 ml, NS 24/29	1	piece(s)



## Volumetric flasks, BLAUBRAND®, class A, Boro 3.3, DE-M, with glass stopper, amber, USP individual certificate

Cat. No.	Product Description	From	Unit
957461	5 ml, NS 10/19	1	piece(s)
957462	10 ml, NS 10/19	1	piece(s)
957463	20 ml, NS 10/19	1	piece(s)
957464	25 ml, NS 10/19	1	piece(s)
957465	50 ml, NS 12/21	1	piece(s)
957467	100 ml, NS 14/23	1	piece(s)
957468	200 ml, NS 14/23	1	piece(s)
957469	250 ml, NS 14/23	1	piece(s)
957470	500 ml, NS 19/26	1	piece(s)
957471	1.000 ml, NS 24/29	1	piece(s)



Volumetric flasks, BLAUBRAND® ETERNA, class A, DE-M, Boro 3.3, with PP stopper, ISO batch certificate



Cat. No.	Product Description	From	Unit
36838	5 ml, NS 10/19	2	piece(s)
36841	25 ml, NS 10/19	2	piece(s)
36842	25 ml, NS 12/21	2	piece(s)
36843	10 ml, NS 10/19	2	piece(s)
36845	20 ml, NS 10/19	2	piece(s)
36846	20 ml, NS 12/21	2	piece(s)
36847	50 ml, NS 12/21	2	piece(s)
36848	50 ml, NS 14/23	2	piece(s)
36849	100 ml, NS 14/23	2	piece(s)
36850	200 ml, NS 14/23	2	piece(s)
36851	250 ml, NS 14/23	2	piece(s)
36852	500 ml, NS 19/26	2	piece(s)
36853	1.000 ml, NS 24/29	1	piece(s)
36854	2.000 ml, NS 29/32	1	piece(s)

Volumetric flasks, BLAUBRAND® ETERNA, class A, DE-M, Boro 3.3, with PP stopper, ISO individual certificate



Cat. No.	Product Description	From	Unit
936838	5 ml, NS 10/19, wide neck	1	piece(s)
936841	25 ml, NS 10/19	1	piece(s)
936842	25 ml, NS 12/21, wide neck	1	piece(s)
936843	10 ml, NS 10/19, wide neck	1	piece(s)
936845	20 ml, NS 10/19	1	piece(s)
936846	20 ml, NS 12/21, wide neck	1	piece(s)
936847	50 ml, NS 12/21	1	piece(s)
936848	50 ml, NS 14/23, wide neck	1	piece(s)
936849	100 ml, NS 14/23	1	piece(s)
936850	200 ml, NS 14/23	1	piece(s)
936851	250 ml, NS 14/23	1	piece(s)
936852	500 ml, NS 19/26	1	piece(s)
936853	1.000 ml, NS 24/29	1	piece(s)
936854	2.000 ml, NS 29/32	1	piece(s)

## Volumetric flasks, BLAUBRAND® ETERNA, class A, Boro 3.3, DE-M, with PP stopper, USP individual certificate

Cat. No.	Product Description	From	Unit
956841	25 ml, NS 10/19	1	piece(s)
956847	50 ml, NS 12/21	1	piece(s)
956849	100 ml, NS 14/23	1	piece(s)
956850	200 ml, NS 14/23	1	piece(s)
956851	250 ml, NS 14/23	1	piece(s)
956852	500 ml, NS 19/26	1	piece(s)
956853	1.000 ml, NS 24/29	1	piece(s)
956854	2.000 ml, NS 29/32	1	piece(s)



## Volumetric flasks, 3 marks, BLAUBRAND®, class A, Boro 3.3, DE-M, DAkkS certificate

Cat. No.	Product Description	From	Unit
38204	10 ml, NS 10/19	1	piece(s)
38206	25 ml, NS 10/19	1	piece(s)
38208	50 ml, NS 12/21	1	piece(s)
38210	100 ml, NS 14/23	1	piece(s)



## Volumetric flasks, PFA, class A, DE-M, with screw cap

Cat. No.	Product Description	From	Unit
36208	10 ml, GL 18	1	piece(s)
36220	25 ml, GL 18	1	piece(s)
36228	50 ml, GL 18	1	piece(s)
36238	100 ml, GL 18	1	piece(s)
36248	250 ml, GL 25	1	piece(s)
36254	500 ml, GL 25	1	piece(s)



## Volumetric flasks, PMP, class A, DE-M, transparent, with PP stopper

Cat. No.	Product Description	From	Unit
36170	10 ml, NS 10/19	2	piece(s)
36172	25 ml, NS 10/19	2	piece(s)
36174	50 ml, NS 12/21	2	piece(s)
36176	100 ml, NS 14/23	2	piece(s)
36178	250 ml, NS 19/26	2	piece(s)
36180	500 ml, NS 19/26	2	piece(s)
36182	1.000 ml, NS 24/29	1	piece(s)





### Volumetric flasks, PMP, class B, transparent, with PP stopper



Cat. No.	Product Description	From	Unit
36108	10 ml, NS 10/19	2	piece(s)
36120	25 ml, NS 10/19	2	piece(s)
36128	50 ml, NS 12/21	2	piece(s)
36138	100 ml, NS 14/23	2	piece(s)
36148	250 ml, NS 19/26	2	piece(s)
36154	500 ml, NS 19/26	2	piece(s)
36162	1.000 ml, NS 24/29	1	piece(s)

### Volumetric flasks, PP, class B, transparent, with PP stopper



Cat. No.	Product Description	From	Unit
36008	10 ml, NS 10/19	2	piece(s)
36020	25 ml, NS 10/19	2	piece(s)
36028	50 ml, NS 12/21	2	piece(s)
36038	100 ml, NS 14/23	2	piece(s)
36048	250 ml, NS 19/26	2	piece(s)
36054	500 ml, NS 19/26	2	piece(s)
36062	1.000 ml, NS 24/29	1	piece(s)

### Volumetric flasks for sugar analysis, Kohlrausch, SILBERBRAND, class B, Boro 3.3



Cat. No.	Product Description	From	Unit
402038	100 ml	2	piece(s)
402046	200 ml	2	piece(s)


### Volumetric flasks for determining oil content, SILBERBRAND, class B, Boro 3.3, with glass stopper



Cat. No.	Product Description	From	Unit
365538	100 ml, NS 19/26	1	piece(s)

## Graduated cylinders, tall form, BLAUBRAND®, class A, Boro 3.3, DE-M

Cat. No.	Product Description	From	Unit
32105	5 ml : 0,1 ml	2	piece(s)
32108	10 ml : 0,2 ml	2	piece(s)
32120	25 ml : 0,5 ml	2	piece(s)
32128	50 ml : 1 ml	2	piece(s)
32138	100 ml : 1 ml	2	piece(s)
32148	250 ml : 2 ml	2	piece(s)
32154	500 ml : 5 ml	2	piece(s)
32162	1.000 ml : 10 ml	1	piece(s)
32164	2.000 ml : 20 ml	1	piece(s)



## Graduated cylinders, tall form, BLAUBRAND®, class A, Boro 3.3, DE-M, USP

Cat. No.	Product Description	From	Unit
32805	5 ml : 0,1 ml	2	piece(s)
32808	10 ml : 0,2 ml	2	piece(s)
32820	25 ml : 0,5 ml	2	piece(s)
32828	50 ml : 1 ml	2	piece(s)
32838	100 ml : 1 ml	2	piece(s)
32848	250 ml : 2 ml	2	piece(s)
32854	500 ml : 5 ml	2	piece(s)
32862	1.000 ml : 10 ml	1	piece(s)
32864	2.000 ml : 20 ml	1	piece(s)



## Graduated cylinders, tall form, BLAUBRAND® ETERNA, class A, Boro 3.3, DE-M

Cat. No.	Product Description	From	Unit
32705	5 ml : 0,1 ml	2	piece(s)
32708	10 ml : 0,2 ml	2	piece(s)
32720	25 ml : 0,5 ml	2	piece(s)
32728	50 ml : 1 ml	2	piece(s)
32738	100 ml : 1 ml	2	piece(s)
32748	250 ml : 2 ml	2	piece(s)
32754	500 ml : 5 ml	2	piece(s)
32762	1.000 ml : 10 ml	1	piece(s)
32764	2.000 ml : 20 ml	1	piece(s)



### Graduated cylinders, tall form, SILBERBRAND ETERNA, class B, Boro 3.3



Cat. No.	Product Description	From	Unit
31905	5 ml : 0,1 ml	2	piece(s)
31908	10 ml : 0,2 ml	2	piece(s)
31920	25 ml : 0,5 ml	2	piece(s)
31928	50 ml : 1 ml	2	piece(s)
31938	100 ml : 1 ml	2	piece(s)
31948	250 ml : 2 ml	2	piece(s)
31954	500 ml : 5 ml	2	piece(s)
31962	1.000 ml : 10 ml	1	piece(s)
31964	2.000 ml : 20 ml	1	piece(s)

### Graduated cylinders, short form, SILBERBRAND ETERNA, class B, Boro 3.3



Cat. No.	Product Description	From	Unit
42008	10 ml : 1 ml	2	piece(s)
42020	25 ml : 1 ml	2	piece(s)
42028	50 ml : 2 ml	2	piece(s)
42038	100 ml : 2 ml	2	piece(s)
42048	250 ml : 5 ml	2	piece(s)
42054	500 ml : 10 ml	2	piece(s)
42062	1.000 ml : 20 ml	1	piece(s)
42064	2.000 ml : 50 ml	1	piece(s)

### Mixing cylinders, tall form, BLAUBRAND®, class A, Boro 3.3, DE-M, with PP stopper



Cat. No.	Product Description	From	Unit
32408	10 ml : 0,2 ml, NS 10/19	2	piece(s)
32420	25 ml : 0,5 ml, NS 14/23	2	piece(s)
32428	50 ml : 1 ml, NS 19/26	2	piece(s)
32438	100 ml : 1 ml, NS 24/29	2	piece(s)
32448	250 ml : 2 ml, NS 29/32	2	piece(s)
32454	500 ml : 5 ml, NS 34/35	2	piece(s)
32462	1.000 ml : 10 ml, NS 45/40	1	piece(s)

## Mixing cylinders, tall form, SILBERBRAND ETERNA, class B, Boro 3.3, with PP stopper

Cat. No.	Product Description	From	Unit
33908	10 ml : 0,2 ml	2	piece(s)
33920	25 ml : 0,5 ml	2	piece(s)
33928	50 ml : 1 ml	2	piece(s)
33938	100 ml : 1 ml	2	piece(s)
33948	250 ml : 2 ml	2	piece(s)
33954	500 ml : 5 ml	2	piece(s)
33962	1.000 ml : 10 ml	1	piece(s)



## Graduated cylinders, tall form, PMP, class A, DE-M, blue printed scale

Cat. No.	Product Description	From	Unit
35108	10 ml : 0,2 ml	2	piece(s)
35120	25 ml : 0,5 ml	2	piece(s)
35128	50 ml : 1 ml	2	piece(s)
35138	100 ml : 1 ml	2	piece(s)
35148	250 ml : 2 ml	2	piece(s)
35154	500 ml : 5 ml	2	piece(s)
35162	1.000 ml : 10 ml	1	piece(s)
35164	2.000 ml : 20 ml	1	piece(s)



## Graduated cylinders, tall form, class B, PMP, blue printed scale

Cat. No.	Product Description	From	Unit
34708	10 ml : 0,2 ml	10	piece(s)
34720	25 ml : 0,5 ml	10	piece(s)
34728	50 ml : 1 ml	10	piece(s)
34738	100 ml : 1 ml	10	piece(s)
34748	250 ml : 2 ml	5	piece(s)
34754	500 ml : 5 ml	5	piece(s)
34762	1.000 ml : 10 ml	5	piece(s)
34764	2.000 ml : 20 ml	1	piece(s)



### Graduated cylinders, tall form, class B, PMP, embossed scale



Cat. No.	Product Description	From	Unit
34908	10 ml : 0,2 ml	10	piece(s)
34920	25 ml : 0,5 ml	10	piece(s)
34928	50 ml : 1 ml	10	piece(s)
34938	100 ml : 1 ml	10	piece(s)
34948	250 ml : 2 ml	5	piece(s)
34954	500 ml : 5 ml	5	piece(s)
34962	1.000 ml : 10 ml	5	piece(s)
34964	2.000 ml : 20 ml	1	piece(s)

### Graduated cylinders, tall form, class B, PP, blue printed scale



Cat. No.	Product Description	From	Unit
34808	10 ml : 0,2 ml	10	piece(s)
34820	25 ml : 0,5 ml	10	piece(s)
34828	50 ml : 1 ml	10	piece(s)
34838	100 ml : 1 ml	10	piece(s)
34848	250 ml : 2 ml	5	piece(s)
34854	500 ml : 5 ml	5	piece(s)
34862	1.000 ml : 10 ml	5	piece(s)
34864	2.000 ml : 20 ml	1	piece(s)

### Graduated cylinders, tall form, class B, PP, embossed scale



Cat. No.	Product Description	From	Unit
35008	10 ml : 0,2 ml	10	piece(s)
35020	25 ml : 0,5 ml	10	piece(s)
35028	50 ml : 1 ml	10	piece(s)
35038	100 ml : 1 ml	10	piece(s)
35048	250 ml : 2 ml	5	piece(s)
35054	500 ml : 5 ml	5	piece(s)
35062	1.000 ml : 10 ml	5	piece(s)
35064	2.000 ml : 20 ml	1	piece(s)

### Graduated cylinders, short form, PP



Cat. No.	Product Description	From	Unit
41620	25 ml : 0,5 ml	10	piece(s)
41628	50 ml : 1 ml	10	piece(s)
41638	100 ml : 2 ml	10	piece(s)
41648	250 ml : 5 ml	5	piece(s)
41654	500 ml : 10 ml	5	piece(s)
41662	1.000 ml : 20 ml	5	piece(s)

# General Lab Products



Sealing film page 102



Erlenmeyer flasks page 102



Beakers and reservoirs page 103




Funnels, filter funnels page 105




Desiccators page 107




Water jet pump page 108



Tubings page 108



Rods page 111



Instrument storage page 113



Sampling page 114



Sample storage page 117



Cleaning page 122



Density page 125



Pipettes page 128



Microscopy page 129

## Sealing film Seal-R-film™



Cat. No.	Product Description	From	Unit
701620	length 38 m, Width 100 mm	12	piece(s)
701621	length 38 m, Width 100 mm, Single roll	1	piece(s)
701622	length 75 m, Width 50 mm	24	piece(s)
701623	length 75 m, Width 50 mm, Single roll	1	piece(s)
701624	length 75 m, Width 100 mm	12	piece(s)
701625	length 75 m, Width 100 mm, Single roll	1	piece(s)
701626	length 15 m, Width 500 mm	6	piece(s)
701627	length 15 m, Width 500 mm, Single roll	1	piece(s)

## Cutter for sealing film



Cat. No.	Product Description	From	Unit
701650	for rolls 50/100 mm	1	piece(s)

## Erlenmeyer flasks, wide neck, Boro 3.3, beaded rim, graduated



Cat. No.	Product Description	From	Unit
92814	25 ml	10	piece(s)
92817	50 ml	10	piece(s)
92824	100 ml	10	piece(s)
92836	250 ml	10	piece(s)
92839	300 ml	10	piece(s)
92844	500 ml	10	piece(s)
92854	1.000 ml	10	piece(s)
92863	2.000 ml	10	piece(s)

## Erlenmeyer flasks, narrow mouth, Boro 3.3, beaded rim, graduated



Cat. No.	Product Description	From	Unit
92714	25 ml	10	piece(s)
92717	50 ml	10	piece(s)
92724	100 ml	10	piece(s)
92736	250 ml	10	piece(s)
92739	300 ml	10	piece(s)
92744	500 ml	10	piece(s)
92754	1.000 ml	10	piece(s)
92763	2.000 ml	10	piece(s)
92768	3.000 ml	2	piece(s)
92773	5.000 ml	1	piece(s)

## Erlenmeyer flasks, wide neck, PP, graduated, With blue screw cap GL 45

Cat. No.	Product Description	From	Unit
93170	50 ml	6	piece(s)
93172	100 ml	6	piece(s)
93175	250 ml	6	piece(s)
93180	500 ml	6	piece(s)
93185	1.000 ml	4	piece(s)



## Beakers, tall form, Boro 3.3, graduated, with spout

Cat. No.	Product Description	From	Unit
90617	50 ml	10	piece(s)
90624	100 ml	10	piece(s)
90629	150 ml	10	piece(s)
90636	250 ml	10	piece(s)
90641	400 ml	10	piece(s)
90648	600 ml	10	piece(s)
90654	1.000 ml	10	piece(s)
90663	2.000 ml	10	piece(s)
90668	3.000 ml	2	piece(s)



## Beakers, short form, Boro 3.3, graduated, with spout

Cat. No.	Product Description	From	Unit
91214	25 ml	10	piece(s)
91217	50 ml	10	piece(s)
91224	100 ml	10	piece(s)
91229	150 ml	10	piece(s)
91236	250 ml	10	piece(s)
91241	400 ml	10	piece(s)
91248	600 ml	10	piece(s)
91253	800 ml	10	piece(s)
91254	1.000 ml	10	piece(s)
91263	2.000 ml	10	piece(s)
91268	3.000 ml	4	piece(s)
91273	5.000 ml	1	piece(s)



## Beakers, short form, Boro 3.3, ungraduated, with spout

Cat. No.	Product Description	From	Unit
91210	5 ml	10	piece(s)
91212	10 ml	10	piece(s)





### Beakers, short form, PP, blue printed scale, with spout



Cat. No.	Product Description	From	Unit
87602	10 ml : 2 ml	12	piece(s)
87604	25 ml : 5 ml	12	piece(s)
87606	50 ml : 10 ml	12	piece(s)
87608	100 ml : 10 ml	12	piece(s)
87610	150 ml : 20 ml	12	piece(s)
87612	250 ml : 25 ml	6	piece(s)
87614	400 ml : 50 ml	6	piece(s)
87616	500 ml : 50 ml	6	piece(s)
87618	600 ml : 50 ml	6	piece(s)
87620	1.000 ml : 100 ml	6	piece(s)
87622	2.000 ml : 200 ml	6	piece(s)
87624	3.000 ml : 250 ml	4	piece(s)
87626	5.000 ml : 500 ml	4	piece(s)

### Beakers, short form, ETFE, blue printed scale, with spout



Cat. No.	Product Description	From	Unit
90224	25 ml : 5 ml	1	piece(s)
90228	50 ml : 10 ml	1	piece(s)
90238	100 ml : 20 ml	1	piece(s)
90248	250 ml : 50 ml	1	piece(s)
90252	400 ml : 50 ml	1	piece(s)
90254	500 ml : 100 ml	1	piece(s)
90256	600 ml : 100 ml	1	piece(s)
90262	1.000 ml : 100 ml	1	piece(s)

### Beakers, short form, PTFE, ungraduated, with spout



Cat. No.	Product Description	From	Unit
90320	25 ml	1	piece(s)
90328	50 ml	1	piece(s)
90338	100 ml	1	piece(s)
90344	150 ml	1	piece(s)
90348	250 ml	1	piece(s)
90352	400 ml	1	piece(s)
90354	500 ml	1	piece(s)
90362	1.000 ml	1	piece(s)
90364	2.000 ml	1	piece(s)

## Reagent reservoir, PP, for multichannel micropipette, 60 ml, CERTIFIED LIFE SCIENCE QUALITY

Cat. No.	Product Description	From	Unit
703409	sterile	1 pack = 200 piece(s) (40 bags each 5 pcs)	1 pack
703411	sterile	1 pack = 100 piece(s) (indiv. wrapped)	1 pack
703459	with lid	1 pack = 10 piece(s)	1 pack



## Funnels, short stem, fluted interior, Boro 3.3

Cat. No.	Product Description	From	Unit
145611	outer diameter 70 mm, Outer diameter stem 8 mm, Length stem 70 mm	10	piece(s)
145616	outer diameter 80 mm, Outer diameter stem 10 mm, Length stem 80 mm	10	piece(s)
145619	outer diameter 100 mm, Outer diameter stem 10 mm, Length stem 100 mm	10	piece(s)
145631	outer diameter 150 mm, Outer diameter stem 16 mm, Length stem 150 mm	10	piece(s)
145638	outer diameter 200 mm, Outer diameter stem 26 mm, Length stem 175 mm	1	piece(s)



## Funnels, short stem, Boro 3.3

Cat. No.	Product Description	From	Unit
145505	outer diameter 35 mm, Outer diameter stem 6 mm, Length stem 35 mm	1	piece(s)
145507	outer diameter 40 mm, Outer diameter stem 6 mm, Length stem 40 mm	1	piece(s)
145515	outer diameter 50 mm, Outer diameter stem 7 mm, Length stem 50 mm	1	piece(s)
145520	outer diameter 55 mm, Outer diameter stem 8 mm, Length stem 55 mm	1	piece(s)
145525	outer diameter 60 mm, Outer diameter stem 8 mm, Length stem 60 mm	1	piece(s)
145530	outer diameter 70 mm, Outer diameter stem 8 mm, Length stem 70 mm	1	piece(s)
145535	outer diameter 80 mm, Outer diameter stem 9 mm, Length stem 80 mm	1	piece(s)
145540	outer diameter 100 mm, Outer diameter stem 10 mm, Length stem 100 mm	1	piece(s)
145545	outer diameter 120 mm, Outer diameter stem 16 mm, Length stem 120 mm	1	piece(s)
145550	outer diameter 150 mm, Outer diameter stem 16 mm, Length stem 150 mm	1	piece(s)
145560	outer diameter 200 mm, Outer diameter stem 26 mm, Length stem 175 mm	1	piece(s)



## Powder funnel, Boro 3.3

Cat. No.	Product Description	From	Unit
146506	outer diameter 50 mm, Outer diameter stem 20 mm	1	piece(s)
146508	outer diameter 60 mm, Outer diameter stem 20 mm	1	piece(s)
146511	outer diameter 70 mm, Outer diameter stem 20 mm	1	piece(s)
146516	outer diameter 80 mm, Outer diameter stem 26 mm	1	piece(s)
146519	outer diameter 100 mm, Outer diameter stem 26 mm	1	piece(s)
146523	outer diameter 120 mm, Outer diameter stem 30 mm	1	piece(s)



### Conical ground joint funnel, PP



Cat. No.	Product Description	From	Unit
94905	Width 40 mm, stem NS 14/23	10	piece(s)
94910	Width 50 mm, stem NS 19/26	10	piece(s)
94915	Width 80 mm, stem NS 29/32	5	piece(s)

### Separating funnel, PP, with screw cap PP, with PTFE stopcock



Cat. No.	Product Description	From	Unit
140004	125 ml	1	piece(s)
140005	250 ml	1	piece(s)
140006	500 ml	1	piece(s)
140007	1.000 ml	1	piece(s)

### Funnels, PP



Cat. No.	Product Description	From	Unit
147010	outer diameter 40 mm, Outer diameter stem 5 mm, Length stem 35 mm	24	piece(s)
147015	outer diameter 50 mm, Outer diameter stem 9 mm, Length stem 43 mm	24	piece(s)
147020	outer diameter 75 mm, Outer diameter stem 10 mm, Length stem 55 mm	12	piece(s)
147025	outer diameter 100 mm, Outer diameter stem 13 mm, Length stem 77 mm	12	piece(s)
147030	outer diameter 120 mm, Outer diameter stem 14 mm, Length stem 90 mm	12	piece(s)
147035	outer diameter 150 mm, Outer diameter stem 17 mm, Length stem 95 mm	12	piece(s)

### Funnels, fluted interior, PP



Cat. No.	Product Description	From	Unit
148215	outer diameter 45 mm, Outer diameter stem 5 mm, Length stem 44 mm	20	piece(s)
148220	outer diameter 65 mm, Outer diameter stem 9 mm, Length stem 63 mm	20	piece(s)
148225	outer diameter 80 mm, Outer diameter stem 10 mm, Length stem 69 mm	20	piece(s)
148235	outer diameter 100 mm, Outer diameter stem 11 mm, Length stem 82 mm	1	piece(s)
148237	outer diameter 120 mm, Outer diameter stem 11 mm, Length stem 85 mm	1	piece(s)
148240	outer diameter 150 mm, Outer diameter stem 14 mm, Length stem 115 mm	1	piece(s)
148245	outer diameter 180 mm, Outer diameter stem 14 mm, Length stem 143 mm	1	piece(s)

### Powder funnel, PP



Cat. No.	Product Description	From	Unit
148020	outer diameter 65 mm, Outer diameter stem 18 mm, Length stem 26 mm	10	piece(s)
148025	outer diameter 80 mm, Outer diameter stem 23 mm, Length stem 26 mm	10	piece(s)
148030	outer diameter 100 mm, Outer diameter stem 26 mm, Length stem 25 mm	10	piece(s)
148035	outer diameter 120 mm, Outer diameter stem 30 mm, Length stem 25 mm	10	piece(s)
148040	outer diameter 150 mm, Outer diameter stem 31 mm, Length stem 22 mm	5	piece(s)
148045	outer diameter 180 mm, Outer diameter stem 40 mm, Length stem 48 mm	1	piece(s)

## Filter funnels, Boro 3.3

Cat. No.	Product Description	From	Unit
464003	50 ml, model 3 D, porosity 3	1	piece(s)
464004	50 ml, model 3 D, porosity 4	1	piece(s)
464713	75 ml, model 11 D, porosity 3	1	piece(s)
464714	75 ml, model 11 D, porosity 4	1	piece(s)
465423	125 ml, model 17 D, porosity 3	1	piece(s)
465424	125 ml, model 17 D, porosity 4	1	piece(s)
466133	500 ml, model 25 D, porosity 3	1	piece(s)
466134	500 ml, model 25 D, porosity 4	1	piece(s)



## Filter crucible, Boro 3.3

Cat. No.	Product Description	From	Unit
458021	30 ml, model 1 D, porosity 1	10	piece(s)
458022	30 ml, model 1 D, porosity 2	10	piece(s)
458023	30 ml, model 1 D, porosity 3	10	piece(s)
458024	30 ml, model 1 D, porosity 4	10	piece(s)
458731	50 ml, model 2 D, porosity 1	10	piece(s)
458732	50 ml, model 2 D, porosity 2	10	piece(s)
458733	50 ml, model 2 D, porosity 3	10	piece(s)
458734	50 ml, model 2 D, porosity 4	10	piece(s)



## Filter adapter, Boro 3.3

Cat. No.	Product Description	From	Unit
463616	model 1 D, outer diameter 41 mm, length 125 mm	10	piece(s)
463732	model 2 D, outer diameter 50 mm, length 132 mm	10	piece(s)



## Desiccators with knob lid, Boro 3.3

Cat. No.	Product Description	From	Unit
65031	Nominal size 15 cm, outer diameter 215 mm, Height 252 mm	1	piece(s)
65038	Nominal size 20 cm, outer diameter 270 mm, Height 309 mm	1	piece(s)
65043	Nominal size 25 cm, outer diameter 320 mm, Height 357 mm	1	piece(s)



## Desiccators, PP, lid, PC,

Cat. No.	Product Description	From	Unit
65805	Nominal size 15 cm, outer diameter 170 mm, Height 195 mm	1	piece(s)
65810	Nominal size 20 cm, outer diameter 235 mm, Height 240 mm	1	piece(s)
65815	Nominal size 25 cm, outer diameter 285 mm, Height 300 mm	1	piece(s)



### Desiccators with socket in lid, Boro 3.3, with stopcock



Cat. No.	Product Description	From	Unit
65231	Nominal size 15 cm, outer diameter 215 mm, Height, 316 mm	1	piece(s)
65238	Nominal size 20 cm, outer diameter 270 mm, Height, 368 mm	1	piece(s)
65243	Nominal size 25 cm, outer diameter 320 mm, Height, 417 mm	1	piece(s)

### Desiccator plate



Cat. No.	Product Description	From	Unit
65965	porcelaine, for Nominal size 15 cm, outer diameter 140 mm	1	piece(s)
65975	porcelaine, for Nominal size 20 cm, outer diameter 190 mm	1	piece(s)
65980	porcelaine, for Nominal size 25 cm, outer diameter 235 mm	1	piece(s)
66015	PP, for Nominal size 15 cm, outer diameter 140 mm	1	piece(s)
66025	PP, for Nominal size 20 cm, outer diameter 190 mm	1	piece(s)
66030	PP, for Nominal size 25 cm, outer diameter 235 mm	1	piece(s)

### Water jet pumps, PP



Cat. No.	Product Description	From	Unit
159600	Water connection R 3/4", 1/2", nozzle 10-12 mm	1	piece(s)

### Tubing, PVC



Cat. No.	Product Description	From	Unit
143255	inner diameter tubing 2 mm, outer diameter 4 mm, Wall thickness, 0,1 cm	20	meter
143260	inner diameter tubing 4 mm, outer diameter 6 mm, Wall thickness, 0,1 cm	20	meter
143265	inner diameter tubing 5 mm, outer diameter 8 mm, Wall thickness, 0,15 cm	20	meter
143270	inner diameter tubing 6 mm, outer diameter 9 mm, Wall thickness, 0,15 cm	20	meter
143275	inner diameter tubing 7 mm, outer diameter 11 mm, Wall thickness, 0,2 cm	20	meter
143280	inner diameter tubing 8 mm, outer diameter 12 mm, Wall thickness, 0,2 cm	20	meter
143285	inner diameter tubing 10 mm, outer diameter 14 mm, Wall thickness, 0,2 cm	20	meter

### Tubing, silicone

Cat. No.	Product Description	From	Unit
143352	inner diameter tubing 2 mm, outer diameter 4 mm, Wall thickness 0,1 cm	25	meter
143355	inner diameter tubing 3 mm, outer diameter 5 mm, Wall thickness 0,1 cm	25	meter
143356	inner diameter tubing 4 mm, outer diameter 6 mm, Wall thickness 0,1 cm	25	meter
143357	inner diameter tubing 4 mm, outer diameter 7 mm, Wall thickness 0,15 cm	25	meter
143358	inner diameter tubing 5 mm, outer diameter 8 mm, Wall thickness 0,15 cm	25	meter
143359	inner diameter tubing 6 mm, outer diameter 9 mm, Wall thickness 0,15 cm	25	meter
143360	inner diameter tubing 6 mm, outer diameter 10 mm, Wall thickness 0,2 cm	25	meter
143361	inner diameter tubing 7 mm, outer diameter 10 mm, Wall thickness 0,15 cm	25	meter
143362	inner diameter tubing 8 mm, outer diameter 12 mm, Wall thickness 0,2 cm	25	meter
143364	inner diameter tubing 10 mm, outer diameter 15 mm, Wall thickness 0,25 cm	25	meter



### Hose connector, PP, straight

Cat. No.	Product Description	From	Unit
152400	universal, inner diameter tubing 5-17 mm	10	piece(s)
152705	inner diameter tubing 3-5 mm	10	piece(s)
152710	inner diameter tubing 6-10 mm	10	piece(s)
152715	inner diameter tubing 9-13 mm	10	piece(s)



### Tubing adapters, straight

Cat. No.	Product Description	From	Unit
152505	PE-HD, inner diameter tubing 8-10 / 11-14 mm	10	piece(s)
152510	PE-HD, inner diameter tubing 12-14 / 18-20,5 mm	10	piece(s)
152605	PP, inner diameter tubing 3-5 / 6-10 mm	10	piece(s)
152615	PP, inner diameter tubing 6-10 / 9-13 mm	10	piece(s)



### Non-return valve, PE-HD

Cat. No.	Product Description	From	Unit
134002	FKM valve disc, length 78 mm, inner diameter tubing 6-9 mm	10	piece(s)




### Hose connector, PP, T-shape

Cat. No.	Product Description	From	Unit
152800	inner diameter tubing 3-4 mm	20	piece(s)
152803	inner diameter tubing 4-5 mm	20	piece(s)
152805	inner diameter tubing 6-7 mm	20	piece(s)
152810	inner diameter tubing 8-9 mm	20	piece(s)
152815	inner diameter tubing 10-11 mm	20	piece(s)



### Hose connector, PP, Y-shape



Cat. No.	Product Description	From	Unit
152900	inner diameter tubing 3 mm	20	piece(s)
152903	inner diameter tubing 4-5 mm	20	piece(s)
152905	inner diameter tubing 6-7 mm	20	piece(s)
152907	inner diameter tubing 8-9 mm	20	piece(s)
152910	inner diameter tubing 10-11 mm	20	piece(s)

### Stopcocks, PTFE, one-way, With nozzles



Cat. No.	Product Description	From	Unit
88610	inner diameter tubing 3 mm, Hole 0,2 cm	1	piece(s)
88615	inner diameter tubing 4 mm, Hole 0,2 cm	1	piece(s)
88620	inner diameter tubing 5 mm, Hole 0,3 cm	1	piece(s)
88625	inner diameter tubing 6 mm, Hole 0,3 cm	1	piece(s)
88630	inner diameter tubing 7 mm, Hole 0,4 cm	1	piece(s)
88635	inner diameter tubing 8 mm, Hole 0,4 cm	1	piece(s)
88640	inner diameter tubing 9 mm, Hole 0,5 cm	1	piece(s)

### Stopcocks, PTFE, three-way, With nozzles



Cat. No.	Product Description	From	Unit
88650	inner diameter tubing 3 mm, Hole 0,2 cm	1	piece(s)
88655	inner diameter tubing 4 mm, Hole 0,2 cm	1	piece(s)
88660	inner diameter tubing 5 mm, Hole 0,3 cm	1	piece(s)
88665	inner diameter tubing 6 mm, Hole 0,3 cm	1	piece(s)
88670	inner diameter tubing 7 mm, Hole 0,4 cm	1	piece(s)
88675	inner diameter tubing 8 mm, Hole 0,4 cm	1	piece(s)
88680	inner diameter tubing 9 mm, Hole 0,5 cm	1	piece(s)

## Magnetic stirring bars, cylindrical, PTFE

Cat. No.	Product Description	From	Unit
137100	2 mm x 2 mm	10	piece(s)
137101	3 mm x 3 mm	10	piece(s)
137102	5 mm x 2 mm	10	piece(s)
137103	6 mm x 3 mm	10	piece(s)
137104	8 mm x 3 mm	10	piece(s)
137105	12 mm x 4,5 mm	10	piece(s)
137106	7 mm x 2 mm	10	piece(s)
137107	8 mm x 1,5 mm	10	piece(s)
137108	10 mm x 3 mm	10	piece(s)
137109	13 mm x 3 mm	10	piece(s)
137110	15 mm x 4,5 mm	10	piece(s)
137111	15 mm x 1,5 mm	10	piece(s)
137113	10 mm x 6 mm	10	piece(s)
137114	15 mm x 6 mm	10	piece(s)
137115	20 mm x 6 mm	10	piece(s)
137120	25 mm x 6 mm	10	piece(s)
137125	30 mm x 6 mm	10	piece(s)
137127	35 mm x 6 mm	10	piece(s)
137130	40 mm x 8 mm	10	piece(s)
137132	45 mm x 8 mm	10	piece(s)
137135	50 mm x 8 mm	10	piece(s)
137140	60 mm x 10 mm	10	piece(s)
137145	70 mm x 90 mm	10	piece(s)
137150	80 mm x 10 mm	10	piece(s)
137155	108 mm x 27 mm	1	piece(s)
137160	159 mm x 27 mm	1	piece(s)



## Magnetic stirring bars, cylindrical with pivot ring, PTFE

Cat. No.	Product Description	From	Unit
137404	8 mm x 3 mm	10	piece(s)
137405	12 mm x 4,5 mm	10	piece(s)
137410	15 mm x 4 mm	10	piece(s)
137415	20 mm x 6 mm	10	piece(s)
137420	25 mm x 6 mm	10	piece(s)
137425	30 mm x 6 mm	10	piece(s)
137427	3 mm x 6 mm	10	piece(s)
137430	40 mm x 8 mm	10	piece(s)
137432	45 mm x 8 mm	10	piece(s)
137435	50 mm x 8,5 mm	10	piece(s)
137445	70 mm x 8,5 mm	10	piece(s)





### Magnetic stirring bars, triangular, PTFE



Cat. No.	Product Description	From	Unit
137810	25 mm x 8 mm	10	piece(s)
137812	25 mm x 14 mm	10	piece(s)
137815	35 mm x 10 mm	10	piece(s)
137817	40 mm x 14 mm	10	piece(s)
137820	50 mm x 12 mm	10	piece(s)
137822	55 mm x 14 mm	10	piece(s)
137826	80 mm x 14 mm	10	piece(s)

### Magnetic stirring bars, octagonal with pivot ring, PTFE



Cat. No.	Product Description	From	Unit
137607	13 mm x 8 mm	10	piece(s)
137608	15 mm x 8 mm	10	piece(s)
137610	25 mm x 8 mm	10	piece(s)
137612	25 mm x 10 mm	10	piece(s)
137615	38 mm x 8 mm	10	piece(s)
137617	38 mm x 10 mm	10	piece(s)
137618	51 mm x 8 mm	10	piece(s)
137620	51 mm x 10 mm	10	piece(s)
137622	64 mm x 10 mm	10	piece(s)
137625	75 mm x 12 mm	10	piece(s)

### Magnetic stirring bars, double-ended, PTFE



Cat. No.	Product Description	From	Unit
137930	length 37 mm	10	piece(s)
137935	length 54 mm	10	piece(s)

### Magnetic stirring bars, oval, PTFE



Cat. No.	Product Description	From	Unit
137300	10 mm x 5 mm	10	piece(s)
137301	15 mm x 6 mm	10	piece(s)
137302	20 mm x 10 mm	10	piece(s)
137305	25 mm x 12 mm	10	piece(s)
137307	32 mm x 15 mm	10	piece(s)
137310	34 mm x 15 mm	10	piece(s)
137312	40 mm x 20 mm	10	piece(s)
137315	50 mm x 20 mm	10	piece(s)
137320	65 mm x 20 mm	10	piece(s)
137325	70 mm x 20 mm	10	piece(s)

## Magnetic stirring bars, crosshead, PTFE

Cat. No.	Product Description	From	Unit
137630	outer diameter 10 mm, Height 5 mm	10	piece(s)
137632	outer diameter 20 mm, Height 9 mm	10	piece(s)
137634	outer diameter 25 mm, Height 10 mm	10	piece(s)
137636	outer diameter 30 mm, Height 12 mm	10	piece(s)
137638	outer diameter 38 mm, Height 15 mm	10	piece(s)



## Magnetic stirring rod remover, PP, With ring

Cat. No.	Product Description	From	Unit
137750	300 mm x 10 mm	1	piece(s)
137755	450 mm x 10 mm	1	piece(s)



## Magnetic stirring rod remover, PTFE

Cat. No.	Product Description	From	Unit
137700	150 mm x 8 mm	1	piece(s)
137710	250 mm x 8 mm	1	piece(s)
137720	350 mm x 8 mm	1	piece(s)



## Stirring rods, AR-GLAS®, Closed ends

Cat. No.	Product Description	From	Unit
135805	200 mm x 5 mm	50	piece(s)
135810	200 mm x 6 mm	50	piece(s)
135815	250 mm x 6 mm	50	piece(s)
135820	250 mm x 8 mm	50	piece(s)
135825	300 mm x 8 mm	50	piece(s)



## Pipette tray, PVC

Cat. No.	Product Description	From	Unit
28300	280 mm x 220 mm x 39 mm, 1 compartment	1	piece(s)
28305	420 mm x 300 mm x 30 mm, 4 compartments	1	piece(s)
768515	355 mm x 300 mm x 45 mm, 9 compartments	1	piece(s)



### Tray (photographic tray), PP, white, Stackable



Cat. No.	Product Description	From	Unit
156640	225 mm x 180 mm x 45 mm	1	piece(s)
156642	300 mm x 240 mm x 70 mm	1	piece(s)
156644	370 mm x 310 mm x 75 mm	1	piece(s)
156646	510 mm x 410 mm x 120 mm	1	piece(s)
156648	625 mm x 530 mm x 140 mm	1	piece(s)
156650	840 mm x 645 mm x 160 mm	1	piece(s)

### Pipette stands, PP



Cat. No.	Product Description	From	Unit
30900	number of positions 94, Rotating, 230 mm x 450 mm	1	piece(s)

### Tidy tray, PVC



Cat. No.	Product Description	From	Unit
768505	402 mm x 302 mm x 60 mm, 5 compartments	1	piece(s)
768510	402 mm x 302 mm x 60 mm, 12 compartments	1	piece(s)

### Scoop, PP, white



Cat. No.	Product Description	From	Unit
139115	length, 160 mm, Nominal volume 50 ml	12	piece(s)
139120	length, 200 mm, Nominal volume 100 ml	12	piece(s)
139125	length, 260 mm, Nominal volume 250 ml	6	piece(s)
139130	length, 315 mm, Nominal volume 500 ml	6	piece(s)
139135	length, 385 mm, Nominal volume 1.000 ml	6	piece(s)

### Scoop, PE, natural colored



Cat. No.	Product Description	From	Unit
139035	length, 350 mm, 500 ml	6	piece(s)
139040	length, 400 mm, 1.000 ml	6	piece(s)

## Spatula, PS, impact-resistant

Cat. No.	Product Description	From	Unit
139810	150 mm, double spatula	10	piece(s)
139815	180 mm, double spatula	10	piece(s)
139817	180 mm, spatula / spoon	10	piece(s)
139820	210 mm, spatula / spoon	10	piece(s)



## Spatula, PE-HD, coated steel core

Cat. No.	Product Description	From	Unit
136100	length 260 mm, Outer diameter stem 7 mm	1	piece(s)



## Spatula, PP, With different spatula-shaped ends

Cat. No.	Product Description	From	Unit
136110	length 245 mm, Outer diameter stem 6 mm	10	piece(s)



## Sampling scoops, PTFE, with spout

Cat. No.	Product Description	From	Unit
90438	100 ml, outer diameter 55 mm, Height 65 mm	1	piece(s)
90448	250 ml, outer diameter 70 mm, Height 95 mm	1	piece(s)
90454	500 ml, outer diameter 80 mm, Height 128 mm	1	piece(s)
90462	1.000 ml, outer diameter 105 mm, Height 155 mm	1	piece(s)



## Tweezers, PMP, pointed ends

Cat. No.	Product Description	From	Unit
112805	length 115 mm	10	piece(s)
112810	length 145 mm	10	piece(s)



## Stirring rods, PTFE, spatula-shaped

Cat. No.	Product Description	From	Unit
136215	200 mm x 8 mm	1	piece(s)
136220	250 mm x 8 mm	1	piece(s)
136225	300 mm x 8 mm	1	piece(s)



### Stirring rods, PTFE, with steel core



Cat. No.	Product Description	From	Unit
136315	200 mm x 6 mm	1	piece(s)
136320	250 mm x 6 mm	1	piece(s)
136325	300 mm x 6 mm	1	piece(s)
136335	400 mm x 6 mm	1	piece(s)

### Tweezers, POM, round ends



Cat. No.	Product Description	From	Unit
113020	Glass-fiber reinforced, length 250 mm	25	piece(s)

### Tweezers, PTFE, rectangular ends



Cat. No.	Product Description	From	Unit
113125	length 100 mm	1	piece(s)
113130	length 150 mm	1	piece(s)
113135	length 200 mm	1	piece(s)

### Weighing pans, PS, square shape



Cat. No.	Product Description	From	Unit
155540	7 ml, 45 mm x 45 mm x 7 mm	500	piece(s)
155542	100 ml, 80 mm x 80 mm x 23 mm	500	piece(s)
155544	250 ml, 140 mm x 140 mm x 21 mm	500	piece(s)

### Weighing pans, PS, diamond shape



Cat. No.	Product Description	From	Unit
155546	25 ml, 67 mm x 47 mm x 14 mm	500	piece(s)
155548	30 ml, 78 mm x 56 mm x 14 mm	500	piece(s)
155550	100 ml, 119 mm x 90 mm x 19 mm	500	piece(s)

### Buckets, PE-HD, graduated, With handle



Cat. No.	Product Description	From	Unit
71772	5.000 ml, Height 240 mm	1	piece(s)
71774	10.000 ml, Height 300 mm	1	piece(s)

## Buckets, PP, Reinforced edge with spout, With handle

Cat. No.	Product Description	From	Unit
72376	12.000 ml, Height 300 mm	1	piece(s)
72378	15.000 ml, Height 340 mm	1	piece(s)



## Push-on lid, PE-LD, for bucket

Cat. No.	Product Description	From	Unit
71771	for 5 L bucket	1	piece(s)
71776	for 10 l buckets	1	piece(s)



## Mortars, MF, white, With base, with spout

Cat. No.	Product Description	From	Unit
110703	125 mm x 80 mm	1	piece(s)
110708	150 mm x 90 mm	1	piece(s)



## Pestle, MF, white

Cat. No.	Product Description	From	Unit
110702	length, 125 mm	1	piece(s)
110709	length 145 mm	1	piece(s)



## Dropping bottle, soda-lime glass, amber, With dropping pipette and rubber cap

Cat. No.	Product Description	From	Unit
124529	50 ml	1	piece(s)
124539	100 ml	1	piece(s)



## Dropping bottle, soda-lime glass, clear, With dropping pipette and rubber cap

Cat. No.	Product Description	From	Unit
124633	50 ml	1	piece(s)
124639	100 ml	1	piece(s)



Laboratory bottle, Boro 3.3, graduated, with screw cap PP



Cat. No.	Product Description	From	Unit
122520	25 ml, GL 25	10	piece(s)
122528	50 ml, GL 32	10	piece(s)
122538	100 ml, GL 45	10	piece(s)
122548	250 ml, GL 45	10	piece(s)
122554	500 ml, GL 45	10	piece(s)
122562	1.000 ml, GL 45	10	piece(s)
122564	2.000 ml, GL 45	10	piece(s)
122570	5.000 ml, GL 45	1	piece(s)
122574	10.000 ml, GL 45	1	piece(s)
122578	20.000 ml, GL 45	1	piece(s)

Threaded bottle, soda-lime glass, amber



Cat. No.	Product Description	From	Unit
704012	100 ml, GL 32	1	piece(s)
704014	250 ml, GL 32	1	piece(s)
704016	500 ml, GL 32	1	piece(s)
704018	1.000 ml, GL 45	1	piece(s)
704020	2.500 ml, GL 45	1	piece(s)

Threaded bottle, soda-lime glass, amber, ethylene-acrylate coated



Cat. No.	Product Description	From	Unit
704002	100 ml, GL 32	1	piece(s)
704004	250 ml, GL 32	1	piece(s)
704006	500 ml, GL 32	1	piece(s)
704008	1.000 ml, GL 45	1	piece(s)
704010	2.500 ml, GL 45	1	piece(s)

Wash bottle, PFA technical quality, narrow mouth, with screw cap ETFE, FEP tube



Cat. No.	Product Description	From	Unit
143848	250 ml, GL 25	1	piece(s)
143854	500 ml, GL 25	1	piece(s)
143862	1.000 ml, GL 32	1	piece(s)

## Aspirator bottle, PE-HD, narrow mouth, with screw cap, With carrying handle

Cat. No.	Product Description	From	Unit
131171	5.000 ml, with stopcock	1	piece(s)
131175	10.000 ml, with stopcock	1	piece(s)



## Stopcock For aspirator bottle, PP

Cat. No.	Product Description	From	Unit
131100	For aspirator bottle art. no. 131171 + 131175, R 3/4"	1	piece(s)



## Storage bottle, PE-HD, narrow mouth, with screw cap, With carrying handle

Cat. No.	Product Description	From	Unit
130870	5.000 ml	1	piece(s)
130874	10.000 ml	1	piece(s)



## Storage bottle, PE-HD, wide neck, with screw cap, With carrying handle

Cat. No.	Product Description	From	Unit
130970	5.000 ml	1	piece(s)
130974	10.000 ml	1	piece(s)



## Bottle, PE-LD, wide neck, amber, with screw cap

Cat. No.	Product Description	From	Unit
129728	50 ml, GL 32	1	piece(s)
129738	100 ml, GL 32	1	piece(s)
129748	250 ml, GL 40	1	piece(s)
129754	500 ml, GL 50	1	piece(s)
129762	1.000 ml, GL 65	1	piece(s)
129764	2.000 ml, GL 65	1	piece(s)





### Square bottle, PE-HD, wide neck



Cat. No.	Product Description	From	Unit
130338	100 ml, GL 32	1	piece(s)
130348	250 ml, GL 45	1	piece(s)
130354	500 ml, GL 54	1	piece(s)
130362	1.000 ml, GL 54	1	piece(s)
130363	1.500 ml, GL 80	1	piece(s)
130365	2.500 ml, GL 80	1	piece(s)
130368	4.000 ml, GL 80	1	piece(s)

### Screw closure tamper-evident, PP, for threaded bottle



Cat. No.	Product Description	From	Unit
130320	GL 32	1	piece(s)
130322	GL 45	1	piece(s)
130324	GL 54	1	piece(s)
130326	GL 80	1	piece(s)

### Bottle, PTFE, wide neck, with screw cap PTFE



Cat. No.	Product Description	From	Unit
130538	100 ml, inner diameter neck 35 mm	1	piece(s)
130548	250 ml, inner diameter neck 42 mm	1	piece(s)
130554	500 ml, inner diameter neck 52 mm	1	piece(s)
130562	1.000 ml, inner diameter neck 57 mm	1	piece(s)
130564	2.000 ml, inner diameter neck 60 mm	1	piece(s)

### Bottle, PE-LD, narrow mouth



Cat. No.	Product Description	From	Unit
129016	20 ml, GL 14	100	piece(s)
129024	30 ml, GL 14	100	piece(s)
129028	50 ml, GL 18	100	piece(s)
129038	100 ml, GL 18	50	piece(s)
129048	250 ml, GL 25	50	piece(s)
129054	500 ml, GL 25	50	piece(s)
129062	1.000 ml, GL 28	25	piece(s)

### Dropper nozzle, PE-LD, for threaded bottle



Cat. No.	Product Description	From	Unit
129230	GL 14	100	piece(s)
129232	GL 18	50	piece(s)
129234	GL 25	50	piece(s)

## Bottle, PE-LD, wide neck

Cat. No.	Product Description	From	Unit
129328	50 ml, GL 32	100	piece(s)
129338	100 ml, GL 32	50	piece(s)
129348	250 ml, GL 40	50	piece(s)
129354	500 ml, GL 50	50	piece(s)
129362	1.000 ml, GL 65	25	piece(s)
129364	2.000 ml, GL 65	25	piece(s)



## Screw closure, PE-LD

Cat. No.	Product Description	From	Unit
129208	GL 32	25	piece(s)
129210	GL 40	25	piece(s)
129212	GL 50	25	piece(s)
129214	GL 65	25	piece(s)



## Bottle, PFA, wide neck, with screw cap PFA

Cat. No.	Product Description	From	Unit
128748	250 ml, Thread S 40	1	piece(s)
128754	500 ml, Thread S 40	1	piece(s)
128762	1.000 ml, Thread S 40	1	piece(s)
128764	2.000 ml, Thread S 40	1	piece(s)



## Dropping bottle, PTFE, with dropper nozzle and threaded cap

Cat. No.	Product Description	From	Unit
125316	25 ml	1	piece(s)
125328	50 ml	1	piece(s)



## Atomizer, PP, white, atomizer head, PE-LD

Cat. No.	Product Description	From	Unit
144180	400 ml	5	piece(s)
144190	850 ml	5	piece(s)



### Watch glass, soda-lime glass, rim polished



Cat. No.	Product Description	From	Unit
150010	outer diameter 40 mm	10	piece(s)
150015	outer diameter 50 mm	10	piece(s)
150020	outer diameter 60 mm	10	piece(s)
150030	outer diameter 70 mm	10	piece(s)
150040	outer diameter 80 mm	10	piece(s)
150045	outer diameter 90 mm	10	piece(s)
150050	outer diameter 100 mm	10	piece(s)
150060	outer diameter 120 mm	10	piece(s)
150065	outer diameter 125 mm	10	piece(s)
150070	outer diameter 150 mm	10	piece(s)
150080	outer diameter 200 mm	10	piece(s)

### Watch glass, PTFE



Cat. No.	Product Description	From	Unit
150900	outer diameter 20 mm	1	piece(s)
150902	outer diameter 30 mm	1	piece(s)
150904	outer diameter 40 mm	1	piece(s)
150905	outer diameter 50 mm	1	piece(s)
150907	outer diameter 65 mm	1	piece(s)
150910	outer diameter 75 mm	1	piece(s)
150912	outer diameter 80 mm	1	piece(s)
150915	outer diameter 100 mm	1	piece(s)
150920	outer diameter 125 mm	1	piece(s)
150922	outer diameter 150 mm	1	piece(s)

### Mikrozyd® disinfectant wipes



Cat. No.	Product Description	From	Unit
44860	soft pack with 100 wipes	1 pack = 100 piece(s)	6 pack

### Mucasol® liquid concentrate , universal detergent



Cat. No.	Product Description	From	Unit
44003	2 liter bottle, not available in the USA	5	piece(s)
44005	5 liter can, not available in the USA	1	piece(s)

### Edisonite® CLASSIC, universal detergent, powdered



Cat. No.	Product Description	From	Unit
44205	5 kg bucket	1	piece(s)
44301	1 kg jar	1	piece(s)

**Mucocit®-T liquid concentrate, disinfecting detergent**

Cat. No.	Product Description	From	Unit
44822	2 liter bottle	5	piece(s)
44825	5 liter can	1	piece(s)

**Pursept®-AF liquid concentrate, disinfecting detergent**

Cat. No.	Product Description	From	Unit
44850	2 liter bottle	5	piece(s)
44855	5 liter can	1	piece(s)

**mikrozid® universal liquid, disinfecting detergent**

Cat. No.	Product Description	From	Unit
44880	1 liter bottle	10	piece(s)
44885	5 liter can	1	piece(s)

**Schülke wipes 70**

Cat. No.	Product Description	From	Unit
44870	70 wipes per roll, 230 mm x 280 mm	6	piece(s)

**Pipette rinsing apparatus, PE-HD**

Cat. No.	Product Description	From	Unit
29120	for pipette lengths 460 mm, 13.000 ml	1	piece(s)
29125	for pipette lengths 600 mm, 17.000 ml	1	piece(s)

**Soaking jar, PE-HD**

Cat. No.	Product Description	From	Unit
29210	10.000 ml, for pipette lengths 460 mm	1	piece(s)
29215	12.500 ml, for pipette lengths 600 mm	1	piece(s)

**Pipette basket with handle, PE-HD**

Cat. No.	Product Description	From	Unit
29010	for pipette lengths 460 mm	1	piece(s)



### Extension for pipette basket, PP



Cat. No.	Product Description	From	Unit
29019	length 200 mm, for pipette basket art. no. 29010	1	piece(s)

## Draining rack, PS

Cat. No.	Product Description	From	Unit
95105	number of positions 72, Diameter stick 16 mm	1	piece(s)



## Pycnometers Gay-Lussac pattern, BLAUBRAND®, calibrated, Boro 3.3

Cat. No.	Product Description	From	Unit
43305	5 ml	1	piece(s)
43308	10 ml	1	piece(s)
43320	25 ml	1	piece(s)
43328	50 ml	1	piece(s)
43338	100 ml	1	piece(s)



## Pycnometers Gay-Lussac pattern, uncalibrated, Boro 3.3

Cat. No.	Product Description	From	Unit
43205	5 ml	2	piece(s)
43208	10 ml	2	piece(s)
43220	25 ml	2	piece(s)
43228	50 ml	2	piece(s)
43238	100 ml	2	piece(s)



## Sedimentation cones Imhoff pattern, SAN, with screw cap

Cat. No.	Product Description	From	Unit
388000	to 1000 ml	1	piece(s)



## Oxygen flasks Winkler pattern, with glass stopper

Cat. No.	Product Description	From	Unit
386038	100 ml - 150 ml, NS 14/23	2	piece(s)
386048	250 ml - 300 ml, NS 19/26	2	piece(s)



### ASTM centrifuge tubes, BLAUBRAND®, Boro 3.3



Cat. No.	Product Description	From	Unit
362038	cylindrical, conical bottom, 100 ml, ASTM D 91	2	piece(s)
362138	pear-shaped, cylindrical bottom, 100 ml, ASTM D 96	2	piece(s)
362338	cylindrical, conical bottom, 100 ml, ASTM D 96	2	piece(s)

### Sample cups, PS, clear, for Technicon-Analyzer



Cat. No.	Product Description	From	Unit
115015	1,5 ml	1000	piece(s)
115016	2 ml	1000	piece(s)
115017	4 ml	1000	piece(s)

### Push-on lid for sample cups 1.5/2.0 ml, PE, for Technicon-Analyzer



Cat. No.	Product Description	From	Unit
115020	Push-on lid for sample cups 1.5/2.0 ml, PE	1000	piece(s)

### Sample cups for COULTER COUNTER®, PS, with cover, PE



Cat. No.	Product Description	From	Unit
722055	20 ml	1000	piece(s)

### Sample cups, PS, with press-on lid



Cat. No.	Product Description	From	Unit
722060	12 ml	1000	piece(s)

### Urine beaker, PP, with screw cap PE (green), CE-IVD



Cat. No.	Product Description	From	Unit
758905	100 ml	1000	piece(s)

### Universal container, PP, with screw cap, PE (yellow), y-sterile



Cat. No.	Product Description	From	Unit
758910	100 ml	240	piece(s)

## Urine beaker, PP, without cap, CE-IVD

Cat. No.	Product Description	From	Unit
758901	125 ml	1000	piece(s)



## Push-on lid for urine beaker, PE, red, CE-IVD

Cat. No.	Product Description	From	Unit
758902	Push-on lid for urine beaker	1000	piece(s)



## Petri dishes, PS

Cat. No.	Product Description	From	Unit
452000	with lid without vent, outer diameter 94 mm, Height 16 mm	480	piece(s)
452005	with lid with vent, outer diameter 94 mm, Height 16 mm	480	piece(s)
452010	with lid with vent, outer diameter 55 mm, Height 14 mm	1620	piece(s)
452015	with lid without vent, outer diameter 55 mm, Height 14 mm	1620	piece(s)



## Petri dishes with lid, soda-lime glass

Cat. No.	Product Description	From	Unit
455701	outer diameter 40 mm, Height dish 12 mm	10	piece(s)
455717	outer diameter 60 mm, Height dish 15 mm	10	piece(s)
455732	outer diameter 80 mm, Height dish 15 mm	10	piece(s)
455742	outer diameter 100 mm, Height dish 15 mm	10	piece(s)
455743	outer diameter 100 mm, Height dish 20 mm	10	piece(s)
455751	outer diameter 150 mm, Height dish 25 mm	10	piece(s)



## Disposal bags, PP

Cat. No.	Product Description	From	Unit
759705	300 mm x 200 mm	100	piece(s)



## Disposal bags, PA

Cat. No.	Product Description	From	Unit
759710	300 mm x 200 mm	50	piece(s)





### Rack for disposal bag, steel wire



Cat. No.	Product Description	From	Unit
759703	Rack for disposal bag	1	piece(s)

### Pasteur pipettes, soda-lime glass



Cat. No.	Product Description	From	Unit
747715	145 mm, 1,5 ml	1000	piece(s)
747720	225 mm, 1,5 ml	1000	piece(s)
747725	270 mm, 1,5 ml	1000	piece(s)
747730	310 mm, 1,5 ml	1000	piece(s)

### Pasteur pipettes, PE-LD



Cat. No.	Product Description	From	Unit
747750	Suction volume with ball 3,3 ml	500	piece(s)
747755	1 ml, Suction volume with ball 4,4 ml	500	piece(s)
747760	3 ml, Suction volume with ball 6,2 ml	500	piece(s)
747765	2 ml, Suction volume with ball 5 ml	500	piece(s)
747770	4 ml, Suction volume with ball 7 ml	500	piece(s)
747775	1 ml, Suction volume with ball 5,5 ml	500	piece(s)

### Rubber cap, natural rubber, For Pasteur pipette / glass dropping bottle



Cat. No.	Product Description	From	Unit
124700	Rubber cap, natural rubber	100	piece(s)

### Micro haematocrit capillaries, CE-IVD



Cat. No.	Product Description	From	Unit
749311	heparinized, color code red	1000	piece(s)
749321	non-heparinized, color code blue	1000	piece(s)

## Micropipettes, BLAUBRAND®, intraMark, DE-M, CE-IVD

Cat. No.	Product Description		From	Unit
708707	1 - 5 µl, white	1 jar = 250 piece(s)	4	jar
708709	10 µl, orange	1 jar = 250 piece(s)	4	jar
708718	20 µl, black	1 jar = 250 piece(s)	4	jar
708722	25 µl, 2x white	1 jar = 250 piece(s)	4	jar
708728	20 / 40 µl, 2x red	1 jar = 250 piece(s)	4	jar
708733	50 µl, green	1 jar = 250 piece(s)	4	jar
708744	100 µl, blue	1 jar = 250 piece(s)	4	jar
708745	50 / 100 µl, blue	1 jar = 250 piece(s)	4	jar
708757	200 µl, red	1 jar = 200 piece(s)	4	jar



## Haematocrit sealing compound, CE-IVD

Cat. No.	Product Description		From	Unit
749510	24 positions for two capillaries each	1 pack = 10 piece(s)	1	pack



## Dropping pipettes, Integrated bellows, graduated, PE-LD

Cat. No.	Product Description		From	Unit
125410	withdraw volume approx. 1,5 ml, length 133 mm, Graduated 0,5; 1; 1,5 ml		100	piece(s)
125420	withdraw volume approx. 5 ml, length 194 mm, Graduated 0,5; 1; 2; 3; 4; 5 ml		100	piece(s)



## Dropping pipettes, integrated pipetting bulb, PE-LD

Cat. No.	Product Description		From	Unit
125400	withdraw volume 1,8 ml, length 98 mm		250	piece(s)



## Staining troughs with tray, soda-lime glass

Cat. No.	Product Description		From	Unit
472000	Application for Staining troughs, 91 mm x 70 mm x 48 mm, For 10 microscope slides		10	piece(s)
472200	Staining troughs with lid, 105 mm x 85 mm x 70 mm		10	piece(s)
473100	Handle for Staining troughs, with tray, stainless steel		10	piece(s)



## Staining troughs, PMP, clear

Cat. No.	Product Description		From	Unit
474300	101 mm x 83 mm x 70 mm, Without insert, With 2 covers		4	piece(s)



### Insert, PP, for staining trough

Cat. No.	Product Description	From	Unit
474305	for staining trough, PMP, art. no. 474200, for 20 slides	2	piece(s)

### Staining troughs, Schiefferdecker, with lid, soda-lime glass



Cat. No.	Product Description	From	Unit
472500	8,5 mm x 7 mm x 45 mm	10	piece(s)

### Staining troughs, Schiefferdecker, with lid, PMP



Cat. No.	Product Description	From	Unit
474410	8,6 mm x 7 mm x 51 mm	4	piece(s)

### Staining troughs, Hellendahl, with lid, soda-lime glass



Cat. No.	Product Description	From	Unit
472600	10 mm x 5 mm x 95 mm	10	piece(s)

### Staining troughs, Hellendahl, soda-lime glass, extended, with lid



Cat. No.	Product Description	From	Unit
472700	6 mm x 5,5 mm x 105 mm	10	piece(s)

### Staining troughs, Hellendahl, PMP, clear, extended, with lid



Cat. No.	Product Description	From	Unit
474400	5,7 mm x 5,7 mm x 90 mm	4	piece(s)

### Staining troughs, Coplin, with lid, round, soda-lime glass



Cat. No.	Product Description	From	Unit
472800	115 mm x 80 mm, For 10 microscope slides	10	piece(s)

## Cover glasses, thickness no. 1, square shape, pure white

Cat. No.	Product Description	From	Unit
470045	18 mm x 18 mm	2000	piece(s)
470050	20 mm x 20 mm	2000	piece(s)
470055	22 mm x 22 mm	2000	piece(s)
470060	24 mm x 24 mm	2000	piece(s)
470816	40 mm x 24 mm	1000	piece(s)
470819	50 mm x 24 mm	1000	piece(s)
470820	60 mm x 24 mm	1000	piece(s)




## Haemocytometer cover glasses for counting chambers, Boro 3.3

Cat. No.	Product Description	From	Unit
723014	24 mm x 24 mm x 0,4 mm, For Fuchs-Rosenthal counting chambers	100	piece(s)
723015	26 mm x 20 mm x 0,4 mm, for counting chambers	100	piece(s)
723016	30 mm x 22 mm x 0,4 mm, For Nateotte counting chambers	100	piece(s)




## Counting chambers, Neubauer Pattern, BLAUBRAND®

Cat. No.	Product Description	From	Unit
718605	without clips, double ruling	1	piece(s)
718620	with clips, double ruling	1	piece(s)




## Counting chambers, improved Neubauer, BLAUBRAND®

Cat. No.	Product Description	From	Unit
717805	without clips, double ruling	1	piece(s)
717820	with clips, double ruling	1	piece(s)



## Counting chambers, improved Neubauer, bright-line, BLAUBRAND®

Cat. No.	Product Description	From	Unit
717810	without clips	1	piece(s)




## Counting chambers, Thoma pattern, BLAUBRAND®

Cat. No.	Product Description	From	Unit
718005	without clips	1	piece(s)
718020	with clips	1	piece(s)




### Counting chambers, Bürker pattern, BLAUBRAND®




Cat. No.	Product Description	From	Unit
718905	without clips	1	piece(s)
718920	with clips	1	piece(s)

### Counting chambers, Malassez pattern, BLAUBRAND®



Cat. No.	Product Description	From	Unit
719005	without clips	1	piece(s)

### Counting chambers, Bürker-Türk pattern, BLAUBRAND®




Cat. No.	Product Description	From	Unit
719505	without clips	1	piece(s)
719520	with clips	1	piece(s)

### Counting chambers, Fuchs-Rosenthal pattern, BLAUBRAND®



Cat. No.	Product Description	From	Unit
719805	without clips	1	piece(s)
719820	with clips	1	piece(s)

### Counting chambers, Nageotte pattern, BLAUBRAND®



Cat. No.	Product Description	From	Unit
721305	without clips	1	piece(s)

### Microscope slides, white, Height 1 mm



Cat. No.	Product Description	From	Unit
474701	76 mm x 26 mm, cut edges	2500	piece(s)
474702	76 mm x 26 mm, cut edges, Edge frosted on both sides	2500	piece(s)
474743	76 mm x 26 mm, ground edges	2500	piece(s)
474744	76 mm x 26 mm, ground edges, Edge frosted on both sides	2500	piece(s)

### Microscope slides 1.2 - 1.5 mm, white, with concave cavities, rim polished



Cat. No.	Product Description	From	Unit
475505	With 1 hemispherical depression, 76 mm x 26 mm	50	piece(s)
475535	With 2 hemispherical depressions, 76 mm x 26 mm	50	piece(s)
475565	With 3 hemispherical depressions, 76 mm x 26 mm	50	piece(s)

## Spotting tile, soda-lime glass

Cat. No.	Product Description	From	Unit
473500	With 12 depressions, 130 mm x 100 mm x 6 mm, diameter 20 - 22 mm	1	piece(s)




## Storage and dispenser box, PMMA

Cat. No.	Product Description	From	Unit
131900	large, 165 mm x 152 mm x 355 mm	1	piece(s)
131902	small, 165 mm x 152 mm x 178 mm	1	piece(s)



## Test tubes, Boro 3.3, graduated, with PP stopper, with spout

Cat. No.	Product Description	From	Unit
114508	15 mm x 165 mm, 10 ml : 0,1 ml, NS 12/21	10	piece(s)
114516	17 mm x 200 mm, 20 ml : 0,2 ml, NS 14/23	10	piece(s)
114521	17 mm x 220 mm, 25 ml : 0,2 ml, NS 14/23	10	piece(s)
114524	19 mm x 220 mm, 30 ml : 0,5 ml, NS 14/23	10	piece(s)



## Centrifuge tubes, PC, graduated, straight rim

Cat. No.	Product Description	From	Unit
781029	50 ml : 1 ml, 35 mm x 98 mm	10	piece(s)
781039	100 ml : 2 ml, 41 mm x 115 mm	10	piece(s)
781040	100 ml : 1 ml, 45 mm x 98 mm	10	piece(s)



## Centrifuge tubes, PP, with screw cap

Cat. No.	Product Description	From	Unit
114817	15 ml, Graduated to 13 ml, without base	750	piece(s)
114818	15 ml, Graduated to 13 ml, without base, sterile	750	piece(s)
114820	50 ml, without base	300	piece(s)
114821	50 ml, without base, sterile	300	piece(s)
114822	50 ml, with base	250	piece(s)
114823	50 ml, with base, sterile	250	piece(s)



### Centrifuge tubes, PP, beaded rim, without stopper, cylindrical



Cat. No.	Product Description	From	Unit
115342	10 ml, 16 mm x 100 mm	250	piece(s)
115346	26 ml, 24 mm x 90 mm	50	piece(s)
115348	30 ml, 20 mm x 100 mm	50	piece(s)
115350	48 ml, 30 mm x 100 mm	25	piece(s)
115352	75 ml, 35 mm x 100 mm	20	piece(s)
115354	110 ml, 40 mm x 120 mm	20	piece(s)
115356	160 ml, 45 mm x 120 mm	10	piece(s)

### Centrifuge tubes, ungraduated



Cat. No.	Product Description	From	Unit
778012	15 ml, base shape conical, beaded rim, Height 113 mm	100	piece(s)
778013	15 ml, base shape conical, beaded rim, Height 113 mm	100	piece(s)
779012	11 ml, base shape pointed, rimless, Height 98 mm	100	piece(s)
779022	13 ml, base shape round, rimless, Height 98 mm	100	piece(s)

### Plug, PE, for centrifuge tubes



Cat. No.	Product Description	From	Unit
115360	for centrifuge tubes, Art. no. 115342, PP, with nominal volume 10 ml	100	piece(s)
115366	for centrifuge tubes, Art. no. 115348, PP, with nominal volume 30 ml	100	piece(s)
115368	for centrifuge tubes, Art. no. 115346, PP, with nominal volume 26 ml	100	piece(s)
115370	for centrifuge tubes, Art. no. 115350, PP, with nominal volume 48 ml	100	piece(s)
115372	for centrifuge tubes, Art. no. 115352, PP, with nominal volume 75 ml	100	piece(s)
115374	for centrifuge tubes, Art. no. 115354, PP, with nominal volume 100 ml	100	piece(s)
115376	for centrifuge tubes, Art. no. 115356, PP, with nominal volume 160 ml	100	piece(s)

### Culture tubes, glass, rimless



Cat. No.	Product Description	From	Unit
114105	3 ml, 10 mm x 75 mm, AR-GLAS®, RCF max 3.000 G	250	piece(s)
114106	5,5 ml, 12 mm x 75 mm, Fiolax®, RCF max 3.000 G	250	piece(s)
114110	7,5 ml, 12 mm x 100 mm, AR-GLAS®, RCF max 3.000 G	144	piece(s)
114115	13 ml, 16 mm x 100 mm, AR-GLAS®, RCF max 2.600 G	78	piece(s)
114120	18 ml, 16 mm x 125 mm, AR-GLAS®, RCF max 1.800 G	105	piece(s)
114125	22 ml, 16 mm x 160 mm, AR-GLAS®, RCF max 1.500 G	100	piece(s)
114130	30 ml, 18 mm x 180 mm, Fiolax®, RCF max 900 G	121	piece(s)

## Culture tubes, glass, with screw cap PP

Cat. No.	Product Description	From	Unit
113931	6,5 ml, 12 mm x 100 mm, Fiolax®, RCF max 3.000 G, GL 14	100	piece(s)
113935	10 ml, 16 mm x 100 mm, AR-GLAS®, RCF max 3.000 G, GL 18	100	piece(s)
113941	20 ml, 16 mm x 160 mm, Fiolax®, RCF max 1.800 G, GL 18	100	piece(s)
113943	30 ml, 18 mm x 180 mm, Fiolax®, RCF max 1.100 G, GL 18	100	piece(s)



## Sample tubes, PS, clear

Cat. No.	Product Description	From	Unit
114715	universal, 16 mm x 100 mm	2000	piece(s)
114750	Coagulometer, 12 mm x 55 mm	5000	piece(s)
114760	universal, 12 mm x 75 mm	4000	piece(s)



## Grip stopper, PE-LD

Cat. No.	Product Description	From	Unit
114720	for sample tubes, art.-no. 114715	1000	piece(s)
114730	for sample tubes, art.-no. 114750/114760	1000	piece(s)




## Sedimentation tubes, PS, clear

Cat. No.	Product Description	From	Unit
114740	conical, 16 mm x 105 mm	2000	piece(s)



## Inoculation loops, PS, y-sterile

Cat. No.	Product Description	From	Unit
452201	with needle and loop 1 µl, white	1000	piece(s)
452210	with needle and loop 10 µl, blue	1000	piece(s)
452215	with sling at both ends 1 + 10 µl, yellow	1000	piece(s)







# Accessories and spare parts



Liquid Handling Instruments

page 138



Life Science Consumables

page 163



Volumetric Instruments

page 165



General Lab Products

page 173

## Bottle adapter Dispensette® / seripettor® / Titrette® / QuikSip™



Cat. No.	Product Description	From	Unit
704322	PP, Thread GL 32, adapter for bottle thread GL 22	1	piece(s)
704325	PP, Thread GL 32, adapter for bottle thread GL 25	1	piece(s)
704328	PP, Thread GL 32, adapter for bottle thread GL 28	1	piece(s)
704330	PP, Thread GL 32, adapter for bottle thread GL 30	1	piece(s)
704338	PP, Thread GL 32, adapter for bottle thread GL 38	1	piece(s)
704340	PP, Thread GL 32, adapter for bottle thread S 40	1	piece(s)
704343	PP, Thread GL 45, adapter for bottle thread S 40	1	piece(s)
704345	PP, Thread GL 32, adapter for bottle thread GL 45	1	piece(s)
704348	PP, Thread GL 45, adapter for bottle thread S 60	1	piece(s)
704350	PP, Thread GL 45, adapter for bottle thread S 50	1	piece(s)
704375	ETFE, Thread GL 32, adapter for bottle thread GL 25	1	piece(s)
704378	ETFE, Thread GL 32, adapter for bottle thread GL 28	1	piece(s)
704388	ETFE, Thread GL 32, adapter for bottle thread GL 38	1	piece(s)
704390	ETFE, Thread GL 32, adapter for bottle thread S 40	1	piece(s)
704391	PTFE, Thread GL 45, adapter for bottle thread S 40	1	piece(s)
704395	ETFE, Thread GL 32, adapter for bottle thread GL 45	1	piece(s)
704396	PP, Thread GL 45, adapter for bottle thread GL 32	1	piece(s)
704397	PP, Thread GL 45, adapter for bottle thread GL 38	1	piece(s)
704398	ETFE, Thread GL 45, adapter for bottle thread GL 32	1	piece(s)
704399	ETFE, Thread GL 45, adapter for bottle thread GL 38	1	piece(s)
704419	PP, Thread GL 32, for bottles with ground joint NS 19/26	1	piece(s)
704424	PP, Thread GL 32, for bottles with ground joint NS 24/29	1	piece(s)
704429	PP, Thread GL 32, for bottles with ground joint NS 29/32	1	piece(s)
704430	PP, Thread S 45, adapter for bottle thread S 54	1	piece(s)
704431	PP, Thread GL 45, adapter for bottle thread GL 35	1	piece(s)

## Filling valves with olive Dispensette® S / S Organic / S Trace Analysis



Cat. No.	Product Description	From	Unit
6734	PFA / glass / ceramic, suitable for Dispensette® S / S Organic, for nominal volume 1 ml, 2 ml, 5 ml, 10 ml	1	piece(s)
6735	PFA / glass / ceramic, suitable for Dispensette® S / S Organic, for nominal volume 25 ml, 50 ml, 100 ml	1	piece(s)
6739	PFA / sapphire, suitable for Dispensette® S Trace Analysis	1	piece(s)

## Filling valve with Seals seripettor® pro



Cat. No.	Product Description	From	Unit
6697	for nominal volume 2 ml, 10 ml	1	piece(s)
6698	for nominal volume 25 ml	1	piece(s)

## Discharge valves Dispensette® S / S Organic / S Trace Analysis

Cat. No.	Product Description	From	Unit
6727	PFA / glass / ceramic / platinum-iridium, suitable for Dispensette® S, for nominal volume 5 ml, 10 ml, no valve marking	1	piece(s)
6728	PFA / glass / ceramic / platinum-iridium, suitable for Dispensette® S, for nominal volume 25 ml, 50 ml, 100 ml, no valve marking	1	piece(s)
6729	PFA / glass / ceramic / tantalum, suitable for Dispensette® S Organic, for nominal volume 5 ml, 10 ml, valve marked with 'ORG'	1	piece(s)
6730	PFA / glass / ceramic / tantalum, suitable for Dispensette® S / S Organic, for nominal volume 25 ml, 50 ml, 100 ml, valve marked with 'ORG'	1	piece(s)
6732	suitable for Dispensette® S / S Organic / S Trace Analysis, for nominal volume 10 ml, PT/IR spring	1	piece(s)
6733	suitable for Dispensette® S Trace Analysis, for nominal volume 10 ml, tantalum spring	1	piece(s)
6749	suitable for Dispensette® S, for nominal volume 1 ml, 2 ml, valve marked with '1+2'	1	piece(s)



## Venting stopper Dispensette® / Titrette®

Cat. No.	Product Description	From	Unit
6659	suitable for Titrette®	1	piece(s)
704492	suitable for Dispensette® S / S Organic	1	piece(s)
704493	suitable for Dispensette® S Trace Analysis	1	piece(s)



## Venting stopper Dispensette®

Cat. No.	Product Description	From	Unit
704495	for micro filter with Luer-cone	1	piece(s)



## Set of replacement seals seripettor® pro

Cat. No.	Product Description	From	Unit
6696	Set of replacement seals	1 pack = 5 piece(s)	pack



## Dispensing cartridge Dispensette® S Trace Analysis

Cat. No.	Product Description	From	Unit
708035	with safety ring	1	piece(s)



### Discharge tubes Dispensette® S



Cat. No.	Product Description	From	Unit
708002	for nominal volume 1 ml, 2 ml, 5 ml, 10 ml, Fine tip	1	piece(s)
708005	for nominal volume 5 ml, 10 ml, Standard tip	1	piece(s)
708006	for nominal volume 25 ml, 50 ml, 100 ml, Fine tip	1	piece(s)
708008	for nominal volume 25 ml, 50 ml, 100 ml, Standard tip	1	piece(s)
708102	for nominal volume 1 ml, 2 ml, 5 ml, 10 ml, Fine tip	1	piece(s)
708104	for nominal volume 5 ml, 10 ml, Standard tip	1	piece(s)
708106	for nominal volume 25 ml, 50 ml, 100 ml, Fine tip	1	piece(s)
708109	for nominal volume 25 ml, 50 ml, 100 ml, Standard tip	1	piece(s)

### Discharge tubes Dispensette® S Organic



Cat. No.	Product Description	From	Unit
708012	for nominal volume 5 ml, 10 ml, Fine tip	1	piece(s)
708014	for nominal volume 5 ml, 10 ml, Standard tip	1	piece(s)
708016	for nominal volume 25 ml, 50 ml, 100 ml, Fine tip	1	piece(s)
708019	for nominal volume 25 ml, 50 ml, 100 ml, Standard tip	1	piece(s)
708112	for nominal volume 5 ml, 10 ml, Fine tip	1	piece(s)
708114	for nominal volume 5 ml, 10 ml, Standard tip	1	piece(s)
708116	for nominal volume 25 ml, 50 ml, 100 ml, Fine tip	1	piece(s)
708119	for nominal volume 25 ml, 50 ml, 100 ml, Standard tip	1	piece(s)

### Discharge tube Dispensette® S Trace Analysis



Cat. No.	Product Description	From	Unit
708022	without recirculation valve, PT/IR valve spring	1	piece(s)
708024	without recirculation valve, tantalum valve spring	1	piece(s)
708122	with recirculation valve, PT/IR valve spring	1	piece(s)
708124	with recirculation valve, tantalum valve spring	1	piece(s)

### Discharge tube seripettor® / seripettor® pro



Cat. No.	Product Description	From	Unit
704518	suitable for seripettor®, for nominal volume 2 ml, Fine tip	1	piece(s)
704520	suitable for seripettor®, for nominal volume 10 ml, 25 ml, Standard tip	1	piece(s)
707915	suitable for seripettor® pro, for nominal volume 2 ml, 90 mm	1	piece(s)
707916	suitable for seripettor® pro, for nominal volume 10 ml, 90 mm	1	piece(s)
707918	suitable for seripettor® pro, for nominal volume 25 ml, 120 mm	1	piece(s)
707928	suitable for seripettor® pro, with Luer-Lock attachment for micro filter	1	piece(s)

## Flexible discharge tubing, PTFE, suitable for Dispensette® S / S Organic / S Trace Analysis, with recirculation valve, 800 mm

Cat. No.	Product Description	From	Unit
708132	for nominal volume 1 ml, 2 ml, 5 ml, 10 ml	1	piece(s)
708134	for nominal volume 25 ml, 50 ml, 100 ml	1	piece(s)



## Drum extraction system Dispensette®

Cat. No.	Product Description	From	Unit
704209	Filling tube for, FEP, for nominal volume 0,5 ml, 1 ml, 2 ml, 5 ml, 10 ml, 1.500 mm	1	piece(s)
704261	Extraction system, standard supply (without Dispensette®)	1	piece(s)
704267	Filling tube, FEP, 7,6 mm, 10.000 mm	1	piece(s)
704268	Support rod connector for, stainless steel	1	piece(s)
704269	Filling tube for, FEP, 6,9 mm, 1.000 mm	1	piece(s)
704270	Thread adapter, stainless steel, outer thread 2", inner thread R 3/4"	1	piece(s)
704272	Table/rack clamp for wall mount	1	piece(s)
704281	Thread adapter, PTFE, outer thread 3/4", GL 32	1	piece(s)
704282	Thread adapter for, PTFE, inner thread 3/4", GL 32	1	piece(s)



## Bottle stand Dispensette® / Titrette®, PP

Cat. No.	Product Description	From	Unit
704275	suitable for Dispensette® / Titrette®	1	piece(s)



## Piston mounting nut Dispensette® S / S Organic

Cat. No.	Product Description	From	Unit
706033	for nominal volume 1 ml, 2 ml, 5 ml, 10 ml	1	piece(s)
706034	for nominal volume 25 ml, 50 ml	1	piece(s)



## Valve lever recirculation valve Dispensette® S / S Organic / S Trace Analysis

Cat. No.	Product Description	From	Unit
8516	suitable for Dispensette® S	1	piece(s)
8517	suitable for Dispensette® S Organic	1	piece(s)
8518	suitable for Dispensette® S Trace Analysis	1	piece(s)



## Mounting tool



Cat. No.	Product Description	From	Unit
6687	suitable for seripettor® pro	1	piece(s)
6748	suitable for Dispensette® S / S Organic / S Trace Analysis	1	piece(s)
6784	suitable for Titrette®	1	piece(s)

## Recirculation tube Dispensette® S / Titrette®



Cat. No.	Product Description	From	Unit
6747	suitable for Dispensette® S / S Organic / S Trace Analysis	1	piece(s)
8317	suitable for Titrette®	1	piece(s)

## Screw cap with fastener Dispensette® S / S Organic / S Trace Analysis




Cat. No.	Product Description	From	Unit
706018	suitable for Dispensette® S, for nominal volume 1 ml, 2 ml, 5 ml, 10 ml	1	piece(s)
706019	suitable for Dispensette® S, PP, for nominal volume 25 ml, 50 ml, 100 ml	1	piece(s)
706025	suitable for Dispensette® S Organic, PP, for nominal volume 2 ml, 10 ml	1	piece(s)
706027	suitable for Dispensette® S Organic, for nominal volume 25 ml, 50 ml, 100 ml	1	piece(s)
706029	suitable for Dispensette® S / S Organic / S Trace Analysis, ETFE, for nominal volume 1 ml, 2 ml, 5 ml, 10 ml	1	piece(s)
706031	suitable for Dispensette® S / S Organic, PTFE, for nominal volume 25 ml, 50 ml, 100 ml	1	piece(s)

## Screw cap with fastener seripettor® pro, PP



Cat. No.	Product Description	From	Unit
706011	for nominal volume 2 ml, 10 ml	1	piece(s)
706012	for nominal volume 25 ml	1	piece(s)

## Telescopic filling tube Dispensette® S / S Organic / S Trace Analysis / seripettor® pro / Dispensette® III / TA / Titrette®, FEP



Cat. No.	Product Description	From	Unit
708210	for nominal volume 1 ml, 2 ml, 5 ml, 10 ml, 140 mm	1	piece(s)
708212	for nominal volume 1 ml, 2 ml, 5 ml, 10 ml, 240 mm	1	piece(s)
708214	for nominal volume 1 ml, 2 ml, 5 ml, 10 ml, 350 mm	1	piece(s)
708216	for nominal volume 1 ml, 2 ml, 5 ml, 10 ml, 480 mm	1	piece(s)
708218	for nominal volume 25 ml, 50 ml, 100 ml, 330 mm	1	piece(s)
708220	for nominal volume 25 ml, 50 ml, 100 ml, 480 mm	1	piece(s)

## Drying tube Dispensette® / Titrette®



Cat. No.	Product Description	From	Unit
707930	PE-LD, including seal for valve block, PTFE	1	piece(s)

## Adapter seripettor® pro, ETFE seal

Cat. No.	Product Description	From	Unit
6208	For discharge tube	1	piece(s)
6707	For filling valve	1	piece(s)



## Filling tubes seripettor®, PP

Cat. No.	Product Description	From	Unit
704532	250 mm	1 pack = 2 piece(s)	1 pack
704534	500 mm	1 pack = 2 piece(s)	1 pack
704536	for sterile applications, with O-ring, 250 mm	1	piece(s)
704538	for sterile applications, with O-ring, 500 mm	1	piece(s)



## Filling valve seripettor®

Cat. No.	Product Description	From	Unit
6790	1 filling valve, 1 discharge valve and 2 seals	1	pack



## Set volume adjustment seripettor® / seripettor® pro

Cat. No.	Product Description	From	Unit
6787	consisting of knob and pointer	1	piece(s)



## Pump assembly seripettor® / seripettor® pro, PC/stainless steel

Cat. No.	Product Description	From	Unit
704541	suitable for seripettor®, for nominal volume 2 ml	1	piece(s)
704542	suitable for seripettor®, for nominal volume 10 ml	1	piece(s)
704544	suitable for seripettor®, for nominal volume 25 ml	1	piece(s)
704548	suitable for seripettor® pro, for nominal volume 10 ml	1	piece(s)
704549	suitable for seripettor® pro, for nominal volume 25 ml	1	piece(s)
704551	suitable for seripettor® pro, for nominal volume 2 ml	1	piece(s)



## Flexible discharge tubing seripettor® / seripettor® pro, PTFE, 800 mm

Cat. No.	Product Description	From	Unit
704522	for nominal volume 2 ml, 10 ml	1	piece(s)
704523	for nominal volume 25 ml	1	piece(s)





## Dispensing cartridge seripettor® / seripettor® pro / QuikSip™



Cat. No.	Product Description		From	Unit
704500	2 ml	1 bag = 3 piece(s)	1	bag
704502	10 ml	1 bag = 3 piece(s)	1	bag
704504	25 ml	1 bag = 3 piece(s)	1	bag
704506	10 ml, sterile	1 pack = 7 piece(s)	1	pack
704507	2 ml, sterile	1 pack = 7 piece(s)	1	pack
704508	25 ml, sterile	1 pack = 5 piece(s)	1	pack

## valve block seripettor® / seripettor® pro



Cat. No.	Product Description		From	Unit
6792	for nominal volume 2 ml, 10 ml		1	piece(s)
6794	for nominal volume 25 ml		1	piece(s)

## Closure cap seripettor®, PP



Cat. No.	Product Description		From	Unit
704552	for nominal volume 2 ml, 10 ml		1	piece(s)
704554	for nominal volume 25 ml		1	piece(s)

## Seal for valve block, PTFE, Dispensette®



Cat. No.	Product Description		From	Unit
704486	Seal for valve block		1	piece(s)

## Filling valve Titrette®



Cat. No.	Product Description		From	Unit
6636	with olive-shaped nozzle and sealing ring		1	piece(s)

## Discharge valve Titrette®



Cat. No.	Product Description		From	Unit
8898	with olive-shaped nozzle and sealing ring		1	piece(s)

## Battery Titrette®



Cat. No.	Product Description		From	Unit
7260	Micro batteries Titrette®, 1,5 V (AAA/UM-4/LR03), including battery case cover		1	piece(s)

## Battery case cover Titrette®

Cat. No.	Product Description	From	Unit
8857	Battery case cover	1	piece(s)



## Dispensing cylinder with valve block Titrette®

Cat. No.	Product Description	From	Unit
707533	for nominal volume 10 ml	1	piece(s)
707535	for nominal volume 25 ml, from serial-number 01K	1	piece(s)
707537	for nominal volume 50 ml, from serial-number 01K	1	piece(s)



## Titrette® extraction system for Bag-in-Box packaging system

Cat. No.	Product Description	From	Unit
707550	Titrette® extraction system for Bag-in-Box packaging system	1	piece(s)



## Interface cable Titrette®

Cat. No.	Product Description	From	Unit
8850	Interface cable RS232	1	piece(s)
707539	Adapter set interface RS232 to USB	1	piece(s)



## Piston head Titrette®

Cat. No.	Product Description	From	Unit
707530	for nominal volume 25 ml	1	piece(s)
707531	for nominal volume 10 ml	1	piece(s)
707532	for nominal volume 50 ml	1	piece(s)



## Screw cap with fastener Titrette®

Cat. No.	Product Description	From	Unit
707528	Screw cap with strap for Titrette®	1	piece(s)



## Inspection window Titrette®

Cat. No.	Product Description	From	Unit
6783	colorless / amber colored	1 pack = 2 piece(s)	1 pack



## Software (CD-ROM) Titrette® with RS232 interface



Cat. No.	Product Description	From	Unit
707538	DE / EN language	1	piece(s)

## Titration tubes Titrette®



Cat. No.	Product Description	From	Unit
707525	for nominal volume 10 ml	1	piece(s)
707529	for nominal volume 25 ml, 50 ml	1	piece(s)

## Housing clip Titrette®



Cat. No.	Product Description	From	Unit
8860	suitable for Titrette® SH	1	piece(s)
8861	suitable for Titrette®, for nominal volume 10 ml	1	piece(s)
707558	suitable for Titrette®, for nominal volume 25 ml	1	piece(s)
707559	suitable for Titrette®, for nominal volume 50 ml	1	piece(s)

## Buttons Titrette®



Cat. No.	Product Description	From	Unit
707556	'On/Off'	1	piece(s)
707557	'Pause'	1	piece(s)

## Valve lever Titrette®



Cat. No.	Product Description	From	Unit
8816	Valve lever	1	piece(s)

## Housing - rear casing Titrette®



Cat. No.	Product Description	From	Unit
8842	standard	1	piece(s)
8843	with RS232 interface	1	piece(s)

## Hand wheel Titrette®



Cat. No.	Product Description	From	Unit
707560	Hand wheel	1	piece(s)

## Filling tube QuikSip™ BT-Aspirator, PP

Cat. No.	Product Description	From	Unit
704575	With filling valve, PP/EPDM	1	piece(s)



## Discharge valve QuikSip™ BT-Aspirator

Cat. No.	Product Description	From	Unit
704580	PP/EPDM, with Seals	1	piece(s)



## Actuator QuikSip™ BT-Aspirator

Cat. No.	Product Description	From	Unit
704570	Actuator	1	piece(s)

## Seal seripettor® / QuikSip™

Cat. No.	Product Description	From	Unit
6788	EPDM	1 pack = 5 piece(s)	pack



## 8-channel manifold QuikSip™ BT-Aspirator

Cat. No.	Product Description	From	Unit
704526	PP	1	piece(s)



## Adapter for connecting cell-culture™ unit

Cat. No.	Product Description	From	Unit
25959	PP	1	piece(s)



### Adapter for cell-culture™ unit



Cat. No.	Product Description	From	Unit
25933	PVC, for capillaries	1	piece(s)
25960	SI / PVC, for pasteur pipettes	1	piece(s)
25961	PP, for pipette tips 200 µl	1	piece(s)

### Suction tube for cell-culture™ unit



Cat. No.	Product Description	From	Unit
25962	Suction tube, silicone, 2.000 mm	1	piece(s)

### Stands and mounts Transferpette® S (model from 2020) / Transferpette® electronic



Cat. No.	Product Description	From	Unit
703440	Bench-top stand (for 1 instrument) Transferpette®-8/-12, all models	1	piece(s)
704807	Carousel stand (for 6 instruments) Transferpette® S and S -8/-12	1	piece(s)
704811	Shelf mount (for 1 instrument) Transferpette® S or S -8/-12	1	piece(s)
704812	Wall mount (for 1 instrument) Transferpette® S or S -8/-12	1	piece(s)
705382	Wall mount (for 1 instrument) Transferpette® electronic or -8/-12 electronic	1	piece(s)
705383	Shelf mount (for 1 instrument) Transferpette® electronic or -8/-12 electronic	1	piece(s)
705384	Bench-top stand (for 1 instrument) Transferpette® electronic or -8/-12 electronic	1	piece(s)
705385	Bench-top stand (for 1 instrument) Transferpette® electronic, except 0.5-5 ml	1	piece(s)
705386	Bench-top stand (for 1 instrument) Transferpette® electronic 0,25-5ml or Transferpette® S 2ml or 0.5-5ml	1	piece(s)
705390	3-device charging stand Transferpette® electronic, AC adapter Europe (continent), except 0.5-5 ml	1	piece(s)
705391	3-device charging stand Transferpette® electronic, AC adapter UK/Ireland, except 0.5-5 ml	1	piece(s)
705392	3-device charging stand Transferpette® electronic, AC adapter USA/Japan, except 0.5-5 ml	1	piece(s)

### Mounts Transferpette® S (up to Modell 2019)



Cat. No.	Product Description	From	Unit
704813	Wall mount (for 1 instrument) Transferpette® S or S -8/-12	1	piece(s)


### EASYCAL™ test tubes



Cat. No.	Product Description	From	Unit
708462	for pipettes < 50 µl	1 pack = 250 piece(s)	1 pack

## Micro-weighing container

Cat. No.	Product Description		From	Unit
708470	Micro-weighing container for pipettes < 50 µl, Includes 10 filters and 3 sealing covers		1	pack
708471	Filter pack for micro weighing vessel, inclusive 20 spare filters	1 pack = 20 piece(s)	1	pack
708472	Set of lids for micro weighing vessel, inclusive 3 spare lids	1 pack = 3 piece(s)	1	pack



## Ejector (upper part) Transferpette® S + Transferpette® electronic, single channel up to 1000 µl

Cat. No.	Product Description		From	Unit
705508	suitable for Transferpette® S, fix, 10 µl + variable, 0.1 - 1 µl, 0,1 - 2.5 µl and 0.5 - 10 µl, single channel, Model from 2020		1	piece(s)
705509	suitable for Transferpette® S, fix, 20 µl, 25 µl, 50 µl, 100 µl and 200 µl + variable, 2 - 20 µl, 5 - 50 µl, 10 - 100 µl and 20 - 200 µl, single channel, Model from 2020		1	piece(s)
705510	suitable for Transferpette® S (up to model 2019) and Transferpette® electronic up to 1000 µl		1	piece(s)
705511	suitable for Transferpette® S, fixed vol., 500+1000 µl, variable 100-1000 µl, single channel, Model from 2020		1	piece(s)



## Ejector (bottom part) Transferpette® S + Transferpette® electronic, single channel up to 1000 µl



Cat. No.	Product Description	From	Unit
704630	suitable for Transferpette® S (up to Modell 2019), adjustable, 0,1 - 1 µl	1	piece(s)
704631	suitable for Transferpette® S (up to Modell 2019), adjustable, 0,5 - 10 µl	1	piece(s)
704632	suitable for Transferpette® S (up to Modell 2019), adjustable, 2 - 20 µl	1	piece(s)
704633	suitable for Transferpette® S (up to Modell 2019), adjustable, 10 - 100 µl	1	piece(s)
704634	suitable for Transferpette® S (up to Modell 2019), adjustable, 20 - 200 µl	1	piece(s)
704635	suitable for Transferpette® S (up to Modell 2019), adjustable, 100 - 1.000 µl	1	piece(s)
704638	suitable for Transferpette® S (up to Modell 2019), fixed-volume, 10 µl	1	piece(s)
704639	suitable for Transferpette® S (up to Modell 2019), fixed-volume, 20 µl	1	piece(s)
704640	suitable for Transferpette® S (up to Modell 2019), fixed-volume, 25 µl	1	piece(s)
704641	suitable for Transferpette® S (up to Modell 2019), fixed-volume, 50 µl	1	piece(s)
704642	suitable for Transferpette® S (up to Modell 2019), fixed-volume, 100 µl	1	piece(s)
704643	suitable for Transferpette® S (up to Modell 2019), fixed-volume, 200 µl	1	piece(s)
704644	suitable for Transferpette® S (up to Modell 2019), fixed-volume, 500 µl	1	piece(s)
704645	suitable for Transferpette® S (up to Modell 2019), fixed-volume, 1.000 µl	1	piece(s)
704649	suitable for Transferpette® S (up to Modell 2019), adjustable, 0,1 - 2,5 µl	1	piece(s)
704665	suitable for Transferpette® S (up to Modell 2019), adjustable, 5 - 50 µl	1	piece(s)
704730	suitable for Transferpette® S (model from 2020), adjustable, 0,1 - 1 µl	1	piece(s)
704731	suitable for Transferpette® S (model from 2020), adjustable, 0,1 - 2,5 µl	1	piece(s)
704732	suitable for Transferpette® S (model from 2020), adjustable, 0,5 - 10 µl	1	piece(s)
704733	suitable for Transferpette® S (model from 2020), adjustable, 2 - 20 µl	1	piece(s)
704734	suitable for Transferpette® S (model from 2020), adjustable, 5 - 50 µl	1	piece(s)
704735	suitable for Transferpette® S (model from 2020), adjustable, 10 - 100 µl	1	piece(s)
704736	suitable for Transferpette® S (model from 2020), adjustable, 20 - 200 µl	1	piece(s)
704737	suitable for Transferpette® S (model from 2020), adjustable, 100 - 1.000 µl	1	piece(s)
704739	suitable for Transferpette® S (model from 2020), fixed-volume, 10 µl	1	piece(s)
704740	suitable for Transferpette® S (model from 2020), fixed-volume, 20 µl	1	piece(s)
704741	suitable for Transferpette® S (model from 2020), fixed-volume, 25 µl	1	piece(s)
704742	suitable for Transferpette® S (model from 2020), fixed-volume, 50 µl	1	piece(s)
704743	suitable for Transferpette® S (model from 2020), fixed-volume, 100 µl	1	piece(s)
704745	suitable for Transferpette® S (model from 2020), fixed-volume, 200 µl	1	piece(s)
704746	suitable for Transferpette® S (model from 2020), fixed-volume, 500 µl	1	piece(s)
704747	suitable for Transferpette® S (model from 2020), fixed-volume, 1.000 µl	1	piece(s)
705548	suitable for Transferpette® electronic, 0,5 - 10 µl	1	piece(s)
705550	suitable for Transferpette® electronic, 2 - 20 µl	1	piece(s)
705553	suitable for Transferpette® electronic, 10 - 200 µl	1	piece(s)
705555	suitable for Transferpette® electronic, 50 - 1.000 µl	1	piece(s)

## Set ejector (upper and lower part) Transferpette® S + Transferpette® electronic, single channel from 2 ml

Cat. No.	Product Description	From	Unit
7299	suitable for Transferpette® electronic, 0,25 ml - 5 ml	1	piece(s)
704636	suitable for Transferpette® S, 0,5 ml - 5 ml, Model up to 2019	1	piece(s)
704637	suitable for Transferpette® S, 1 ml - 10 ml, Model up to 2019	1	piece(s)
704666	suitable for Transferpette® S, 2.000 µl, Model up to 2019	1	piece(s)
704765	suitable for Transferpette® S, 2.000 µl, Model from 2020	1	piece(s)
704766	suitable for Transferpette® S, 0,5 ml - 5 ml, Model from 2020	1	piece(s)
704767	suitable for Transferpette® S, 1 ml - 10 ml, Model from 2020	1	piece(s)



## Shaft (bottom part) Transferpette® S + Transferpette® electronic, single-channel

Cat. No.	Product Description	From	Unit
703247	suitable for Transferpette® S 2 und 5 ml + Transferpette® electronic 5 ml	1	piece(s)
704628	suitable for Transferpette® S 10 ml	1	piece(s)



## Seal and sealing ring Transferpette® S + Transferpette® electronic, single-channel

Cat. No.	Product Description	From	Unit
7288	O-ring for piston unit, suitable for Transferpette® S 2 und 5 ml + Transferpette® electronic 5 ml	1	piece(s)
7298	O-ring for piston unit, suitable for Transferpette® S 10 ml	1	piece(s)
704610	Seal with spring, suitable for Transferpette® S, fixed volume, 20 µl and variable volume, 2-20 µl, single channel	1	piece(s)
704614	Seal with spring, suitable for Transferpette® S, fixed volume, 25 µl, single-channel	1	piece(s)
704617	Seal with spring, suitable for Transferpette® S, variable, 5 - 50 µl, single-channel	1	piece(s)
704661	Seal with spring, suitable for Transferpette® S, fixed vol., 50 + 100 µl, variable vol., 10-100 µl, single channel	1	piece(s)
704662	Piston seal with spring, suitable for Transferpette® S, fixed volume, 200 µl + Transferpette® S / electronic, variable volume, 10-200 µl, single channel	1	piece(s)
704663	Piston seal with spring, suitable for Transferpette® S, fixed volume, 500 and 1000 µl + Transferpette® S / electronic, variable volume, 50-1000 µl, single channel	1	piece(s)
705530	Seal with spring, suitable for Transferpette® electronic, 2 - 20 µl, single channel	1	piece(s)





## Seal and sealing ring Transferpette® S + Transferpette® electronic, multi-channel



Cat. No.	Product Description	From	Unit
703340	Piston seal, suitable for Transferpette® S and Transferpette® electronic, 0.5-10 µl, multi channel	1 pack = 3 piece(s)	1 pack
703341	Piston seal, suitable for Transferpette® electronic, 1 - 20 µl, multi-channel	1 pack = 3 piece(s)	1 pack
703343	Piston seal, suitable for Transferpette® electronic, 5 - 50 µl, multi-channel	1 pack = 3 piece(s)	1 pack
703344	Piston seal, suitable for Transferpette® S and Transferpette® electronic, 10 - 100 µl, multi channel	1 pack = 3 piece(s)	1 pack
703345	Piston seal, suitable for Transferpette® S and Transferpette® electronic, 20 - 200 µl, multi channel	1 pack = 3 piece(s)	1 pack
703346	Piston seal, suitable for Transferpette® S and Transferpette® electronic, 30 - 300 µl, multi channel	1 pack = 3 piece(s)	1 pack
703380	O-ring, suitable for Transferpette® S + Transferpette® electronic, 0.5 - 10 and 1 - 20 µl, multi channel	1 pack = 24 piece(s)	1 pack
705618	O-ring, suitable for Transferpette® S + Transferpette® electronic, 5 - 50, 10 - 100, 20 - 200 and 30 - 300 µl, multi channel	1 pack = 24 piece(s)	1 pack

## Piston unit Transferpette® S + Transferpette® electronic, single-channel



Cat. No.	Product Description	From	Unit
704600	suitable for Transferpette® S, variable 0.1 - 1 µl, single-channel	1	piece(s)
704601	suitable for Transferpette® S, fixed volume, 10 µl and variable volume, 0.5-10 µl, single channel	1	piece(s)
704602	suitable for Transferpette® S, fixed volume, 20 µl and variable volume, 2-20 µl, single channel	1	piece(s)
704606	suitable for Transferpette® S, variable, 500-5000 µl, single channel	1	piece(s)
704607	suitable for Transferpette® S, variable, 1000-10000 µl, single channel	1	piece(s)
704608	suitable for Transferpette® S, fixed volume, 50 µl, monochannel	1	piece(s)
704615	suitable for Transferpette® S, variable, 5 - 50 µl, single-channel	1	piece(s)
704616	suitable for Transferpette® S, variable 0.1 - 2.5 µl, single-channel	1	piece(s)
704654	suitable for Transferpette® S, fixed vol., 50 + 100 µl, variable vol., 10-100 µl, single channel	1	piece(s)
704655	suitable for Transferpette® S, fixed vol., 200 µl, variable vol., 20-200 µl, single channel	1	piece(s)
704656	suitable for Transferpette® S, fixed vol., 500+1000 µl, variable 100-1000 µl, single channel	1	piece(s)
705518	suitable for Transferpette® electronic, 0,5 - 10 µl, single channel	1	piece(s)
705520	suitable for Transferpette® electronic, 2 - 20 µl, single channel	1	piece(s)
705523	suitable for Transferpette® electronic, 10 - 200 µl, single channel	1	piece(s)
705525	suitable for Transferpette® electronic, 50 - 1000 µl, single channel	1	piece(s)
705526	suitable for Transferpette® electronic, 250 - 5000 µl, single channel	1	piece(s)

## Set piston + seal with spring (exchange unit for pipettes with glass piston) Transferpette®, single-channel



Cat. No.	Product Description	From	Unit
704603	suitable for Transferpette® S, fixed vol., 50 + 100 µl, variable vol., 10-100 µl, single channel, Model up to 2019	1	piece(s)
704604	suitable for Transferpette® S, fixed vol., 200 µl, variable vol., 20-200 µl, single channel, Model up to 2019	1	piece(s)
704605	suitable for Transferpette® S, fixed vol., 500+1000 µl, variable 100-1000 µl, single channel, Model up to 2019	1	piece(s)
705522	suitable for Transferpette® electronic, 10 - 200 µl, single channel, Model up to 2019	1	piece(s)
705524	suitable for Transferpette® electronic, 50 - 1000 µl, single channel	1	piece(s)

## Piston Transferpette® S + Transferpette® electronic, multi-channel

Cat. No.	Product Description	From	Unit
705659	suitable for Transferpette® S and Transferpette® electronic, 0.5-10 µl, multi channel	1	piece(s)
705662	suitable for Transferpette® S and Transferpette® electronic, 10 - 100 µl, multi channel	1	piece(s)
705663	suitable for Transferpette® S and Transferpette® electronic, 20 - 200 µl, multi channel	1	piece(s)
705664	suitable for Transferpette® S and Transferpette® electronic, 30 - 300 µl, multi channel	1	piece(s)
705666	suitable for Transferpette® S, 5 - 50 µl, multi channel	1	piece(s)
705671	suitable for Transferpette® electronic, 1 - 20 µl, multi-channel	1	piece(s)



## Ejector spring Transferpette® S + Transferpette® electronic, single-channel

Cat. No.	Product Description	From	Unit
704626	suitable for Transferpette® S 2 und 5 ml + Transferpette® electronic 5 ml	1	piece(s)



## Shaft with ejector spring Transferpette® S / Transferpette® electronic, single-channel

Cat. No.	Product Description	From	Unit
704618	suitable for Transferpette® S, variable 0.1 - 2.5 µl, single-channel, Model up to 2019	1	piece(s)
704620	suitable for Transferpette® S, variable 0.1 - 1 µl, single-channel, Model up to 2019	1	piece(s)
704621	suitable for Transferpette® S, fixed volume, 10 µl and variable volume, 0.5-10 µl, single channel, Model up to 2019	1	piece(s)
704622	suitable for Transferpette® S, fixed volume, 20 and 25 µl + variable volume, 2- 20 µl, single channel, Model up to 2019	1	piece(s)
704623	suitable for Transferpette® S, fixed vol., 50 + 100 µl, variable vol., 10-100 µl, single channel, Model up to 2019	1	piece(s)
704624	suitable for Transferpette® S, fixed vol., 200 µl, variable vol., 20-200 µl, single channel, Model up to 2019	1	piece(s)
704625	suitable for Transferpette® S, fixed vol., 500+1000 µl, variable 100-1000 µl, single channel, Model up to 2019	1	piece(s)
704659	suitable for Transferpette® S, variable, 5 - 50 µl, single-channel, Model up to 2019	1	piece(s)
704718	suitable for Transferpette® S, variable 0.1 - 1 µl, single-channel, Model from 2020	1	piece(s)
704719	suitable for Transferpette® S, variable 0.1 - 2.5 µl, single-channel, Model from 2020	1	piece(s)
704721	suitable for Transferpette® S, fixed volume, 10 µl and variable volume, 0.5-10 µl, single channel, Model from 2020	1	piece(s)
704722	suitable for Transferpette® S, variable, 5 - 50 µl, single-channel, Model from 2020	1	piece(s)
704723	suitable for Transferpette® S, fixed volume, 20 µl and variable volume, 2-20 µl, single channel, Model from 2020	1	piece(s)
704724	suitable for Transferpette® S, fixed vol., 50 + 100 µl, variable vol., 10-100 µl, single channel, Model from 2020	1	piece(s)
704725	suitable for Transferpette® S, fixed vol., 200 µl, variable vol., 20-200 µl, single channel, Model from 2020	1	piece(s)
704726	suitable for Transferpette® S, fixed vol., 500+1000 µl, variable 100-1000 µl, single channel, Model from 2020	1	piece(s)
705537	suitable for Transferpette® electronic, 10 - 200 µl, single channel	1	piece(s)
705538	suitable for Transferpette® electronic, 0,5 - 10 µl, single channel	1	piece(s)
705539	suitable for Transferpette® electronic, 2 - 20 µl, single channel	1	piece(s)
705541	suitable for Transferpette® electronic, 50 - 1000 µl, single channel	1	piece(s)



## Nose cones Transferpette® S / Transferpette® electronic, multi-channel



Cat. No.	Product Description		From	Unit
705614	suitable for Transferpette® S (up to Modell 2019), 5-50 µl	1 pack = 2 piece(s)	1	pack
705615	suitable for Transferpette® S (up to Model 2019) / Transferpette® electronic, 10-100 µl	1 pack = 2 piece(s)	1	pack
705616	suitable for Transferpette® S (up to Model 2019) / Transferpette® electronic, 20-200 µl	1 pack = 2 piece(s)	1	pack
705617	suitable for Transferpette® S (up to Model 2019) / Transferpette® electronic, 30-300 µl	1 pack = 2 piece(s)	1	pack
705620	suitable for Transferpette® S (model from 2020), 5-50 µl	1 pack = 2 piece(s)	1	pack
705621	suitable for Transferpette® S (model from 2020), 10-100 µl	1 pack = 2 piece(s)	1	pack
705622	suitable for Transferpette® S (model from 2020), 20-200 µl	1 pack = 2 piece(s)	1	pack
705623	suitable for Transferpette® S (model from 2020), 30-300 µl	1 pack = 2 piece(s)	1	pack
705630	suitable for Transferpette® S (up to Modell 2019), 5-50 µl, rounded shape	1 pack = 2 piece(s)	1	pack
705631	suitable for Transferpette® S (up to Model 2019) / Transferpette® electronic, 10-100 µl, rounded shape	1 pack = 2 piece(s)	1	pack
705633	suitable for Transferpette® S (up to Model 2019) / Transferpette® electronic, 30-300 µl, rounded shape	1 pack = 2 piece(s)	1	pack
705634	suitable for Transferpette® S (model from 2020), 5-50 µl, rounded shape	1 pack = 2 piece(s)	1	pack
705635	suitable for Transferpette® S (model from 2020), 10-100 µl, rounded shape	1 pack = 2 piece(s)	1	pack
705636	suitable for Transferpette® S (model from 2020), 20-200 µl, rounded shape	1 pack = 2 piece(s)	1	pack
705638	suitable for Transferpette® S (model from 2020), 30-300 µl, rounded shape	1 pack = 2 piece(s)	1	pack
705677	suitable for Transferpette® S / Transferpette® electronic, 0,5-10 µl	1 pack = 2 piece(s)	1	pack
705678	suitable for Transferpette® electronic, 1-20 µl	1 pack = 2 piece(s)	1	pack

## Pipette shafts complete Transferpette® electronic, single-channel



Cat. No.	Product Description		From	Unit
705528	suitable for Transferpette® electronic 0,5 - 10 µl		1	piece(s)
705529	suitable for Transferpette® electronic 2 - 20 µl		1	piece(s)
705546	suitable for Transferpette® electronic 10 - 200 µl		1	piece(s)
705547	suitable for Transferpette® electronic 50 - 1.000 µl		1	piece(s)
705549	suitable for Transferpette® electronic 250 - 5.000 µl		1	piece(s)

## Filter Transferpette® S / Transferpette® electronic



Cat. No.	Product Description		From	Unit
704652	Filter Transferpette® S / Transferpette® electronic, 0.5-5 ml, Fix 2 ml	1 pack = 25 piece(s)	1	pack
704653	Filter Transferpette® S / Transferpette® electronic, 1-10 ml	1 pack = 25 piece(s)	1	pack

## Label window Transferpette® S



Cat. No.	Product Description		From	Unit
704650	Model up to 2019		1	piece(s)
704750	Model from 2020		1	piece(s)

## Labeling film Transferpette® S

Cat. No.	Product Description	From	Unit
704651	Model up to 2019	1 pack = 5 piece(s)	1 pack
704751	Model from 2020	1 pack = 5 piece(s)	1 pack



## Pipetting key Transferpette® S

Cat. No.	Product Description	From	Unit
704681	Pipetting key incl. snap ring for Transferpette® S, Model up to 2019	1	piece(s)
704748	Pipetting key incl. snap ring for Transferpette® S, Model from 2020	1	piece(s)



## Housing clip Transferpette® S (up to Modell 2019), adjustable

Cat. No.	Product Description	From	Unit
704670	suitable for Transferpette® S (up to Modell 2019) 1 µl	1	piece(s)
704671	suitable for Transferpette® S (up to Modell 2019) 2,5 µl	1	piece(s)
704672	suitable for Transferpette® S (up to Modell 2019) 10 µl	1	piece(s)
704673	suitable for Transferpette® S (up to Modell 2019) 20 µl	1	piece(s)
704674	suitable for Transferpette® S (up to Modell 2019) 50 µl	1	piece(s)
704675	suitable for Transferpette® S (up to Modell 2019) 100 µl	1	piece(s)
704676	suitable for Transferpette® S (up to Modell 2019) 200 µl	1	piece(s)
704677	suitable for Transferpette® S (up to Modell 2019) 1000 µl	1	piece(s)
704678	suitable for Transferpette® S (up to Modell 2019) 5 ml	1	piece(s)
704679	suitable for Transferpette® S (up to Modell 2019) 10 ml	1	piece(s)
704680	suitable for Transferpette® S (up to Modell 2019) 300 µl	1	piece(s)



## Grease for piston and guide axis Transferpette®

Cat. No.	Product Description	From	Unit
703677	Silicone grease for piston, suitable for Transferpette® 2, 5 and 10ml, single channel and all multi channel, approx. 1 g	1	piece(s)
703678	Fluorstatic grease for guide rod, suitable for Transferpette®, multi-channel	1	piece(s)
705502	Silicone grease for piston, suitable for Transferpette® S + Transferpette® electronic, single channel up to 1000 µl, approx. 0.3 g	1	piece(s)



## NiMH battery pack Transferpette® electronic

Cat. No.	Product Description	From	Unit
705500	NiMH battery pack Transferpette® electronic	1	piece(s)



## AC adapter Transferpette® electronic



Cat. No.	Product Description	From	Unit
705350	AC adapter Europe (110-240 V / 50-60 Hz)	1	piece(s)
705351	AC adapter UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705352	AC adapter USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705353	AC adapter Australia (110-240 V / 50-60 Hz)	1	piece(s)

## Filter and stopper for PLT unit



Cat. No.	Product Description	From	Unit
703978	Filter and stopper, PE + stopper for pipette adapter (10 filters + 1 stopper)	1 pack = 1 piece(s) (10 filters + 1 stopper)	1 pack

## Universal AC adapter for PLT unit



Cat. No.	Product Description	From	Unit
703979	Universal AC adapter for PLT unit	1	piece(s)

## Pipette adapter for PLT unit



Cat. No.	Product Description	From	Unit
703975	Single channel pipette adapter for PLT unit, for testing with tips	1	piece(s)
703976	Single channel pipette adapter for PLT unit, for testing w/o tips	1	piece(s)
703977	Fourchannel pipette adapter for PLT unit, for testing with and w/o tips	1	piece(s)

## Mounting block Transferpette



Cat. No.	Product Description	From	Unit
654052	suitable for Transferpette, 500 µl-10 ml, red	1	piece(s)
655074	suitable for Transferpette, 100/200 µl, blue	1	piece(s)

## Clamping ring Transferpette, transparent



Cat. No.	Product Description	From	Unit
653054	suitable for Transferpette, 1-25 µl	1 pack = 3 piece(s)	1 pack
653055	suitable for Transferpette, 50 µl	1 pack = 3 piece(s)	1 pack
653056	suitable for Transferpette, 100 / 200 µl	1 pack = 3 piece(s)	1 pack

## Piston rod protection Transferpette



Cat. No.	Product Description	From	Unit
654004	100-10.000 µl, digital	1	piece(s)

## Piston rod Transferpettor

Cat. No.	Product Description		From	Unit
701928	1-5 µl, fixed-volume	1 jar = 3 piece(s)	1	jar
701930	10 µl, Fix and Digital type	1 jar = 3 piece(s)	1	jar
701932	Fix type 10 µl and Digital type 25 µl	1 jar = 3 piece(s)	1	jar
701934	50 µl, Fix and Digital type	1 jar = 3 piece(s)	1	jar
701936	100 µl, Fix and Digital type	1 jar = 3 piece(s)	1	jar
701938	200 µl, fixed-volume	1 jar = 3 piece(s)	1	jar



## Piston rod Transferpettor

Cat. No.	Product Description		From	Unit
654003	adjustable, 2 ml - 10 ml		1	piece(s)
654019	adjustable, 1 ml - 5 ml		1	piece(s)
654020	adjustable, 200-1.000 µl		1	piece(s)
654021	adjustable, 100-500 µl		1	piece(s)



## Repair set Transferpettor

Cat. No.	Product Description		From	Unit
701964	1-5 µl		1	pack
701965	10 µl		1	pack
701966	20/25 µl		1	pack
701967	50 µl		1	pack
701968	100/200 µl		1	pack



## Station Transferpettor

Cat. No.	Product Description		From	Unit
701960	For 4 devices 1-200 µl		1	piece(s)
702890	For 2 devices 500-10.000 µl		1	piece(s)



## Collet Transferpettor

Cat. No.	Product Description		From	Unit
655054	suitable for Transferpettor, 1-25 µl, grey		1	piece(s)
655055	suitable for Transferpettor, 50 µl, grey		1	piece(s)
655056	suitable for Transferpettor, 100 / 200 µl, grey		1	piece(s)



### Lithium-ion battery HandyStep® touch



Cat. No.	Product Description	From	Unit
705225	Lithium-ion battery HandyStep® touch und HandyStep® touch S	1	piece(s)

### Universal holder HandyStep® touch



Cat. No.	Product Description	From	Unit
705235	Universal holder HandyStep® touch und HandyStep® touch S	1	piece(s)

### Holding stand HandyStep® touch



Cat. No.	Product Description	From	Unit
705230	Holding stand HandyStep® touch und HandyStep® touch S	1	piece(s)

### USB cable, angled, HandyStep® touch



Cat. No.	Product Description	From	Unit
705240	USB cable, angled	1	piece(s)

### Charging stand HandyStep® touch



Cat. No.	Product Description	From	Unit
705220	Charging stand	1	piece(s)

### Universal power adapter HandyStep® touch



Cat. No.	Product Description	From	Unit
705250	Universal power adapter incl. USB cable	1	piece(s)

### Shelf/rack mount HandyStep® S



Cat. No.	Product Description	From	Unit
705130	Shelf/rack mount	1	piece(s)

## Wall support HandyStep® S

Cat. No.	Product Description	From	Unit
705129	Wall mount including adhesive tape	1	piece(s)



## Housing clip HandyStep® S

Cat. No.	Product Description	From	Unit
15112	Housing clip, rear	1	piece(s)
15150	Housing clip, front	1	piece(s)



## NiMH battery pack HandyStep® electronic

Cat. No.	Product Description	From	Unit
705025	NiMH battery pack, 4,8 V / 700 mAh	1	piece(s)



## Charging station HandyStep® electronic

Cat. No.	Product Description	From	Unit
705020	Charging station, without power adapter	1	piece(s)



## Battery compartment cover HandyStep® electronic

Cat. No.	Product Description	From	Unit
15295	Battery compartment cover	1	piece(s)



## AC adapter for charging station HandyStep® electronic

Cat. No.	Product Description	From	Unit
705050	Europe (110-240 V / 50-60 Hz)	1	piece(s)
705051	UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
705052	USA/Japan (100-240 V / 50-60 Hz)	1	piece(s)
705053	Australia (110-240 V / 50-60 Hz)	1	piece(s)



## Power adapter incl. country adapter accu-jet® S

Cat. No.	Product Description	From	Unit
26606	universal (100-240 V / 50-60 Hz)	1	piece(s)





### Wall mount accu-jet® S



Cat. No.	Product Description	From	Unit
26539	Wall mount accu-jet® S	1	piece(s)

### Snap tape accu-jet® S



Cat. No.	Product Description	From	Unit
26547	Snap tape accu-jet® S	1	pack

### Adapter housing accu-jet® S



Cat. No.	Product Description	From	Unit
26658	Adapter housing, white	1	piece(s)

### Adapter accu-jet® S / pro / macro pipette controller



Cat. No.	Product Description	From	Unit
26146	suitable for macro pipette controller, silicone, 44 mm	1	piece(s)
26508	suitable for accu-jet® S / pro, silicone, 54 mm, with non-return valve	1	piece(s)

### Adapter housing accu-jet® pro / macro pipette controller, PP



Cat. No.	Product Description	From	Unit
26220	suitable for macro pipette controller, grey, PP	1	piece(s)
26221	suitable for macro pipette controller, blue, PP	1	piece(s)
26222	suitable for macro pipette controller, magenta, PP	1	piece(s)
26223	suitable for macro pipette controller, green, PP	1	piece(s)
26652	suitable for accu-jet® pro, dark blue, PP	1	piece(s)
26653	suitable for accu-jet® pro, magenta, PP	1	piece(s)
26654	suitable for accu-jet® pro, green, PP	1	piece(s)
26655	suitable for accu-jet® pro, royal blue, PP	1	piece(s)

### NiMH battery pack accu-jet® S / pro



Cat. No.	Product Description	From	Unit
26630	NiMH battery pack, 2,4 V / 730 mAh	1	piece(s)

## Snap tapes accu-jet® pro

Cat. No.	Product Description	From	Unit
26542	12 mm x 65 mm	1	pack



## Membrane filter accu-jet® S / pro / macro pipette controller

Cat. No.	Product Description	From	Unit
26052	suitable for macro pipette controller, PTFE, 3 µm, hydrophobic	1	piece(s)
26056	suitable for macro pipette controller, PTFE, 3 µm, hydrophobic	1	pack
26530	suitable for accu-jet® S / pro, PTFE, 0.2 µm, hydrophobic, sterile	1	piece(s)
26535	suitable for accu-jet® S / pro, PTFE, 0.2 µm, hydrophobic	1	pack



## AC adapter accu-jet® pro

Cat. No.	Product Description	From	Unit
26601	Europe (110-240 V / 50-60 Hz)	1	piece(s)
26602	UK/Ireland (100-240 V / 50-60 Hz)	1	piece(s)
26603	USA (120 V / 50-60 Hz)	1	piece(s)
26604	Japan (100 V / 50 Hz)	1	piece(s)
26605	Australia (110-240 V / 50-60 Hz)	1	piece(s)




## Wall mount accu-jet® pro

Cat. No.	Product Description	From	Unit
26540	Wall mount accu-jet® pro	1	piece(s)



## Suction bellow macro pipette controller, with screw ring, silicone

Cat. No.	Product Description	From	Unit
26225	grey	1	piece(s)
26226	blue	1	piece(s)
26227	magenta	1	piece(s)
26228	green	1	piece(s)



## Replacement valve system macro pipette controller

Cat. No.	Product Description	From	Unit
26128	Replacement valve system, PP/PTFE/silicone	1	piece(s)



### Replacement suction system micro pipette controller



Cat. No.	Product Description		From	Unit
25805	Replacement suction system, silicone	1 pack = 3 piece(s)	1	pack

### Silicone adapter micro-classic pipette controller



Cat. No.	Product Description		From	Unit
25931	Spare adapter with suction tube		1	pack

## PCR-Box/-Rack

Cat. No.	Product Description	From	Unit
781362	PP, for 0.2 ml single tubes, sorted by color	1 pack = 5 piece(s)	1 pack



## PCR Mini cooler

Cat. No.	Product Description	From	Unit
781260	PP, for 0.2 ml single tubes, 96-well/strips of 8/strips of 12		2 piece(s)



## Sealing paddle for sealing film

Cat. No.	Product Description	From	Unit
701381	for application of self-adhesive films	1 pack = 2 piece(s)	1 pack



## PCR cap tool

Cat. No.	Product Description	From	Unit
781419	for attaching and detaching caps on PCR plates		1 piece(s)




## Storage boxes for cryogenic tubes, PC

Cat. No.	Product Description	From	Unit
114862	suitable for 81 cryotubes, 1.2 and 2 ml (external thread)	4	piece(s)
114864	suitable for 81 cryotubes, 3, 4 and 5 ml (external thread)	5	piece(s)
114866	suitable for 100 cryotubes, 1.2 and 2 ml (internal thread)	4	piece(s)



## Cryogenic tube rack for cryogenic tubes

Cat. No.	Product Description	From	Unit
114860	PP, blue	4	piece(s)



## Cooling box

Cat. No.	Product Description	From	Unit
156100	with lid, 4.500 ml, Stackable, PU foam	1	piece(s)



### Adapter, PP, for microcentrifuge tube rack



Cat. No.	Product Description	From	Unit
780608	Adapter, 0,5 ml, PP, for microcentrifuge tube rack 780605	1 pack = 20 piece(s)	1 pack

### Microcentrifuge tube rack, PP



Cat. No.	Product Description	From	Unit
780605	suitable for 20 tubes, 1,5 ml, grey	1	piece(s)
4341000	suitable for 84 tubes, outer diameter 13 mm, white	5	piece(s)
4341001	suitable for 84 tubes, outer diameter 13 mm, blue	5	piece(s)
4341002	suitable for 84 tubes, outer diameter 13 mm, red	5	piece(s)
4341050	suitable for 128 tubes, outer diameter 11 mm, white	5	piece(s)
4341051	suitable for 128 tubes, outer diameter 11 mm, blue	5	piece(s)
4341052	suitable for 128 tubes, outer diameter 11 mm, red	5	piece(s)

### Mini cooler, for 12 tubes, 0,5 ml - 2 ml, PC



Cat. No.	Product Description	From	Unit
114930	bench temperature maintained 0 °C, for 60 minutes	1	piece(s)
114935	bench temperature maintained -20 °C, for 60 minutes	1	piece(s)
114940	bench temperature maintained -70 °C, for 45 minutes	1	piece(s)

### Cuvette rack, PP



Cat. No.	Product Description	From	Unit
759500	grey, for 16 cuvettes, 210 mmx70 mmx38 mm	1	piece(s)

### Media bottle accessories



Cat. No.	Product Description	From	Unit
122750	Screw cap, GL 56, PP, white, suitable for Media bottle, 500 ml	10	piece(s)
122755	Thread adapter, GL 45, PTFE, suitable for Media bottle	1	piece(s)

### Disposable stirring spatula, PS



Cat. No.	Product Description	From	Unit
759800	length 120 mm, Diameter stick 3 mm	500	piece(s)

## Replacement screw cap for volumetric flasks, PFA

Cat. No.	Product Description	From	Unit
129250	GL 18	1	piece(s)
129252	GL 25	1	piece(s)



## Plugs, silicone

Cat. No.	Product Description	From	Unit
144310	outer diameter 12 mm, outer diameter below 8 mm, Height 20 mm	10	piece(s)
144315	outer diameter 14 mm, outer diameter below 11 mm, Height 20 mm	10	piece(s)
144320	outer diameter 16 mm, outer diameter below 12 mm, Height 20 mm	10	piece(s)
144325	outer diameter 18 mm, outer diameter below 14 mm, Height 20 mm	10	piece(s)
144330	outer diameter 22 mm, outer diameter below 17 mm, Height 25 mm	10	piece(s)
144340	outer diameter 27 mm, outer diameter below 21 mm, Height 30 mm	10	piece(s)



## Plugs, natural rubber, red

Cat. No.	Product Description	From	Unit
144382	outer diameter 12 mm, outer diameter below 8 mm, Height 20 mm	25	piece(s)
144384	outer diameter 14 mm, outer diameter below 11 mm, Height 20 mm	25	piece(s)
144385	outer diameter 16 mm, outer diameter below 12 mm, Height 20 mm	25	piece(s)
144386	outer diameter 18 mm, outer diameter below 14 mm, Height 20 mm	25	piece(s)
144388	outer diameter 22 mm, outer diameter below 17 mm, Height 25 mm	25	piece(s)
144390	outer diameter 27 mm, outer diameter below 21 mm, Height 30 mm	25	piece(s)



## Conical ground joint stopper, amber, Boro 3.3, polished

Cat. No.	Product Description	From	Unit
144671	NS 10/19, polished	1	piece(s)
144672	NS 12/21, polished	1	piece(s)
144673	NS 19/26, polished	1	piece(s)
144674	NS 14/23, polished	1	piece(s)
144676	NS 24/29, polished	1	piece(s)



## Conical ground joint stopper, Boro 3.3, octagonal grip

Cat. No.	Product Description	From	Unit
144515	solid, NS 12/21	1	piece(s)
144520	solid, NS 14/23	1	piece(s)
144525	solid, NS 19/26	1	piece(s)
144530	solid, NS 24/29	1	piece(s)
144535	semi-hollow, NS 29/32	1	piece(s)
144540	semi-hollow, NS 34/35	1	piece(s)
144545	semi-hollow, NS 45/40	1	piece(s)



### Conical ground joint stopper, Boro 3.3, hexagonal grip, hollow



Cat. No.	Product Description	From	Unit
144605	NS 7/16	1	piece(s)
144610	NS 10/19	1	piece(s)
144615	NS 12/21	1	piece(s)
144620	NS 14/23	1	piece(s)
144625	NS 19/26	1	piece(s)
144630	NS 24/29	1	piece(s)
144635	NS 29/32	1	piece(s)
144640	NS 34/35	1	piece(s)
144645	NS 45/40	1	piece(s)

### Conical ground joint stopper, PE-LD, octagonal grip, hollow



Cat. No.	Product Description	From	Unit
144440	NS 34/35	1	piece(s)
144445	NS 45/40	1	piece(s)

### Conical ground joint stopper, PP, square grip, hollow



Cat. No.	Product Description	From	Unit
144405	NS 7/16	10	piece(s)
144410	NS 10/19	10	piece(s)
144415	NS 12/21	10	piece(s)
144420	NS 14/23	10	piece(s)
144425	NS 19/26	10	piece(s)
144430	NS 24/29	10	piece(s)
144435	NS 29/32	10	piece(s)

### Cotton cord, cotton 100%, For pipettes



Cat. No.	Product Description	From	Unit
28205	degreased, light weight, approx. 13 g, 10 m	1	piece(s)

### Pipette box, aluminum, with interior silicone coating



Cat. No.	Product Description	From	Unit
28920	150-200 mm	1	piece(s)
28925	235-305 mm	1	piece(s)
28930	315-385 mm	1	piece(s)
28935	315-485 mm	1	piece(s)

## Joint clip for dispenser, tilt measure, stainless steel

Cat. No.	Product Description	From	Unit
55618	NS 29/32	1	piece(s)



## Reservoir bottles for automatic pipette, soda-lime glass

Cat. No.	Product Description	From	Unit
126963	1.000 ml, NS 29/32	1	piece(s)



## Discharge tip with silicone hose for automatic burette Schilling

Cat. No.	Product Description	From	Unit
11500	Boro 3.3, clear	10	piece(s)
11505	AR-GLAS®, amber	10	piece(s)



## Discharge tip, PP, for 'Economy' burette

Cat. No.	Product Description	From	Unit
11600	for PTFE stopcock	1	piece(s)



## Spare burette tip, Boro 3.3, for compact burette / automatic burette

Cat. No.	Product Description	From	Unit
11510	10 ml, clear	1	piece(s)
11511	25 ml, clear	1	piece(s)
11512	50 ml, clear	1	piece(s)
11515	25 ml + 50 ml, amber	1	piece(s)



## Spare burette tip, Boro 3.3, amber, for compact burette / automatic burette

Cat. No.	Product Description	From	Unit
11519	10 ml	1	piece(s)
11521	25 ml	1	piece(s)
11522	50 ml	1	piece(s)





### Burette stopcock, Boro 3.3, amber, PTFE key



Cat. No.	Product Description	From	Unit
81927	lateral stopcock, for burette 25 ml + 25 ml	1	piece(s)
81937	straight stopcock, for burette 25 ml	1	piece(s)
81939	straight stopcock, for burette 50 ml	1	piece(s)

### Burette stopcock, PTFE



Cat. No.	Product Description	From	Unit
11800	for 'Economy' burette, with PP-tip, Complete	1	piece(s)
11805	for compact burette / automatic burette	1	piece(s)

### FKM seal for stopcock for compact burette / automatic burette



Cat. No.	Product Description	From	Unit
11810	seal for burette stopcock 11805 / compact burette / automatic burette, FKM	1	piece(s)

### Burette cover, PP



Cat. No.	Product Description	From	Unit
16400	inner diameter 20 mm, Height 30 mm	10	piece(s)

### Burette clamp



Cat. No.	Product Description	From	Unit
578000	Aluminum die-cast, For 2 burettes, with roll mounting	1	piece(s)
578001	Aluminum die-cast, for 1 burette up to 50 ml, with roll mounting	1	piece(s)

### Clip for micro burette Bang



Cat. No.	Product Description	From	Unit
915	for micro burette Bang	1	piece(s)

### Base for micro burette Bang



Cat. No.	Product Description	From	Unit
4053	for micro burette Bang	1	piece(s)

## Spare burette tube for compact automatic burettes with automatic zeroing, Boro 3.3

Cat. No.	Product Description	From	Unit
23833	SILBERBRAND, 10 ml, black Schellbach stripe	1	piece(s)
23836	SILBERBRAND, 25 ml, black Schellbach stripe	1	piece(s)
23838	SILBERBRAND, 50 ml, black Schellbach stripe	1	piece(s)
23843	BLAUBRAND®, 10 ml, blue Schellbach stripe	1	piece(s)
23846	BLAUBRAND®, 25 ml, blue Schellbach stripe	1	piece(s)
23848	BLAUBRAND®, 50 ml, blue Schellbach stripe	1	piece(s)
23866	SILBERBRAND, 25 ml, amber	1	piece(s)
23868	SILBERBRAND, 50 ml, amber	1	piece(s)
23959	BLAUBRAND®, 10 ml, amber	1	piece(s)
23960	BLAUBRAND®, 25 ml, amber	1	piece(s)
23961	BLAUBRAND®, 50 ml, amber	1	piece(s)



## Burette support

Cat. No.	Product Description	From	Unit
23882	Burette support	1	piece(s)



## Spare valve spindle with retention device, PTFE

Cat. No.	Product Description	From	Unit
82170	for burette 2 ml - 50 ml, with straight or lateral stopcock	1	piece(s)



## Valve cock, Boro 3.3, for burette, Valve 0 - 2.5 mm

Cat. No.	Product Description	From	Unit
82120	lateral stopcock, for burette 2 ml - 10 ml	1	piece(s)
82121	lateral stopcock, for burette 25 ml	1	piece(s)
82122	lateral stopcock, for burette 50 ml	1	piece(s)
82220	straight stopcock, for burette 2 ml - 10 ml	1	piece(s)
82221	straight stopcock, for burette 25 ml	1	piece(s)
82222	straight stopcock, for burette 50 ml	1	piece(s)



## Conical joint clip, POM

Cat. No.	Product Description	From	Unit
55646	NS 29/32, red	1	piece(s)



### Burettes 'economy', SILBERBRAND, class B, Boro 3.3, without stopcock, black printed scale



Cat. No.	Product Description	From	Unit
10002	25 ml : 0,1 ml	2	piece(s)
10004	50 ml : 0,1 ml	2	piece(s)

### Compact-Burettes 'economy', SILBERBRAND, class B, Boro 3.3, with PTFE stopcock



Cat. No.	Product Description	From	Unit
10012	25 ml	1	piece(s)
10014	50 ml	1	piece(s)

### Spare burette tube for compact burette, Boro 3.3



Cat. No.	Product Description	From	Unit
13933	SILBERBRAND, 10 ml, black Schellbach stripe	1	piece(s)
13936	SILBERBRAND, 25 ml, black Schellbach stripe	1	piece(s)
13938	SILBERBRAND, 50 ml, black Schellbach stripe	1	piece(s)
13943	BLAUBRAND®, 10 ml, blue Schellbach stripe	1	piece(s)
13946	BLAUBRAND®, 25 ml, blue Schellbach stripe	1	piece(s)
13948	BLAUBRAND®, 50 ml, blue Schellbach stripe	1	piece(s)
13956	SILBERBRAND, 25 ml, amber	1	piece(s)
13958	SILBERBRAND, 50 ml, amber	1	piece(s)

### Spare burette length for compact burette, BLAUBRAND®, Boro 3.3, amber



Cat. No.	Product Description	From	Unit
13973	10 ml	1	piece(s)
13976	25 ml	1	piece(s)
13978	50 ml	1	piece(s)

### Spare burette for automatic burette Schilling, SILBERBRAND, Boro 3.3



Cat. No.	Product Description	From	Unit
23713	10 ml, black Schellbach stripe	1	piece(s)
23715	15 ml, black Schellbach stripe	1	piece(s)
23716	25 ml, black Schellbach stripe	1	piece(s)
23718	50 ml, black Schellbach stripe	1	piece(s)
23723	25 ml, amber, length 390 mm	1	piece(s)
23724	50 ml, amber, length 580 mm	1	piece(s)

## Fitting, PP, for automatic burette Schilling

Cat. No.	Product Description	From	Unit
23745	10 ml	1	piece(s)
23746	15 ml	1	piece(s)
23748	25 ml - 50 ml	1	piece(s)



## Spare filling tube for automatic burette, transparent, PVC

Cat. No.	Product Description	From	Unit
11525	Spare filling tube	1	piece(s)



## Rubber bellow for automatic burette

Cat. No.	Product Description	From	Unit
23400	Single-bulb bellow with valve/hose	1	piece(s)



## Spare plug for intermediate stopcock, for automatic burette Pellet pattern

Cat. No.	Product Description	From	Unit
81265	with retention device, PTFE key 4 NS/19	1	piece(s)
81270	with retention device, PTFE key 4 NS/14	1	piece(s)



## Spare spindle with retention

Cat. No.	Product Description	From	Unit
81167	for burette 25 ml + 50 ml, lateral stopcock, PTFE	1	piece(s)
81248	for burette 25 ml + 50 ml, lateral stopcock, PTFE	1	piece(s)



## Bottle 2.000 ml, NS 29/32, for automatic burette

Cat. No.	Product Description	From	Unit
23310	Boro 3.3, clear	1	piece(s)
23320	Boro 3.3, amber	1	piece(s)
126965	soda-lime glass, clear	1	piece(s)
127065	soda-lime glass, amber	1	piece(s)



## Bottle, PE-LD, for automatic burette, with screw cap and tube bushing

Cat. No.	Product Description	From	Unit
129055	500 ml, GL 25	1	piece(s)
129060	1.000 ml, GL 28	1	piece(s)
130260	1.000 ml, GL 28	1	piece(s)



### Base for automatic burette Schilling



Cat. No.	Product Description	From	Unit
23725	for plastic bottle 500 ml, diameter 74-76 mm	1	piece(s)
23728	for plastic bottle 1000 ml, diameter 94-96 mm	1	piece(s)

### Ground sockets grip collar and sealing rings, PTFE



Cat. No.	Product Description	From	Unit
51467	NS 29/32	1	piece(s)

### Ground joint sleeve, PTFE, thin-walled



Cat. No.	Product Description	From	Unit
51422	NS 29/32	10	piece(s)

### Pump head for glass reservoir bottle, Boro 3.3, for compact automatic burettes



Cat. No.	Product Description	From	Unit
23875	clear	1	piece(s)
23876	amber	1	piece(s)

### Atomizer head for 1l bottle Pursept® A Xpress / mikrozyd® universal liquid



Cat. No.	Product Description	From	Unit
44832	for 1l bottle Pursept® A Xpress / mikrozyd® universal liquid	1	piece(s)

### Pouring ring, PP, for laboratory bottles



Cat. No.	Product Description	From	Unit
122662	GL 32	10	piece(s)
122664	GL 45	10	piece(s)

### Venting stopper, PC, for desiccator



Cat. No.	Product Description	From	Unit
65804	with non-return valve	1	piece(s)

### Sealing ring, CR, for desiccator



Cat. No.	Product Description	From	Unit
65820	Nominal size 15 cm	1	piece(s)
65822	Nominal size 20 cm	1	piece(s)
65824	Nominal size 25 cm	1	piece(s)

### Flat seal, PP, for water jet pump



Cat. No.	Product Description	From	Unit
159661	R 3/4"	1	piece(s)

### Reducer fitting, PP, for water jet pump



Cat. No.	Product Description	From	Unit
159665	Thread R 3/8"	1	piece(s)
159667	Thread R 1/2"	1	piece(s)
159670	Thread M 22 x 1	1	piece(s)

### Non-return valve, PP, for water jet pump



Cat. No.	Product Description	From	Unit
159668	valve reed of FKM	1	piece(s)

## Sleeve nut, PP, for water jet pump

Cat. No.	Product Description	From	Unit
159666	with sealing, NBR	1	piece(s)



## Hose nipple, FKM, for water jet pump

Cat. No.	Product Description	From	Unit
159669	for inner diameter tubing 6-9 mm	1	piece(s)



## Spring clip for oxygen flasks Winkler pattern

Cat. No.	Product Description	From	Unit
386138	for capacity 100 ml - 150 ml	1	piece(s)
386148	for capacity 250 ml - 300 ml	1	piece(s)



## Filter flask, Boro 3.3, with lateral socket

Cat. No.	Product Description	From	Unit
73714	250 ml	1	piece(s)
73719	500 ml	1	piece(s)
73724	1.000 ml	1	piece(s)
73729	2.000 ml	1	piece(s)



## Filter funnel support

Cat. No.	Product Description	From	Unit
74506	For 2 funnels, 25 mm x 14 mm	1	piece(s)
74511	For 4 funnels, 450 mm x 140 mm	1	piece(s)



## Rack for sedimentation cones, PMMA/PP

Cat. No.	Product Description	From	Unit
388050	For 2 sedimentation cones made of plastics, 300 mm x 130 mm x 315 mm	1	piece(s)
388060	For 2 sedimentation cones glass or plastic, 300 mm x 130 mm x 400 mm	1	piece(s)



### Rubber seal, EPDM, conical, for filter funnels



Cat. No.	Product Description	From	Unit
462500	Set for nominal size 22-84 mm	1 pack = 8 piece(s)	1 pack
462512	outer diameter 22 mm	10	piece(s)
462617	outer diameter 28 mm	10	piece(s)
462723	outer diameter 35 mm	10	piece(s)
462827	outer diameter 42 mm	10	piece(s)
462932	outer diameter 50 mm	10	piece(s)
463036	outer diameter 63 mm	10	piece(s)
463139	outer diameter 76 mm	10	piece(s)
463243	outer diameter 89 mm	10	piece(s)

### Rubber sleeve for filter crucibles



Cat. No.	Product Description	From	Unit
462026	filter crucible marking 1 D, outer diameter 41 mm	10	piece(s)
462231	filter crucible marking 2 D, outer diameter 49 mm	10	piece(s)

### Stopcock grease, silicone-free



Cat. No.	Product Description	From	Unit
61610	30 g tube	1	piece(s)

### Novus knob lid, Boro 3.3, for desiccator



Cat. No.	Product Description	From	Unit
65631	Nominal size 15 cm, outer diameter 215 mm, Height 98 mm	1	piece(s)
65638	Nominal size 20 cm, outer diameter 270 mm, Height 107 mm	1	piece(s)
65643	Nominal size 25 cm, outer diameter 320 mm, Height 122 mm	1	piece(s)

### Pipette holder for intraEND micropipettes



Cat. No.	Product Description	From	Unit
708605	for intraEND micropipettes	10	piece(s)

### Pipette controller for intraEND micropipettes



Cat. No.	Product Description	From	Unit
709110	for intraEND micropipettes	10	piece(s)



## Screw cap, PFA

Cat. No.	Product Description	From	Unit
129262	S 40, For wide neck bottles	1	piece(s)



## Screw cap, PP, for laboratory bottles

Cat. No.	Product Description	From	Unit
122620	GL 25	10	piece(s)
122628	GL 32	10	piece(s)
122638	GL 45	10	piece(s)



## Screw closure with sealing cone, PP, sealing cone

Cat. No.	Product Description	From	Unit
704024	GL 32	1	piece(s)
704025	GL 45	1	piece(s)

## Silicone paste UNISILKON TK M 1011

Cat. No.	Product Description	From	Unit
61605	50 g tube	1	piece(s)



## Dispenser box, empty, for schülke wipes 70

Cat. No.	Product Description	From	Unit
44875	for schülke wipes 70	1	piece(s)



## Special pegs for draining rack

Cat. No.	Product Description	From	Unit
95111	Diameter stick 6 mm, length 120 mm	1 pack = 11 piece(s)	pack



## Replacement wash heads ETFE, with delivery tube FEP

Cat. No.	Product Description	From	Unit
129273	GL 25	1	piece(s)
129275	GL 32	1	piece(s)



### Wash head, PE-LD, for threaded bottle



Cat. No.	Product Description	From	Unit
129222	GL 25	50	piece(s)
129224	GL 28	25	piece(s)

### Flow indicator, SAN



Cat. No.	Product Description	From	Unit
134080	for inner diameter tubing 6-11 mm	5	piece(s)

### Funnel holder, PP



Cat. No.	Product Description	From	Unit
140300	For separator funnels, for rods of 8-14 mm diameter	1	piece(s)
148500	For 1 funnel	5	piece(s)
148502	For 2 funnels	5	piece(s)

### Novus lid, NS 24/29, Boro 3.3, for desiccator



Cat. No.	Product Description	From	Unit
65731	Nominal size 15 cm, outer diameter 215 mm, Height 85 mm	1	piece(s)
65738	Nominal size 20 cm, outer diameter 270 mm, Height 94 mm	1	piece(s)
65743	Nominal size 25 cm, outer diameter 320 mm, Height 109 mm	1	piece(s)

### Valve cock, Boro 3.3, for desiccator



Cat. No.	Product Description	From	Unit
82415	for lid and lateral socket	1	piece(s)

### Extension rod, PTFE, for sample scoops



Cat. No.	Product Description	From	Unit
90470	for sample scoops 90438 - 90462, length 600 mm	1	piece(s)

### Screw cap, PP, For SAN sedimentation cones



Cat. No.	Product Description	From	Unit
388002	For SAN sedimentation cones	1	piece(s)

## Jar , PS, with snap-on cover, PE-LD, conical

Cat. No.	Product Description	From	Unit
62315	25 ml	1000	piece(s)



## Jar with screw-on lid, PP

Cat. No.	Product Description	From	Unit
62310	30 ml, outer diameter 57 mm, Height 32 mm	500	piece(s)



## Jar with push-on lid, PP

Cat. No.	Product Description	From	Unit
61815	50 ml, outer diameter 56 mm, Height 25 mm	10	piece(s)
61820	115 ml, outer diameter 75 mm, Height 30 mm	10	piece(s)



## Sterilization indicator tape for temperature indication, Crepe paper, self-adhesive

Cat. No.	Product Description	From	Unit
61750	50 m x 19 mm	1	piece(s)




## Transport box for microscope slides, PP, round

Cat. No.	Product Description	From	Unit
476900	for 5 thick or 10 thin microscope slides	10	piece(s)



## Slide box, rectangular, PS, 76 mm x 26 mm

Cat. No.	Product Description	From	Unit
475800	for 25 microscope slides	1	piece(s)
475900	for 50 microscope slides	1	piece(s)
476000	for 100 microscope slides	1	piece(s)



### Test tube racks, PP



Cat. No.	Product Description	From	Unit
4340000	for 84 tubes, diameter up to 13 mm, white	5	piece(s)
4340001	for 84 tubes, diameter up to 13 mm, blue	5	piece(s)
4340002	for 84 tubes, diameter up to 13 mm, red	5	piece(s)
4340010	for 55 tubes, diameter up to 18 mm, white	5	piece(s)
4340011	for 55 tubes, diameter up to 18 mm, blue	5	piece(s)
4340012	for 55 tubes, diameter up to 18 mm, red	5	piece(s)
4340020	for 40 tubes, diameter up to 20 mm, white	5	piece(s)
4340021	for 40 tubes, diameter up to 20 mm, blue	5	piece(s)
4340022	for 40 tubes, diameter up to 20 mm, red	5	piece(s)
4340030	for 32 tubes, diameter up to 25 mm, white	5	piece(s)
4340031	for 32 tubes, diameter up to 25 mm, blue	5	piece(s)
4340032	for 32 tubes, diameter up to 25 mm, red	5	piece(s)
4340040	for 21 tubes, diameter up to 30 mm, white	5	piece(s)
4340041	for 21 tubes, diameter up to 30 mm, blue	5	piece(s)
4340042	for 21 tubes, diameter up to 30 mm, red	5	piece(s)
4340060	for 55 tubes, diameter up to 16 mm, white	5	piece(s)
4340061	for 55 tubes, diameter up to 16 mm, blue	5	piece(s)
4340062	for 55 tubes, diameter up to 16 mm, red	5	piece(s)

### Test tube racks, PTFE



Cat. No.	Product Description	From	Unit
115510	for 21 tubes, diameter up to 13 mm, 180 mm x 60 mm x 60 mm	1	piece(s)
115515	for 10 tubes, diameter up to 19 mm, 180 mm x 60 mm x 70 mm	1	piece(s)
115520	for 4 tubes, diameter up to 30 mm, 180 mm x 60 mm x 80 mm	1	piece(s)

# Nummernindex

Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite
915	168	8857	145	13933	170	23728	172
4053	168	8860	146	13936	170	23745	171
6208	143	8861	146	13938	170	23746	171
6636	144	8898	144	13943	170	23748	171
6659	139	10002	170	13946	170	23753	84
6687	142	10004	170	13948	170	23755	84
6696	139	10012	170	13956	170	23756	84
6697	138	10014	170	13958	170	23758	84
6698	138	11500	167	13963	83	23766	84
6707	143	11505	167	13966	83	23768	84
6727	139	11510	167	13968	83	23809	84
6728	139	11511	167	13973	170	23810	84
6729	139	11512	167	13976	170	23811	84
6730	139	11515	167	13978	170	23819	83
6732	139	11519	167	15112	159	23820	83
6733	139	11521	167	15150	159	23821	83
6734	138	11522	167	15295	159	23829	84
6735	138	11525	171	16400	168	23830	84
6739	138	11600	167	21911	85	23833	169
6747	142	11800	168	21912	85	23836	169
6748	142	11805	168	21913	85	23838	169
6749	139	11810	168	22316	85	23843	169
6783	145	12484	82	22318	85	23846	169
6784	142	12487	82	22336	85	23848	169
6787	143	12488	82	22338	85	23866	169
6788	147	13536	82	22521	85	23868	169
6790	143	13538	82	22522	85	23870	84
6792	144	13563	82	22523	85	23871	84
6794	144	13566	82	22761	85	23872	84
7260	144	13568	82	22762	85	23875	172
7288	151	13844	82	22763	85	23876	172
7298	151	13847	82	23310	171	23882	169
7299	151	13848	82	23320	171	23923	83
8317	142	13903	83	23400	171	23924	83
8516	141	13906	83	23713	170	23925	83
8517	141	13908	83	23715	170	23939	84
8518	141	13913	83	23716	170	23940	84
8816	146	13916	83	23718	170	23941	84
8842	146	13918	83	23723	170	23959	169
8843	146	13926	83	23724	170	23960	169
8850	145	13928	83	23725	172	23961	169

Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite
24265	82	26362	36	27306	81	27823	80
24267	82	26363	36	27309	81	27824	80
24269	82	26508	160	27316	79	27825	80
24596	82	26530	161	27319	79	27826	80
24598	82	26535	161	27506	80	27827	80
24600	82	26539	160	27509	80	27828	80
25300	37	26540	161	27511	80	27829	80
25315	37	26542	161	27513	80	28205	166
25400	37	26547	160	27607	81	28300	113
25800	36	26601	161	27610	81	28305	113
25805	162	26602	161	27612	81	28405	79
25900	36	26603	161	27613	81	28406	79
25931	162	26604	161	27614	81	28409	79
25933	148	26605	161	27702	79	28411	79
25950	26	26606	159	27704	79	28412	79
25959	147	26630	160	27705	81	28413	79
25960	148	26652	160	27706	81	28414	79
25961	148	26653	160	27707	81	28415	79
25962	148	26654	160	27708	81	28920	166
26052	161	26655	160	27709	81	28925	166
26056	161	26658	160	27710	81	28930	166
26128	161	27002	79	27711	81	28935	166
26146	160	27005	79	27712	81	29010	123
26200	36	27006	79	27713	81	29019	124
26201	36	27009	79	27714	81	29120	123
26202	36	27010	79	27715	81	29125	123
26203	36	27011	79	27716	81	29210	123
26220	160	27013	79	27721	80	29215	123
26221	160	27070	79	27722	80	29701	77
26222	160	27072	79	27724	80	29702	77
26223	160	27073	79	27725	80	29703	77
26225	161	27075	79	27727	80	29704	77
26226	161	27076	79	27729	80	29705	77
26227	161	27077	79	27731	80	29706	77
26228	161	27078	79	27816	80	29707	77
26350	36	27079	79	27817	80	29708	77
26351	36	27107	81	27818	80	29709	77
26352	36	27109	81	27819	80	29710	77
26353	36	27112	81	27820	80	29711	77
26360	36	27113	81	27821	80	29712	77
26361	36	27115	81	27822	80	29713	77

<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>
29714	77	30614	78	32805	97	35020	100
29715	77	30615	78	32808	97	35028	100
29716	77	30616	78	32820	97	35038	100
29717	77	30617	78	32828	97	35048	100
29718	77	30618	78	32838	97	35054	100
29719	77	30619	78	32848	97	35062	100
29721	77	30900	114	32854	97	35064	100
29722	77	31905	98	32862	97	35108	99
29723	77	31908	98	32864	97	35120	99
29725	77	31920	98	33908	99	35128	99
29727	77	31928	98	33920	99	35138	99
29732	77	31938	98	33928	99	35148	99
29733	77	31948	98	33938	99	35154	99
29734	77	31954	98	33948	99	35162	99
29735	77	31962	98	33954	99	35164	99
29738	77	31964	98	33962	99	36008	96
30002	78	32105	97	34708	99	36020	96
30003	78	32108	97	34720	99	36028	96
30007	78	32120	97	34728	99	36038	96
30012	78	32128	97	34738	99	36048	96
30015	78	32138	97	34748	99	36054	96
30018	78	32148	97	34754	99	36062	96
30502	78	32154	97	34762	99	36108	96
30503	78	32162	97	34764	99	36120	96
30507	78	32164	97	34808	100	36128	96
30512	78	32408	98	34820	100	36138	96
30514	78	32420	98	34828	100	36148	96
30515	78	32428	98	34838	100	36154	96
30518	78	32438	98	34848	100	36162	96
30601	78	32448	98	34854	100	36170	95
30602	78	32454	98	34862	100	36172	95
30603	78	32462	98	34864	100	36174	95
30605	78	32705	97	34908	100	36176	95
30606	78	32708	97	34920	100	36178	95
30607	78	32720	97	34928	100	36180	95
30608	78	32728	97	34938	100	36182	95
30609	78	32738	97	34948	100	36208	95
30610	78	32748	97	34954	100	36220	95
30611	78	32754	97	34962	100	36228	95
30612	78	32762	97	34964	100	36238	95
30613	78	32764	97	35008	100	36248	95

Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite
36254	95	36975	88	37262	88	37465	93
36401	90	36977	88	37263	88	37467	93
36402	90	36978	88	37264	88	37468	93
36403	90	36979	88	37265	88	37469	93
36404	90	36980	88	37266	88	37470	93
36406	90	36981	88	37267	88	37471	93
36407	90	36982	88	37268	88	37481	91
36408	90	36983	88	37288	88	37482	91
36548	88	36984	88	37289	88	37483	91
36549	88	37045	90	37290	86	37484	91
36550	88	37046	90	37291	86	37485	91
36551	88	37047	90	37293	86	37487	91
36552	88	37048	90	37294	88	37488	91
36553	88	37049	90	37401	91	37489	91
36838	94	37050	90	37402	91	37490	91
36841	94	37051	90	37403	91	37491	91
36842	94	37052	90	37404	91	38204	95
36843	94	37053	90	37405	91	38206	95
36845	94	37233	86	37406	91	38208	95
36846	94	37234	86	37407	91	38210	95
36847	94	37236	86	37408	91	41620	100
36848	94	37238	86	37409	91	41628	100
36849	94	37241	86	37410	91	41638	100
36850	94	37243	86	37411	91	41648	100
36851	94	37245	86	37412	91	41654	100
36852	94	37246	86	37413	91	41662	100
36853	94	37247	86	37438	92	42008	98
36854	94	37248	86	37443	92	42020	98
36938	86	37249	86	37445	92	42028	98
36943	86	37250	86	37446	92	42038	98
36945	86	37251	86	37447	92	42048	98
36947	86	37252	86	37448	92	42054	98
36948	86	37253	86	37449	92	42062	98
36949	86	37254	86	37450	92	42064	98
36950	86	37255	86	37451	92	43055	81
36951	86	37256	88	37452	92	43058	81
36952	86	37257	88	37453	92	43066	81
36953	86	37258	88	37461	93	43070	81
36954	86	37259	88	37462	93	43078	81
36968	88	37260	88	37463	93	43088	81
36973	88	37261	88	37464	93	43205	125



Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite
43208	125	65638	174	82220	169	90338	104
43220	125	65643	174	82221	169	90344	104
43228	125	65731	176	82222	169	90348	104
43238	125	65738	176	82415	176	90352	104
43305	125	65743	176	87602	104	90354	104
43308	125	65804	172	87604	104	90362	104
43320	125	65805	107	87606	104	90364	104
43328	125	65810	107	87608	104	90438	115
43338	125	65815	107	87610	104	90448	115
44003	122	65820	172	87612	104	90454	115
44005	122	65822	172	87614	104	90462	115
44205	122	65824	172	87616	104	90470	176
44301	122	65965	108	87618	104	90617	103
44822	123	65975	108	87620	104	90624	103
44825	123	65980	108	87622	104	90629	103
44832	172	66015	108	87624	104	90636	103
44850	123	66025	108	87626	104	90641	103
44855	123	66030	108	88610	110	90648	103
44860	122	71771	117	88615	110	90654	103
44870	123	71772	116	88620	110	90663	103
44875	175	71774	116	88625	110	90668	103
44880	123	71776	117	88630	110	91210	103
44885	123	72376	117	88635	110	91212	103
51422	172	72378	117	88640	110	91214	103
51467	172	73714	173	88650	110	91217	103
55618	167	73719	173	88655	110	91224	103
55646	169	73724	173	88660	110	91229	103
61605	175	73729	173	88665	110	91236	103
61610	174	74506	173	88670	110	91241	103
61750	177	74511	173	88675	110	91248	103
61815	177	81167	171	88680	110	91253	103
61820	177	81248	171	90224	104	91254	103
62310	177	81265	171	90228	104	91263	103
62315	177	81270	171	90238	104	91268	103
65031	107	81927	168	90248	104	91273	103
65038	107	81937	168	90252	104	92714	102
65043	107	81939	168	90254	104	92717	102
65231	108	82120	169	90256	104	92724	102
65238	108	82121	169	90262	104	92736	102
65243	108	82122	169	90320	104	92739	102
65631	174	82170	169	90328	104	92744	102

Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite
92754	102	114125	134	114940	164	124539	117
92763	102	114130	134	115015	126	124633	117
92768	102	114508	133	115016	126	124639	117
92773	102	114516	133	115017	126	124700	128
92814	102	114521	133	115020	126	125316	121
92817	102	114524	133	115342	134	125328	121
92824	102	114715	135	115346	134	125400	129
92836	102	114720	135	115348	134	125410	129
92839	102	114730	135	115350	134	125420	129
92844	102	114740	135	115352	134	126963	167
92854	102	114750	135	115354	134	126965	171
92863	102	114760	135	115356	134	127065	171
93170	103	114817	133	115360	134	128748	121
93172	103	114818	133	115366	134	128754	121
93175	103	114820	133	115368	134	128762	121
93180	103	114821	133	115370	134	128764	121
93185	103	114822	133	115372	134	129016	120
94905	106	114823	133	115374	134	129024	120
94910	106	114830	64	115376	134	129028	120
94915	106	114831	64	115510	178	129038	120
95105	125	114832	64	115515	178	129048	120
95111	175	114833	64	115520	178	129054	120
110702	117	114834	64	122520	118	129055	171
110703	117	114835	64	122528	118	129060	171
110708	117	114840	64	122538	118	129062	120
110709	117	114841	64	122548	118	129208	121
112805	115	114842	64	122554	118	129210	121
112810	115	114843	64	122562	118	129212	121
113020	116	114844	64	122564	118	129214	121
113125	116	114845	64	122570	118	129222	176
113130	116	114850	64	122574	118	129224	176
113135	116	114851	64	122578	118	129230	120
113931	135	114852	64	122620	175	129232	120
113935	135	114853	64	122628	175	129234	120
113941	135	114854	64	122638	175	129250	165
113943	135	114860	163	122662	172	129252	165
114105	134	114862	163	122664	172	129262	175
114106	134	114864	163	122710	70	129273	175
114110	134	114866	163	122750	164	129275	175
114115	134	114930	164	122755	164	129328	121
114120	134	114935	164	124529	117	129338	121

Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite
129348	121	135820	113	137307	112	137820	112
129354	121	135825	113	137310	112	137822	112
129362	121	136100	115	137312	112	137826	112
129364	121	136110	115	137315	112	137930	112
129728	119	136215	115	137320	112	137935	112
129738	119	136220	115	137325	112	139035	114
129748	119	136225	115	137404	111	139040	114
129754	119	136315	116	137405	111	139115	114
129762	119	136320	116	137410	111	139120	114
129764	119	136325	116	137415	111	139125	114
130260	171	136335	116	137420	111	139130	114
130320	120	137100	111	137425	111	139135	114
130322	120	137101	111	137427	111	139810	115
130324	120	137102	111	137430	111	139815	115
130326	120	137103	111	137432	111	139817	115
130338	120	137104	111	137435	111	139820	115
130348	120	137105	111	137445	111	140004	106
130354	120	137106	111	137607	112	140005	106
130362	120	137107	111	137608	112	140006	106
130363	120	137108	111	137610	112	140007	106
130365	120	137109	111	137612	112	140300	176
130368	120	137110	111	137615	112	143255	108
130538	120	137111	111	137617	112	143260	108
130548	120	137113	111	137618	112	143265	108
130554	120	137114	111	137620	112	143270	108
130562	120	137115	111	137622	112	143275	108
130564	120	137120	111	137625	112	143280	108
130870	119	137125	111	137630	113	143285	108
130874	119	137127	111	137632	113	143352	109
130970	119	137130	111	137634	113	143355	109
130974	119	137132	111	137636	113	143356	109
131100	119	137135	111	137638	113	143357	109
131171	119	137140	111	137700	113	143358	109
131175	119	137145	111	137710	113	143359	109
131900	133	137150	111	137720	113	143360	109
131902	133	137155	111	137750	113	143361	109
134002	109	137160	111	137755	113	143362	109
134080	176	137300	112	137810	112	143364	109
135805	113	137301	112	137812	112	143848	118
135810	113	137302	112	137815	112	143854	118
135815	113	137305	112	137817	112	143862	118

<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>
144180	121	144673	165	148237	106	152905	110
144190	121	144674	165	148240	106	152907	110
144310	165	144676	165	148245	106	152910	110
144315	165	145505	105	148500	176	155540	116
144320	165	145507	105	148502	176	155542	116
144325	165	145515	105	150010	122	155544	116
144330	165	145520	105	150015	122	155546	116
144340	165	145525	105	150020	122	155548	116
144382	165	145530	105	150030	122	155550	116
144384	165	145535	105	150040	122	156100	163
144385	165	145540	105	150045	122	156640	114
144386	165	145545	105	150050	122	156642	114
144388	165	145550	105	150060	122	156644	114
144390	165	145560	105	150065	122	156646	114
144405	166	145611	105	150070	122	156648	114
144410	166	145616	105	150080	122	156650	114
144415	166	145619	105	150900	122	159600	108
144420	166	145631	105	150902	122	159661	172
144425	166	145638	105	150904	122	159665	172
144430	166	146506	105	150905	122	159666	173
144435	166	146508	105	150907	122	159667	172
144440	166	146511	105	150910	122	159668	172
144445	166	146516	105	150912	122	159669	173
144515	165	146519	105	150915	122	159670	172
144520	165	146523	105	150920	122	362038	126
144525	165	147010	106	150922	122	362138	126
144530	165	147015	106	152400	109	362338	126
144535	165	147020	106	152505	109	365538	96
144540	165	147025	106	152510	109	386038	125
144545	165	147030	106	152605	109	386048	125
144605	166	147035	106	152615	109	386138	173
144610	166	148020	106	152705	109	386148	173
144615	166	148025	106	152710	109	388000	125
144620	166	148030	106	152715	109	388002	176
144625	166	148035	106	152800	109	388050	173
144630	166	148040	106	152803	109	388060	173
144635	166	148045	106	152805	109	402038	96
144640	166	148215	106	152810	109	402046	96
144645	166	148220	106	152815	109	452000	127
144671	165	148225	106	152900	110	452005	127
144672	165	148235	106	152903	110	452010	127

Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite
452015	127	470055	131	655056	157	701650	102
452201	135	470060	131	655074	156	701807	33
452210	135	470816	131	701330	62	701812	33
452215	135	470819	131	701340	62	701817	33
455701	127	470820	131	701342	62	701822	33
455717	127	472000	129	701346	62	701842	33
455732	127	472200	129	701347	62	701844	33
455742	127	472500	130	701348	62	701853	33
455743	127	472600	130	701350	62	701858	33
455751	127	472700	130	701352	63	701863	33
458021	107	472800	130	701353	62	701864	33
458022	107	473100	129	701354	62	701868	33
458023	107	473500	133	701355	63	701873	33
458024	107	474300	129	701357	63	701878	33
458731	107	474305	130	701358	63	701900	34
458732	107	474400	130	701360	63	701902	34
458733	107	474410	130	701362	63	701904	34
458734	107	474701	132	701364	59	701906	34
462026	174	474702	132	701365	59	701908	34
462231	174	474743	132	701367	59	701910	34
462500	174	474744	132	701368	63	701920	34
462512	174	475505	132	701370	59	701922	34
462617	174	475535	132	701371	59	701924	34
462723	174	475565	132	701372	59	701928	157
462827	174	475800	177	701374	59	701930	157
462932	174	475900	177	701376	59	701932	157
463036	174	476000	177	701377	59	701934	157
463139	174	476900	177	701381	163	701936	157
463243	174	578000	168	701440	46	701938	157
463616	107	578001	168	701442	46	701960	157
463732	107	653054	156	701460	46	701964	157
464003	107	653055	156	701462	46	701965	157
464004	107	653056	156	701464	46	701966	157
464713	107	654003	157	701620	102	701967	157
464714	107	654004	156	701621	102	701968	157
465423	107	654019	157	701622	102	702398	36
465424	107	654020	157	701623	102	702399	36
466133	107	654021	157	701624	102	702595	31
466134	107	654052	156	701625	102	702600	31
470045	131	655054	157	701626	102	702603	31
470050	131	655055	157	701627	102	702604	31

<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>
702605	31	704004	118	704419	138	704606	152
702608	31	704006	118	704424	138	704607	152
702804	33	704008	118	704429	138	704608	152
702806	33	704010	118	704430	138	704610	151
702810	33	704012	118	704431	138	704614	151
702812	33	704014	118	704486	144	704615	152
702852	34	704016	118	704492	139	704616	152
702854	34	704018	118	704493	139	704617	151
702858	34	704020	118	704495	139	704618	153
702860	34	704024	175	704500	144	704620	153
702864	34	704025	175	704502	144	704621	153
702866	34	704209	141	704504	144	704622	153
702870	34	704261	141	704506	144	704623	153
702872	34	704267	141	704507	144	704624	153
702883	34	704268	141	704508	144	704625	153
702884	34	704269	141	704518	140	704626	153
702885	34	704270	141	704520	140	704628	151
702886	34	704272	141	704522	143	704630	150
702890	157	704275	141	704523	143	704631	150
703247	151	704281	141	704526	147	704632	150
703340	152	704282	141	704532	143	704633	150
703341	152	704322	138	704534	143	704634	150
703343	152	704325	138	704536	143	704635	150
703344	152	704328	138	704538	143	704636	151
703345	152	704330	138	704541	143	704637	151
703346	152	704338	138	704542	143	704638	150
703380	152	704340	138	704544	143	704639	150
703409	105	704343	138	704548	143	704640	150
703411	105	704345	138	704549	143	704641	150
703440	148	704348	138	704551	143	704642	150
703459	105	704350	138	704552	144	704643	150
703677	155	704375	138	704554	144	704644	150
703678	155	704378	138	704570	147	704645	150
703970	28	704388	138	704575	147	704649	150
703975	156	704390	138	704580	147	704650	154
703976	156	704391	138	704600	152	704651	155
703977	156	704395	138	704601	152	704652	154
703978	156	704396	138	704602	152	704653	154
703979	156	704397	138	704603	152	704654	152
703980	28	704398	138	704604	152	704655	152
704002	118	704399	138	704605	152	704656	152

Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite
704659	153	704747	150	705320	28	705434	29
704661	151	704748	155	705323	28	705436	29
704662	151	704750	154	705326	28	705449	29
704663	151	704751	155	705327	28	705450	29
704665	150	704765	151	705329	28	705453	29
704666	151	704766	151	705333	28	705454	29
704670	155	704767	151	705336	28	705456	29
704671	155	704807	148	705337	28	705459	29
704672	155	704811	148	705339	28	705460	29
704673	155	704812	148	705340	28	705463	29
704674	155	704813	148	705343	28	705464	29
704675	155	705020	159	705346	28	705466	29
704676	155	705025	159	705347	28	705469	29
704677	155	705050	159	705350	156	705470	29
704678	155	705051	159	705351	156	705473	29
704679	155	705052	159	705352	156	705474	29
704680	155	705053	159	705353	156	705476	29
704681	155	705110	35	705382	148	705480	29
704718	153	705129	159	705383	148	705484	29
704719	153	705130	158	705384	148	705500	155
704721	153	705200	35	705385	148	705502	155
704722	153	705201	35	705386	148	705508	149
704723	153	705210	35	705390	148	705509	149
704724	153	705211	35	705391	148	705510	149
704725	153	705220	158	705392	148	705511	149
704726	153	705225	158	705399	29	705518	152
704730	150	705230	158	705400	29	705520	152
704731	150	705235	158	705403	29	705522	152
704732	150	705240	158	705404	29	705523	152
704733	150	705250	158	705406	29	705524	152
704734	150	705299	28	705409	29	705525	152
704735	150	705300	28	705410	29	705526	152
704736	150	705303	28	705413	29	705528	154
704737	150	705306	28	705414	29	705529	154
704739	150	705307	28	705416	29	705530	151
704740	150	705309	28	705419	29	705537	153
704741	150	705310	28	705420	29	705538	153
704742	150	705313	28	705423	29	705539	153
704743	150	705316	28	705424	29	705541	153
704745	150	705317	28	705426	29	705546	154
704746	150	705319	28	705433	29	705547	154

Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite
705548	150	705732	35	705928	27	708016	140
705549	154	705734	35	705930	27	708019	140
705550	150	705736	35	705932	27	708022	140
705553	150	705738	35	706011	142	708024	140
705555	150	705740	35	706012	142	708035	139
705614	154	705742	35	706018	142	708102	140
705615	154	705744	35	706019	142	708104	140
705616	154	705746	35	706025	142	708106	140
705617	154	705748	35	706027	142	708109	140
705618	152	705808	27	706029	142	708112	140
705620	154	705816	27	706031	142	708114	140
705621	154	705820	27	706033	141	708116	140
705622	154	705828	27	706034	141	708119	140
705623	154	705838	27	707525	146	708122	140
705630	154	705844	27	707528	145	708124	140
705631	154	705854	27	707529	146	708132	141
705633	154	705862	27	707530	145	708134	141
705634	154	705864	27	707531	145	708210	142
705635	154	705868	26	707532	145	708212	142
705636	154	705869	26	707533	145	708214	142
705638	154	705870	26	707535	145	708216	142
705659	153	705872	26	707537	145	708218	142
705662	153	705873	26	707538	146	708220	142
705663	153	705874	26	707539	145	708400	26
705664	153	705878	26	707550	145	708410	26
705666	153	705880	26	707556	146	708412	26
705671	153	705882	26	707557	146	708414	26
705677	154	705884	26	707558	146	708462	148
705678	154	705890	27	707559	146	708470	149
705700	35	705891	27	707560	146	708471	149
705702	35	705892	27	707915	140	708472	149
705704	35	705893	27	707916	140	708605	174
705706	35	705896	27	707918	140	708707	129
705708	35	705897	27	707928	140	708709	129
705710	35	705900	27	707930	142	708718	129
705712	35	705906	27	708002	140	708722	129
705714	35	705908	27	708005	140	708728	129
705716	35	705910	27	708006	140	708733	129
705718	35	705912	27	708008	140	708744	129
705720	36	705920	27	708012	140	708745	129
705730	35	705926	27	708014	140	708757	129



Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite
709110	174	717805	131	732128	30	732732	32
709400	44	717810	131	732130	31	732734	33
709402	44	717820	131	732132	31	732990	33
709410	45	718005	131	732202	30	732992	33
709413	45	718020	131	732204	30	732994	33
709416	45	718605	131	732206	30	732996	33
709420	45	718620	131	732208	30	733146	44
709423	45	718905	132	732210	31	733166	44
709426	45	718920	132	732212	31	733646	44
709430	45	719005	132	732222	30	733666	44
709432	45	719505	132	732224	30	734148	44
709434	45	719520	132	732226	30	734150	44
709436	45	719805	132	732228	30	734152	44
709443	45	719820	132	732230	31	734168	44
709446	45	721305	132	732232	31	734170	44
709448	45	722055	126	732602	31	734172	44
709449	45	722060	126	732604	32	734650	44
709450	45	723014	131	732606	32	734652	44
709451	45	723015	131	732608	32	734654	44
709452	45	723016	131	732610	32	734670	44
709453	45	732002	30	732612	32	734672	44
709455	45	732004	30	732614	33	734674	44
709456	45	732006	30	732622	31	747715	128
709458	45	732008	30	732624	32	747720	128
709463	44	732010	31	732626	32	747725	128
709465	44	732012	31	732628	32	747730	128
709470	45	732022	30	732630	32	747750	128
709472	45	732024	30	732632	32	747755	128
709474	45	732026	30	732634	33	747760	128
709476	46	732028	30	732702	31	747765	128
709477	46	732030	31	732704	32	747770	128
709478	46	732032	31	732706	32	747775	128
709479	46	732102	30	732708	32	749311	128
709480	46	732104	30	732710	32	749321	128
709481	46	732106	30	732712	32	749510	129
709482	46	732108	30	732714	33	758901	127
709510	46	732110	31	732722	31	758902	127
709511	46	732112	31	732724	32	758905	126
709512	46	732122	30	732726	32	758910	126
709513	46	732124	30	732728	32	759005	71
709514	46	732126	30	732730	32	759015	71

<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>
759030	71	780555	60	780763	61	781327	56
759035	71	780605	164	780764	61	781330	56
759105	71	780608	164	780770	62	781332	56
759115	71	780700	61	780771	62	781333	56
759125	71	780701	61	780772	62	781334	56
759128	71	780702	61	780773	62	781340	56
759150	71	780703	61	780774	62	781341	56
759170	71	780704	61	780775	62	781342	56
759200	72	780710	61	781029	133	781343	56
759210	72	780711	61	781039	133	781344	56
759215	72	780712	61	781040	133	781345	58
759220	72	780713	61	781230	58	781346	58
759230	72	780714	61	781231	58	781350	57
759235	72	780720	61	781232	58	781354	57
759240	72	780721	61	781233	58	781357	57
759241	72	780722	61	781234	58	781358	58
759242	72	780723	61	781260	163	781362	163
759243	72	780724	61	781280	56	781364	57
759500	164	780730	61	781290	56	781365	58
759703	128	780731	61	781300	56	781366	57
759705	127	780732	61	781301	56	781367	57
759710	127	780733	61	781302	56	781368	57
759800	164	780734	61	781303	56	781369	57
768505	114	780740	62	781304	56	781371	57
768510	114	780741	62	781305	56	781372	57
768515	113	780742	62	781310	56	781373	57
778012	134	780743	62	781311	56	781374	57
778013	134	780744	62	781312	56	781375	57
779012	134	780750	60	781313	56	781376	57
779022	134	780751	60	781314	56	781377	57
780420	60	780752	60	781315	56	781378	57
780421	60	780753	60	781316	56	781381	59
780422	60	780754	60	781317	56	781382	59
780423	60	780755	60	781318	56	781383	58
780424	60	780756	60	781320	56	781390	58
780425	60	780757	60	781321	56	781391	58
780507	59	780758	60	781322	56	781400	57
780536	59	780759	60	781323	56	781411	57
780540	60	780760	61	781324	56	781412	57
780546	60	780761	61	781325	56	781413	57
780550	60	780762	61	781326	56	781414	57

<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>
781415	57	781641	68	781971	69	782720	65
781416	57	781642	68	781974	69	782721	65
781419	163	781660	68	781975	69	782726	65
781500	63	781661	68	781980	69	782727	65
781510	63	781662	68	781981	69	782730	65
781520	63	781663	68	781982	69	782731	65
781525	63	781665	68	781986	69	782732	65
781530	64	781668	68	781987	69	782733	65
781535	64	781670	68	781988	69	782734	65
781538	58	781671	68	781989	69	782735	65
781539	58	781680	68	782022	69	782736	65
781540	64	781681	68	782030	69	782737	65
781541	58	781682	68	782031	69	782740	65
781542	58	781686	68	782034	69	782741	65
781543	58	781687	68	782035	69	782746	65
781544	58	781720	68	782082	70	782747	65
781545	58	781721	68	782090	70	782750	65
781546	58	781722	68	782091	70	782751	65
781547	58	781724	68	782094	70	782752	65
781548	58	781727	68	782095	70	782753	65
781549	58	781731	68	782150	70	782754	65
781565	63	781732	68	782151	70	782755	65
781566	63	781740	68	782152	70	782756	65
781600	67	781741	68	782153	70	782757	65
781601	67	781742	68	782155	70	782800	66
781602	67	781780	69	782300	70	782801	66
781603	67	781782	69	782301	70	782806	66
781604	67	781840	69	782305	70	782810	66
781605	67	781842	69	782306	70	782811	66
781607	67	781900	70	782700	65	782816	67
781608	67	781902	70	782701	65	782820	66
781610	67	781910	70	782706	65	782821	66
781611	67	781911	70	782707	65	782826	66
781614	67	781912	70	782710	65	782840	66
781615	67	781913	70	782711	65	782841	66
781620	67	781960	69	782712	65	782846	66
781621	67	781961	69	782713	65	782860	66
781622	67	781962	69	782714	65	782861	66
781626	67	781965	69	782715	65	782866	66
781627	67	781968	69	782716	65	782870	66
781640	68	781970	69	782717	65	782871	66

Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite	Art.-Nr.	Seite
782876	67	937241	87	937410	92	956981	89
782880	67	937243	87	937411	92	956982	89
782881	67	937245	87	937412	92	956983	89
782890	67	937246	87	937413	92	956984	89
782891	67	937247	87	937438	93	957461	93
782900	66	937248	87	937443	93	957462	93
782901	66	937249	87	937445	93	957463	93
936401	91	937250	87	937446	93	957464	93
936402	91	937251	87	937447	93	957465	93
936403	91	937252	87	937448	93	957467	93
936404	91	937253	87	937449	93	957468	93
936406	91	937254	87	937450	93	957469	93
936407	91	937255	87	937451	93	957470	93
936408	91	937256	89	937452	93	957471	93
936838	94	937257	89	937453	93	957481	92
936841	94	937258	89	956841	95	957482	92
936842	94	937259	89	956847	95	957483	92
936843	94	937260	89	956849	95	957484	92
936845	94	937261	89	956850	95	957485	92
936846	94	937262	89	956851	95	957487	92
936847	94	937263	89	956852	95	957488	92
936848	94	937264	89	956853	95	957489	92
936849	94	937265	89	956854	95	957490	92
936850	94	937266	89	956938	87	957491	92
936851	94	937267	89	956943	87	4340000	178
936852	94	937268	89	956945	87	4340001	178
936853	94	937288	89	956947	87	4340002	178
936854	94	937289	89	956948	87	4340010	178
937045	90	937290	87	956949	87	4340011	178
937046	90	937291	87	956950	87	4340012	178
937047	90	937293	87	956951	87	4340020	178
937048	90	937294	89	956952	87	4340021	178
937049	90	937401	92	956953	87	4340022	178
937050	90	937402	92	956954	87	4340030	178
937051	90	937403	92	956968	89	4340031	178
937052	90	937404	92	956973	89	4340032	178
937053	90	937405	92	956975	89	4340040	178
937233	87	937406	92	956977	89	4340041	178
937234	87	937407	92	956978	89	4340042	178
937236	87	937408	92	956979	89	4340060	178
937238	87	937409	92	956980	89	4340061	178

<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>	<b>Art.-Nr.</b>	<b>Seite</b>
4340062	178	4600211	24	4630131	24	4630361	24
4341000	164	4600220	24	4630140	24	4640040	25
4341001	164	4600221	24	4630141	24	4640041	25
4341002	164	4600230	24	4630150	24	4640240	25
4341050	164	4600231	24	4630151	24	4640241	25
4341051	164	4600240	24	4630160	24	4720120	25
4341052	164	4600241	24	4630161	24	4720140	25
4600100	23	4600290	24	4630170	24	4720150	25
4600101	23	4600291	24	4630171	24	4720420	25
4600120	23	4600310	23	4630230	25	4720440	25
4600121	23	4600311	23	4630231	25	4720450	25
4600130	23	4600320	23	4630240	25	4723180	26
4600131	23	4600321	23	4630241	25	4760141	25
4600140	23	4600330	23	4630290	25	4760151	25
4600141	23	4600331	23	4630291	25	4760161	25
4600150	23	4600340	23	4630330	24	4760241	25
4600151	23	4600341	23	4630331	24	4760251	25
4600160	23	4600350	23	4630340	24	4760261	25
4600161	23	4600351	23	4630341	24	4760451	25
4600170	23	4600360	23	4630350	24		
4600171	23	4600361	23	4630351	24		
4600210	24	4630130	24	4630360	24		

BRAND GMBH + CO KG

P.O. Box 1155 | 97861 Wertheim | Germany

T +49 9342 808 0 | F +49 9342 808 98000 | info@brand.de | www.brand.de

BRAND. For lab. For life.®



Our technical literature is intended to inform and advise our customers. However, the validity of general empirical values, and of results obtained under test conditions, for specific applications depends on many factors beyond our control. Please appreciate, therefore, that no claims can be derived from our advice. The user is responsible for checking the appropriateness of the product for any particular application.

California Residents: For more information concerning California Proposition 65, please refer to [www.brand.de/calprop65](http://www.brand.de/calprop65).

Subject to technical modification without notice. Errors excepted.

996270 © 2023 BRAND GMBH + CO KG | Printed in Germany | 0123



Find accessories and replacement parts, user manuals, test instructions (SOP) and product videos at [shop.brand.de](http://shop.brand.de)



Further information on products and applications can be found on our YouTube channel: [mylabBRAND](#)

BRAND (Shanghai) Trading Co., Ltd.  
Shanghai, China

Tel.: +86 21 6422 2318  
info@brand.com.cn  
www.brand.cn.com

BRAND Scientific Equipment Pvt. Ltd.  
Mumbai, India

Tel.: +91 22 42957790  
customersupport@brand.co.in  
www.brand.co.in

BrandTech® Scientific, Inc.  
Essex, CT. United States of America

Tel.: +1 860 767 2562  
info@brandtech.com  
www.brandtech.com